

# Package ‘CAvariants’

January 14, 2019

**Type** Package

**Title** Correspondence Analysis Variants

**Version** 4.0

**Date** 2019-01-14

**Author** Rosaria Lombardo and Eric J Beh

**Maintainer** Rosaria Lombardo <rosaria.lombardo@unicampania.it>

**Description** Provides six variants of two-way correspondence analysis (ca): simple ca, singly ordered ca, doubly ordered ca, non symmetrical ca, singly ordered non symmetrical ca, and doubly ordered non symmetrical ca.

**Depends** R (> 3.0.1), methods, tools, ggplot2, gridExtra, ggrepel, rgl

**LazyData** true

**License** GPL (> 2)

**URL** <https://www.R-project.org>

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2019-01-14 15:40:05 UTC

## R topics documented:

angle . . . . .	2
asbestos . . . . .	2
cabasic . . . . .	3
caellipse . . . . .	4
caellipseprint . . . . .	6
caplot3d . . . . .	7
CAvariants . . . . .	8
componetable.exe . . . . .	11
compstable.exe . . . . .	12
docabasic . . . . .	13
donscabasic . . . . .	14

ellipse . . . . .	15
emerson.poly . . . . .	16
nscabasic . . . . .	17
nscaellipse . . . . .	17
nscaellipseprint . . . . .	19
plot.CAvariants . . . . .	21
print.CAvariants . . . . .	23
printwithaxes . . . . .	25
shopdataM . . . . .	26
socabasic . . . . .	27
sonscabasic . . . . .	28
summary.CAvariants . . . . .	29
trendplot . . . . .	30

<b>Index</b>	<b>32</b>
--------------	-----------

---

angle	<i>Angle</i>
-------	--------------

---

### Description

The internal **R** function `angle` is used to draw ellipses around points in a graphical display.

### Details

This function is used in two other functions that are `caellipse` and `nscaellipse`.

### References

Macdonald PDM 2002 Drawing an ellipse in Splus or R. Available at [www.math.mcmaster.ca/peter/s4m03/s4m03\\_0102/ellipse.html](http://www.math.mcmaster.ca/peter/s4m03/s4m03_0102/ellipse.html) (accessed August 18, 2016).

---

asbestos	<i>Selikoff's data, a two-way contingency table.</i>
----------	--

---

### Description

The data set consists of 4 rows and 5 columns. The rows represent the degree of severity of asbestosis and the columns are concerned with the time of exposure to asbestos in years of the workers

### Usage

```
data(asbestos)
```

**Format**

The format is:  
row names [1:4] "None" "grade1" "grade2" "grade3"  
col names [1:5] "0-9" "10-19" "20-29" "30-39" "40+"

**References**

Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.  
Selikoff IJ 1981 Household risks with inorganic fibers. Bulletin of the New York Academy of Medicine, 57, 947 – 961.

**Examples**

```
asbestos <-structure(c(310, 36, 0, 0, 212, 158, 9, 0, 21, 35, 17, 4, 25,
102, 49, 18, 7, 35, 51, 28), .Dim = 4:5, .Dimnames = list(c("none",
"grade1", "grade2", "grade3"), c("0-9", "10-19", "20-29", "30-39",
"40+")))
dim(asbestos)
dimnames(asbestos)
```

---

cabasic

*Classical two-way correspondence analysis*

---

**Description**

This function is used in the main function `CAvariants` when the input parameter is `catype = "CA"`. It performs the singular value decomposition of Pearson's ratio and computes principal axes, coordinates, the weights of rows and columns, the total inertia (equal to Pearson's index) and the rank of the matrix.

**Usage**

```
cabasic(Xtable)
```

**Arguments**

`Xtable`            The two-way contingency table.

**Note**

This function belongs to the R object class called `cabasicresults`.

**Author(s)**

Rosaria Lombardo and Eric J. Beh

## References

- Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.
- Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.
- Lombardo R Beh EJ and Kroonenberg PM 2016 Modelling Trends in Ordered Correspondence Analysis Using Orthogonal Polynomials. Psychometrika, 81(2), 325–349.

## Examples

```
data(asbestos)
cabasic(asbestos)
```

---

caellipse	<i>Algebraic elliptical confidence regions for symmetrical variants of correspondence analysis</i>
-----------	--

---

## Description

It produces elliptical confidence regions when symmetrical or ordered symmetrical correspondence analysis is performed. This function allows the analyst to superimpose confidence ellipses onto a graphical display when the input parameter `catype` of the main function `CAvariants` is set to "CA", "SOCA" or "DOCA". It is called internally from the main plot function `plot.CAvariants`. It uses the function `ellipse`.

## Usage

```
caellipse(Xtable, a1 = 1, a2 = 2, alpha = 0.05, cols = c(2, 4), M = 2, cex = 0.8,
cex.lab = 0.8, mar = c(5, 4, 4, 2) + 0.1, prop = 0.8, Imass, Jmass, a, b, g, f, dmu,
inertiapc, plottype = "biplot", biptype = "row", pos = 2, arrow = TRUE, length = 0,
ell = TRUE)
```

## Arguments

<code>Xtable</code>	The two-way contingency table.
<code>a1</code>	The axis number of the horizontal axis.
<code>a2</code>	The axis number of the vertical axis.
<code>alpha</code>	The confidence level of the elliptical regions. By default, <code>alpha = 0.05</code> .
<code>cols</code>	The graphical parameter for setting the colours of the points in the graphical displays.
<code>M</code>	The number of axes used for constructing the confidence ellipses. By default, <code>M = 2</code> . Its maximum value is equal to the rank of the data matrix.
<code>cex</code>	The parameter for setting the size of the character labels for the points in a graphical display. By default, <code>cex = 0.8</code> .

<code>cex.lab</code>	The parameter for setting the size of character labels of axes in graphical displays. By default, <code>cex.lab = 0.8</code> .
<code>mar</code>	The parameter for setting the size of the plotting area. By default, <code>mar = c(5, 4, 4, 2) + 0.1</code> .
<code>prop</code>	The scaling parameter for specifying the limits of the plotting area. By default, <code>prop = 1</code> .
<code>Imass</code>	The weight matrix of the row variable.
<code>Jmass</code>	The weight matrix of the column variable.
<code>a</code>	The row standard coordinates or, in case of the ordered variants of CA, the row standard polynomial coordinates.
<code>b</code>	The column standard coordinates or, in case of the ordered variants of CA, the column standard polynomial coordinates.
<code>f</code>	The row principal coordinates (scaled by a constant, by default <code>scaleplot = 1</code> ).
<code>g</code>	The column principal coordinates (scaled by a constant, by default <code>scaleplot = 1</code> ).
<code>dmu</code>	The squared singular values, or principal inertia, of each axis.
<code>inertiapc</code>	The percentage of explained inertia along each of the axes.
<code>pos</code>	The parameter that specifies the position of label of each point in the graphical display. By default, <code>pos = 2</code> .
<code>plottype</code>	The type of graphical display to be constructed. By default, <code>plottype = "biplot"</code> ; the alternative is <code>plottype = "classic"</code> .
<code>biptype</code>	The parameter for specifying the type of biplot. By default, <code>biptype = "row"</code> .
<code>arrow</code>	The parameter used for displaying the arrows in a biplot. By default, <code>arrow = TRUE</code> .
<code>length</code>	The parameter used for setting the length of the arrow end in a biplot. By default, <code>length = 0</code> .
<code>e11</code>	The logical parameter used for displaying the confidence ellipses. By default, <code>e11 = TRUE</code> .

### Details

The output values of this function.

### Value

<code>eccentricity</code>	The eccentricity of the ellipses. This is the distance between the centre of the ellipse and its two foci, which can be thought of as a measure of how much the conic section deviates from being circular (when the region is perfectly circular, eccentricity is zero).
<code>HL Axis 1</code>	Value of the semi-major axis length for each row and column point.
<code>HL Axis 2</code>	Value of the semi-minor axis length for each row and column point.
<code>Area</code>	Area of the ellipse for each row and column point.
<code>pvalcol</code>	Approximate p-value for each of the row and column points.

### Note

This function is called from the main plot function `plot.CAvariants` and is executed when `e11 = TRUE`.

**Author(s)**

Rosaria Lombardo and Eric J Beh

**References**

- Beh EJ 2010 Elliptical confidence regions for simple correspondence analysis. *J. Stat. Plan. Inference* 140, 2582–2588.
- Beh EJ and Lombardo R 2014 *Correspondence Analysis: Theory, Practice and New Strategies*. Wiley.
- Beh EJ Lombardo R 2015 Confidence regions and Approximate P-values for classical and non-symmetric correspondence analysis. *Journal of Communications and Statistics, Theory and Methods*. 44: 95–114.
- Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. *The R Journal*, 8 (2), 167–184.

---

caellipseprint	<i>Numerical characteristics of elliptical confidence regions in variants of symmetrical correspondence analysis</i>
----------------	--

---

**Description**

It produces the numerical characteristics of the elliptical confidence regions when symmetrical or ordered symmetrical correspondence analysis is performed. This function allows the analyst to superimpose confidence ellipses onto a graphical display when `catype = "CA"`, `catype = "SOCA"` or `catype = "DOCA"`. It is called internally from the main plot function `print.CAvariants`. It uses the function `ellipse`.

**Usage**

```
caellipseprint(Xtable, a1 = 1, a2 = 2, alpha = 0.05, M = 2,
              Imass, Jmass, a, b, g, f, dm, inertiacp)
```

**Arguments**

Xtable	The two-way contingency table.
a1	The first axis number.
a2	The second axis number.
alpha	The confidence level of the elliptical regions. By default, <code>alpha = 0.05</code> .
M	The number of axes used for constructing the ellipses. By default, <code>M = 2</code> . Its maximum value is equal to the rank of the data matrix.
Imass	The weight matrix of the row variable.
Jmass	The weight matrix of the column variable.
a	The row standard coordinates or, in case of the ordered variants of CA, the row standard polynomial coordinates.

b	The column standard coordinates or, in case of the ordered variants of CA, the column standard polynomial coordinates.
f	The row principal coordinates (scaled by a constant, by default scaleplot = 1).
g	The column principal coordinates (scaled by a constant, by default scaleplot = 1).
dmu	The squared singular values or inertia of each axis.
inertiapc	The percentage of explained inertia.

### Details

The output values of this function.

### Value

eccentricity	Value of ellipse eccentricity. This is the distance between the ellipse center and either of its two foci, which can be thought of as a measure of how much the conic section deviates from being circular (when it is equal to zero then the region becomes circular).
HL Axis 1	Value of ellipse semi-axis 1 for each row and column points.
HL Axis 2	Value of ellipse semi-axis 2 for each row and column points.
Area	Ellipse area for each row and column points.
pvalcol	P-value for each row and column points.

### Author(s)

Rosaria Lombardo and Eric J Beh

### References

- Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.
- Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.

---

caplot3d

*Three dimensional correspondence plot*

---

### Description

This function is used in the plot function `plot.CAvariants` when the logical parameter is `plot3d = TRUE`. It produces a 3-dimensional visualization of the association.

### Usage

```
caplot3d(f, g, percIn, size=10, adj=c(0,0.5),prop=1)
```

**Arguments**

f	The row principal or standard coordinates.
g	The column principal or standard coordinates.
percIn	The percentage of the total inertia explained inertia by each principal axis.
size	The size of the plotting area. By default, size = 10.
adj	One or two values in the interval [0, 1] that specifies the x (and optionally y) position of the label categories. By default, adj = c(0, 0.5).
prop	The scaling parameter for specifying the limits of the plotting area. By default, prop = 1.

**Note**

This function depends on the R library rgl.

**Author(s)**

Rosaria Lombardo and Eric J. Beh

**References**

- Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.
- Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.

---

CAvariants

*Six variants of correspondence analysis*

---

**Description**

It performs

- 1) simple correspondence analysis
- 2) doubly ordered correspondence analysis
- 3) singly ordered correspondence analysis
- 4) non symmetrical correspondence analysis
- 5) doubly ordered non symmetrical correspondence analysis
- 6) singly ordered non symmetrical correspondence analysis

**Usage**

```
CAvariants(Xtable, mj = NULL, mi = NULL, firstaxis = 1, lastaxis = 2,
catype = "CA", ellcomp = TRUE, M = min(nrow(Xtable), ncol(Xtable)) - 1, alpha = 0.05)
```



**Arguments**

Xtable	The two-way contingency table.
mi	The assigned ordered scores for the row categories. By default, mi = NULL, which gives consecutive integer valued (natural) scores.
mj	The assigned ordered scores for the column categories, By default, mj = NULL, which gives consecutive integer valued (natural) scores.
firstaxis	The horizontal polynomial, or principal, axis. By default firstaxis = 1.
lastaxis	The vertical polynomial, or principal, axis. By default lastaxis = 2.
catype	The input parameter for specifying what variant of correspondence analysis is to be performed. By default, catype = "CA". Other possible values are: catype = "SOCA", catype = "DOCA", catype = "NSCA", catype = "SONSCA", catype = "DONSCA".
ellcomp	This input parameter ensures that the characteristics of the algebraic confidence ellipses are computed and stored. When ellcomp = TRUE (which is by default), the output includes the characteristics of the ellipses. The eccentricity of the confidence ellipses is summarised by the quantity eccentricity, which is the distance between the center and either of its two foci, and can be thought of as a measure of how much the conic section deviates from being circular (when the regions are perfectly circular than the eccentricity is zero). The semi-major axis length of the ellipse for each row and column point is given by HL Axis 1 while HL Axis 2 gives the semi-minor axis length of the points. The area of the ellipse for each row and column category is given by Area while the p-value of each category is given by P-value.
M	The number of axes used for determining the structure of the elliptical confidence regions. By default, M = min(nrow(Xtable), ncol(Xtable)) - 1, i.e. the rank of the data matrix.
alpha	The level of significance for the elliptical regions. By default, alpha = 0.05.

**Value**

Description of the output returned

Xtable	The two-way contingency table.
rows	The number of rows of the two-way contingency table.
cols	The number of columns of the two-way contingency table.
r	The rank of the two-way contingency table.
rowlabels	The labels of the row variable.
collabels	The labels of the column variable.
Rprinccoord	The row principal coordinates. When the input parameter catype is "DOCA", "SOCA", "DONSCA" or "SONSCA", they are row principal polynomial coordinates.
Cprinccoord	The column principal coordinates. When the input parameter catype is "DOCA", "SOCA", "DONSCA" or "SONSCA", they are column principal polynomial coordinates.

Rstdcoord	The row standard coordinates. When the input parameter <code>catype</code> is "DOCA", "SOCA", "DONSCA" or "SONSCA", they are row standard polynomial coordinates.
Cstdcoord	The column standard coordinates. When the input parameter <code>catype</code> is "DOCA", "SOCA", "DONSCA" or "SONSCA", they are column standard polynomial coordinates.
tauden	The denominator of the Goodman-Kruskal tau index is given when the input parameter <code>catype</code> is "NSCA", "SONSCA", or "DONSCA". Otherwise it is NULL.
tau	The index of Goodman and Kruskal is given when the input parameter <code>catype</code> is "NSCA", "SONSCA", or "DONSCA". Otherwise it is NULL.
inertiasum	The total inertia of the analysis based on Pearson's chi-squared when <code>catype</code> is "CA", "DOCA" or "SOCA", or based on the Goodman-Kruskal tau when <code>catype</code> is "NSCA", "DONSCA" or "SONSCA" (numerator of the Goodman-Kruskal tau index).
inertias	The inertia in absolute value and percentage, in the row space for each principal or polynomial axis.
inertias2	The inertia in absolute value and percentage, in the column space for each principal or polynomial axis. When <code>catype</code> is "CA" or "NSCA" the associated inertia in the row and column spaces are the same for each principal axis.
comps	The polynomial components of inertia when the variables are ordered.
catype	The type of correspondence analysis chosen by the analyst. By default, <code>catype = "ca"</code> .
mj	The ordered scores of the column variable. When <code>mj = NULL</code> , the natural scores are used ( $i = 1, \dots, \text{cols}$ ).
mi	The ordered scores of the row variable. When <code>mi = NULL</code> , the natural scores are used ( $i = 1, \dots, \text{rows}$ ).
pcc	The weighted centered column profile matrix.
Jmass	The weight matrix of the column variable.
Imass	The weight matrix of the row variable.
Trend	The inner product, Inner product, of the biplot coordinates (for the two axes defined by <code>firstaxis = 1</code> and <code>lastaxis = 2</code> )
Z	The generalised correlation matrix when <code>catype = "SOCA"</code> , <code>catype = "DOCA"</code> , <code>catype = "SONSCA"</code> , <code>catype = "DONSCA"</code> , but when <code>catype = "CA"</code> , or <code>catype = "NSCA"</code> , it gives again the inner product matrix of biplot coordinates.
ellcomp	This parameter specifies whether the characteristics of the confidence ellipses (eccentricity, semi-axis, area, p-values) are to be computed. By default, <code>ellcomp = TRUE</code> .
resellprint	When <code>ellcomp = TRUE</code> , the output includes the numerical characteristics <code>resellprint</code> of the confidence ellipses, the eccentricity of the confidence ellipses, <code>resellprint\$eccentricity</code> , for each row and column point, the summary results, <code>resellprint\$row.summ</code> and <code>resellprint\$col.summ</code> , contain the semi-major axis length of the ellipse, HL Axis 1, the semi-minor axis length for the ellipse, HL Axis 2, the area of the ellipse, Area and the p-value, P-value.
M	The number of axes M considered in determining the structure of the elliptical confidence regions. By default, <code>M = min(nrow(Xtable), ncol(Xtable)) - 1</code> , i.e. the rank of the data matrix.

**Note**

This function recalls internally many other functions, depending on the setting of the input parameter `catype`, it recalls one of the six functions which does a variant of correspondence analysis. After performing a variant of correspondence analysis, it gives the output object necessary for printing and plotting the results. These two important functions are `print.CAvariants` and `plot.CAvariants`.

**Author(s)**

Rosaria Lombardo and Eric J Beh

**References**

- Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.
- Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. *The R Journal*, 8 (2), 167–184.
- Lombardo R Beh EJ and Kroonenberg PM 2016 Modelling Trends in Ordered Correspondence Analysis Using Orthogonal Polynomials. *Psychometrika*, 81(2), 325–349.

**Examples**

```
data(asbestos)
CAvariants(asbestos, catype = "CA", firstaxis = 1, lastaxis = 2)
CAvariants(asbestos, catype = "DOCA", mi = c(1:nrow(asbestos)), mj = c(4.5, 14.5, 24.5, 34.5, 44.5),
firstaxis = 1, lastaxis = 2, ellcomp = TRUE, M = min(nrow(asbestos), ncol(asbestos)) - 1)
CAvariants(asbestos, catype = "DONSCA", firstaxis = 1, lastaxis = 2)
data(shopdataM)
CAvariants(shopdataM, catype = "NSCA", firstaxis = 1, lastaxis = 3)
CAvariants(shopdataM, catype = "SONSCA", firstaxis = 1, lastaxis = 2)
CAvariants(shopdataM, catype = "SOCA", firstaxis = 1, lastaxis = 2)
```

---

compsonetable.exe

*Polynomial component of inertia in column space*

---

**Description**

This function allows the analyst to compute the contribution that the polynomial components make to the inertia (Pearson's chi-squared statistic or the Goodman-Kruskal tau index). The ordered variable should be the column variable that is transformed by polynomials. The polynomial components are the column polynomial components. The given input matrix is the  $Z$  matrix of generalised correlations from the hybrid decomposition. It is called by `CAvariants` when `catype = "SOCA"` or `catype = "SONSCA"`.

**Usage**

`compsonetable.exe(Z)`

**Arguments**

Z                    The matrix of generalised correlations between the polynomial and principal axes.

**Value**

The value returned is the matrix

comps                The matrix of the column polynomial component of inertia.

**Note**

This function belongs to the class called cacorporateplus.

**Author(s)**

Rosaria Lombardo and Eric J. Beh

**References**

Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.

Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.

Lombardo R Beh EJ and Kroonenberg PM 2016 Modelling Trends in Ordered Correspondence Analysis Using Orthogonal Polynomials. Psychometrika, 81(2), 325–349.

---

compstable.exe

*Polynomial component of inertia for the row and column spaces*

---

**Description**

This function allows the analyst to compute the contribution of the polynomial components to the inertia (Pearson's chi-squared statistic or the Goodman-Kruskal tau index). The ordered variable should be both the row and column variables that are transformed by the polynomials. The polynomial components are the row and column polynomial components. The given input matrix is the Z matrix of generalised correlations from the bivariate moment decomposition. It is called by CAvariants when catype = "DOCA" or catype = "DONSCA".

**Usage**

compstable.exe(Z)

**Arguments**

Z                    The matrix of generalised correlations between the polynomial axes.

**Value**

The value returned is the matrix

comps                    The matrix of the polynomial components of the inertia.

**Author(s)**

Rosaria Lombardo and Eric J. Beh

**References**

- Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.
- Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.
- Lombardo R Beh EJ and Kroonenberg PM 2016 Modelling Trends in Ordered Correspondence Analysis Using Orthogonal Polynomials. Psychometrika, 81(2), 325–349.

---

docabasic	<i>Doubly, or two-way, ordered correspondence analysis: for two ordered variables</i>
-----------	---

---

**Description**

This function is used by the main function `CAvariants` when the input parameter is `catype = "DOCA"`. It performs the bivariate moment decomposition of the Pearson ratio, computes polynomial axes, coordinates, weights of rows and columns, total inertia (based on Pearson's chi-squared statistic), the rank of the matrix. It also decomposes the inertia into row and column polynomial components.

**Usage**

```
docabasic(Xtable, mi, mj)
```

**Arguments**

- `Xtable`                The two-way contingency table.
- `mi`                      The set of ordered row scores. By default, `mi = c(1:nrow(Xtable))` (natural scores).
- `mj`                      The set of ordered column scores. By default, `mj = c(1:ncol(Xtable))` (natural scores).

**Author(s)**

Rosaria Lombardo and Eric J. Beh

## References

- Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.
- Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.
- Lombardo R Beh EJ and Kroonenberg PM 2016 Modelling Trends in Ordered Correspondence Analysis Using Orthogonal Polynomials. Psychometrika, 81(2), 325–349.

## Examples

```
data(asbestos)
mi <- c(1,2,3,4) #natural scores for rows
mj <- c(4.5,14.5,24.5,34.5,44.5) #midpoints for columns
docabasic(asbestos, mi, mj)
```

---

donscabasic	<i>Doubly, or two-way ordered, non symmetrical correspondence analysis: for two ordered variables</i>
-------------	---

---

## Description

This function is used in the main function `CAvariants` when the input parameter is `catype = "DONSCA"`. It performs the bivariate moment decomposition of the numerator of the Goodman-Kruskal tau index for a contingency table consisting of two ordered variables. It computes the polynomial axes, coordinates, weights of the rows and columns, total inertia (equal to the numerator of the tau index) and the rank of the matrix. It also decomposes the inertia into row and column polynomial components.

## Usage

```
donscabasic(Xtable, mi, mj)
```

## Arguments

<code>Xtable</code>	The two-way contingency table.
<code>mi</code>	The set of ordered row scores. By default, <code>mi = c(1:nrow(Xtable))</code> (natural scores).
<code>mj</code>	The set of ordered column scores. By default, <code>mj = c(1:ncol(Xtable))</code> (natural scores).

## Author(s)

Rosaria Lombardo and Eric J. Beh

## References

- Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.
- Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.
- Lombardo R Beh EJ and Kroonenberg PM 2016 Modelling Trends in Ordered Correspondence Analysis Using Orthogonal Polynomials. Psychometrika, 81(2), 325–349.

## Examples

```
data(asbestos)
mi <- c(1, 2, 3, 4) # natural scores for the rows
mj <- c(4.5, 14.5, 24.5, 34.5, 44.5) #midpoints for the columns
donscabetic(asbestos, mi, mj)
```

---

ellipse

*Ellipse*

---

## Description

This function is called internally from the graphical functions `caellipse` and `nscaellipse`. It constructs the algebraic confidence ellipses.

## Arguments

<code>hlaxa</code>	The length of the horizontal ellipse semi-axis.
<code>hlaxb</code>	The length of the vertical ellipse semi-axis.
<code>xc</code>	The coordinate of the generic point on the horizontal axis.
<code>yc</code>	The coordinate of the generic point on the vertical axis.
<code>col</code>	The color of ellipses.

## Note

This function is called from the secondary graphical function `caellipse` or `nscaellipse`, which is called from the main plot function `plot.CAvariants`. It can be executed for all variants of correspondence analysis.

## Author(s)

Rosaria Lombardo and Eric J Beh

## References

- Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.
- Macdonald PDM 2002 Drawing an ellipse in Splus or R. Available at [www.math.mcmaster.ca/peter/s4m03/s4m03\\_0102/ellipse.html](http://www.math.mcmaster.ca/peter/s4m03/s4m03_0102/ellipse.html) (accessed August 18, 2016).

---

 emerson.poly

*Orthogonal polynomials*


---

### Description

This function is called from the functions `docabasic`, `socabasic`, `sonscabasic` and `donscabasic`. It computes the orthogonal polynomials for the ordered categorical variables. The number of the polynomials is equal to the number of categories for that variable less one. The function computes the polynomial transformation of the ordered categorical variable.

### Usage

```
emerson.poly(mj, pj)
```

### Arguments

<code>mj</code>	The ordered scores of the ordered variable. By default, <code>mj = NULL</code> , the natural scores (1, 2, ...) are computed.
<code>pj</code>	The marginal relative frequencies of the ordered variable.

### Value

Describe the value returned

`B` the matrix of the orthogonal polynomials with the trivial polynomial removed.

### Note

Note that the sum of the marginal relative frequencies of the ordered variables must be one.

### Author(s)

Rosaria Lombardo and Eric J Beh

### References

Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.

Emerson PL 1968 Numerical construction of orthogonal polynomials from a general recurrence formula. *Biometrics*, 24 (3), 695-701.

Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. *The R Journal*, 8 (2), 167–184.

Lombardo R Beh EJ and Kroonenberg PM 2016 Modelling Trends in Ordered Correspondence Analysis Using Orthogonal Polynomials. *Psychometrika*, 81(2), 325-349.

### Examples

```
emerson.poly(c(1,2,3,4,5), as.vector(c(.1,.2,.3,.2,.2)))
```



---

nscabasic	<i>Two-way non symmetrical correspondence analysis</i>
-----------	--

---

**Description**

This function is used in the main function `CAvariants` when the input parameter is `catype = "NSCA"`. It calculates the singular value decomposition of the numerator of the Goodman-Kruskal tau index (index of predictability), computes principal axes, coordinates, weights of the rows and columns, total inertia (numerator of the tau index) and the rank of the matrix.

**Usage**

```
nscabasic(Xtable)
```

**Arguments**

`Xtable`            The two-way contingency table.

**Author(s)**

Rosaria Lombardo and Eric J. Beh

**References**

Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.  
Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. *The R Journal*, 8 (2), 167–184.  
Lombardo R Beh EJ and Kroonenberg PM 2016 Modelling Trends in Ordered Correspondence Analysis Using Orthogonal Polynomials. *Psychometrika*, 81(2), 325–349.

**Examples**

```
data(asbestos)  
nscabasic(asbestos)
```

---

nscaeellipse	<i>Algebraic elliptical confidence regions for non-symmetrical variants of correspondence analysis</i>
--------------	--

---

**Description**

This function produces elliptical confidence regions when non-symmetrical or ordered non-symmetrical correspondence analysis is performed. It superimposes the confidence ellipses onto the graphical displays, when `catype = "NSCA"`, `catype = "SONSCA"` or `catype = "DONSCA"`. It is called from the main plot function `plot.CAvariants` and uses the function `ellipse`.

**Usage**

```
nscaellipse(Xtable, a1 = 1, a2 = 2, alpha = 0.05, cols = c(2, 4),
M = 2, cex = 0.8, cex.lab = 0.8, mar = c(5, 4, 4, 2) + 0.1, prop = 0.8, Imass, Jmass,
a, b, f, g, dm, tauden, inertiac, plottype = "biplot",
biptype = "row", pos = 2, arrow = TRUE, length = 0, ell = TRUE)
```

**Arguments**

Xtable	The two-way contingency table.
a1	The axis number of the horizontal axis.
a2	The axis number of the vertical axis.
alpha	The confidence level of the elliptical regions. By default, alpha = 0.05.
cols	The graphical parameter for setting the colours of the points in the graphical displays.
M	The number of axes used for constructing the confidence ellipses. By default, M = 2. Its maximum value is equal to the rank of the data matrix.
cex	The parameter for setting the size of the character labels for the points in a graphical display. By default, cex = 0.8.
cex.lab	The parameter for setting the size of the character labels of axes in graphical displays. By default, cex.lab = 0.8.
mar	The parameter for setting the size of the plotting area. By default, mar = c(5, 4, 4, 2) + 0.1.
prop	The scaling parameter for specifying the limits of the plotting area. By default, prop = 1.
Imass	The weight matrix of the row variable.
Jmass	The weight matrix of the column variable.
a	The row standard coordinates or, in case of the ordered variants of NSCA, the row standard polynomial coordinates.
b	The column standard coordinates or, in case of the ordered variants of NSCA, the column standard polynomial coordinates.
f	The row principal coordinates (scaled by a constant, by default scaleplot = 1).
g	The column principal coordinates (scaled by a constant, by default scaleplot = 1).
dm	The squared singular values, or principal inertia, of each axis.
tauden	The denominator of the tau index.
inertiac	The percentage of explained inertia along each of the axes.
plottype	The type of graphical display to be constructed. By default, plottype = "biplot"; the alternative is plottype = "classic".
biptype	The parameter for specifying the type of biplot. By default, biptype = "row".
pos	The parameter that specifies the position of label of each point in the graphical display. By default, pos = 2.
arrow	The parameter for displaying the arrows in a biplot. By default, arrow = TRUE.
length	The parameter for setting the length of the arrow end in a biplot. By default, length = 0.
ell	The logical parameter used for displaying the confidence ellipses. By default, ell = TRUE.

**Details**

The output values of this function

**Value**

eccentricity	The eccentricity of the ellipses. This is the distance between the centre of the ellipse and its two foci, which can be thought of as a measure of how much the conic section deviates from being circular (when the region is perfectly circular, eccentricity is zero).
HL Axis 1	Value of the semi-major axis length for each row and column point.
HL Axis 2	Value of the semi-minor axis length for each row and column point.
Area	Area of the ellipse for each row and column point.
pvalcol	Approximate p-value for each of the row and column points.

**Note**

This function is called from the main plot function `plot.CAvariants` and is executed when `catype = "NSCA"`, `catype = "SONSCA"` or `catype = "DONSCA"`, only if `e11 = TRUE`.

**Author(s)**

Rosaria Lombardo and Eric J Beh

**References**

- Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.
- Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. *The R Journal*, 8 (2), 167–184.

---

nscaellipseprint	<i>Numerical characteristics of elliptical confidence regions in variants of non symmetrical correspondence analysis</i>
------------------	--

---

**Description**

This function produces numerical characteristics of elliptical confidence regions when non symmetrical or ordered non symmetrical correspondence analysis is performed. It superimposes the confidence ellipses on to the graphical displays, when `catype = "NSCA"`, `catype = "SONSCA"` or `catype = "DONSCA"`. It is called from the main plot function `print.CAvariants` and uses the function `ellipse`.

**Usage**

```
nscaellipseprint(Xtable, a1 = 1, a2 = 2, alpha = 0.05, M = 2,
Imass, Jmass, a, b, f, g, dm, tauden, inertia)
```

**Arguments**

Xtable	The two-way contingency table.
a1	The dimension reflected along the horizontal axis.
a2	The dimension reflected along the vertical axis.
alpha	The confidence level of the elliptical regions. By default, $\alpha = 0.05$ .
M	The number of axes used when drawing ellipse. By default, $M = 2$ . Its maximum value is equal to the rank of the data matrix.
Imass	The weight matrix of the row variable.
Jmass	The weight matrix of the column variable.
a	The row principal or polynomial axes.
b	The column principal or polynomial axes.
f	The row coordinates.
g	The column coordinates.
dmu	The squared singular values or inertia of each axis.
tauden	The denominator of tau index.
inertiapc	The percentage of explained inertia.

**Details**

The output values of this function

**Value**

eccentricity	Value of ellipse eccentricity. This is the distance between the ellipse center and either of its two foci, which can be thought of as a measure of how much the conic section deviates from being circular (when it is equal to zero then the region becomes circular).
HL Axis 1	Value of ellipse semi-axis 1 for each row and column points.
HL Axis 2	Value of ellipse semi-axis 2 for each row and column points.
Area	Ellipse area for each row and column points.
pvalcol	P-value for each row and column points.

**Author(s)**

Rosaria Lombardo and Eric J Beh

**References**

- Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.
- Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.

---

plot.CAvariants	<i>Main plot function</i>
-----------------	---------------------------

---

## Description

This function produces the graphical display for the selected variant of correspondence analysis. When `catype = "CA"` `catype = "NSCA"` and `plottype = "classic"`, the function produces a plot of the principal coordinates for the row and column categories.

When `plottype = "biplot"`, it produces a biplot graphical display, or a polynomial biplot in case of ordered variables. For an ordered analysis only the polynomial biplots are constructed. In particular, for the singly ordered variants only the row isometric polynomial biplot is appropriate. When the parameter `catype` defines an ordered variant of CA, the input parameter `plottype` should be equal to `plottype = "biplot"`. If `biptype = "row"`, it will produce a row isometric polynomial biplot.

## Usage

```
## S3 method for class 'CAvariants'
plot(x, firstaxis = 1, lastaxis = 2, cex = 0.8,
     cex.lab = 0.8, prop = 1, plottype = "biplot", biptype = "row",
     scaleplot = 1, posleg = "topleft", pos = 2, ell = FALSE, M = x$M,
     alpha = 0.05, plot3d = FALSE, size = 5, adj = c(0,0.5),...)
```

## Arguments

<code>x</code>	The name of the output object used with the main function <code>CAvariants</code> .
<code>firstaxis</code>	The horizontal polynomial, or principal, axis. By default, <code>firstaxis = 1</code> .
<code>lastaxis</code>	The vertical polynomial, or principal, axis. By default, <code>lastaxis = 2</code> .
<code>cex</code>	The parameter for setting the size of the character labels for the points in a graphical display. By default, <code>cex = 0.8</code> .
<code>cex.lab</code>	The parameter for setting the size of the character labels of axes in graphical displays. By default, <code>cex.lab = 0.8</code> .
<code>prop</code>	The scaling parameter for specifying the limits of the plotting area. By default, <code>prop = 1</code> .
<code>plottype</code>	The type of graphical display required (either a correspondence plot or a biplot). The type of graphical display to be constructed. By default, <code>plottype = "biplot"</code> ; the alternative is <code>plottype = "classic"</code> .
<code>biptype</code>	The parameter for specifying the type of biplot. By default, <code>biptype = "row"</code> . One may specify a row-isometric biplot ( <code>biptype = "row"</code> ) or a column-isometric biplot ( <code>biptype = "column"</code> ). This feature is available for the nominal symmetrical and non-symmetrical correspondence analyses. By default, a row-isometric biplot, <code>biptype = "row"</code> , is produced.
<code>scaleplot</code>	The parameter for scaling the biplot coordinates. See Gower et al. (2011), section 2.3.1, or page 135 of Beh and Lombardo (2014). By default, <code>scaleplot = 1</code> .

posleg	The position of the legend when portraying trends of the categories for ordered variants of correspondence analysis. By default, posleg = "topleft".
pos	The parameter that specifies the position of label of each point in the graphical display. By default, pos = 2.
e11	The logical parameter which specifies whether algebraic confidence ellipses are to be included in the plot or not. Setting the input parameter to e11 = TRUE will assess the statistical significance of each category to the association between the variables. By default, e11 = FALSE.
M	The number of axes considered in determining the structure of the elliptical confidence regions. By default, M = min(nrow(Xtable), ncol(Xtable)) - 1, i.e. the rank of the data matrix.
alpha	The confidence level of the elliptical regions. By default, alpha = 0.05.
plot3d	The logical parameter specifies whether a 3D plot is to be included in the output or not. By default, plot3d = FALSE.
size	The size of the plotting area. By default, size = 5.
adj	One or two values in the interval [0, 1] that specifies the x (and optionally y) position of the label categories. By default, adj = c(0, 0.5).
...	Further arguments passed to, or from, other functions.

### Details

It produces either a classical or biplot graphical display. Further, when `catype = "DOCA"`, `catype = "SOCA"`, `catype = "DONSCA"` or `catype = "SONSCA"`, the trends of the row and column variables (after the reconstruction of column profiles by the polynomials) is portrayed.

For classical biplot displays, it superimposes the algebraic confidence ellipses. It uses the secondary plot function `caellipse` (or `nscaellipse`) for the symmetrical (or non symmetrical) CA variants.

### Note

For the classical plots, row and column principal coordinates are plotted. For biplots, one set of coordinates is the standard coordinates and the other is the principal coordinates. When an ordered variant of correspondence analysis is performed, the biplot is constructed where one set of coordinates consists of the standard polynomial coordinates and the other one is the principal polynomial coordinates.

### Author(s)

Rosaria Lombardo and Eric J Beh

### References

- Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.
- Gower J, Lubbe S, and le Roux, N 2011 Understanding Biplots. Wiley.
- Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.
- Lombardo R Beh EJ and Kroonenberg PM 2016 Modelling Trends in Ordered Correspondence Analysis Using Orthogonal Polynomials. Psychometrika, 81(2), 325–349.

**Examples**

```
data(asbestos)
resasbestos<-CAvariants(asbestos, catype = "CA", firstaxis = 1, lastaxis = 2)
plot(resasbestos, plottype = "classic", plot3d = TRUE)
plot(resasbestos, plottype = "biplot", biptype = "column", ell = TRUE)
plot(resasbestos, plottype = "classic", ell = TRUE)
```

---

print.CAvariants	<i>Main printing function for numerical summaries</i>
------------------	---

---

**Description**

This function prints the numerical output for any of the six variants of correspondence analysis called by catype.

The input parameter is the name of the output of the main function CAvariants.

**Usage**

```
## S3 method for class 'CAvariants'
print(x, printdims = 2, ellprint = TRUE, alpha = 0.05, digits = 3,...)
```

**Arguments**

x	The name of the output object from the main function CAvariants.
printdims	The number of dimensions that are used for summarising the numerical output of the analysis. By default, printdims = 2. the maximum number is equal to the rank of the table.
ellprint	The logical parameter specifies whether the numerical characteristics of the confidence ellipses (eccentricity, semi-axis, area, p-values) are to be displayed. By default, ellprint = TRUE.
alpha	The confidence level of the elliptical regions. By default, alpha = 0.05.
digits	The number of decimal places used for displaying the numerical summaries of the analysis. By default, digits = 3.
...	Further arguments passed to, or from, other functions.

**Details**

This function uses another function (called printwithaxes) for specifying the number of columns of a matrix to print.

**Value**

The output returned depends on the type of correspondence analysis that is performed

Xtable	The two-way contingency table.
Row weights: Imass	The row weight matrix. These weights depend on the type of analysis that is performed.
Column weights: Jmass	The column weight matrix. These weights are equal to the column marginal relative frequencies for all types of analysis performed.
Total inertia	The total inertia of the analysis performed. For example, for variants of non symmetrical correspondence analysis, the output produced includes the numerator of the Goodman-Kruskal tau index, its C-statistic and p-value.
Inertias	The inertia values, their percentage contribution to the total inertia and the cumulative percent inertias for the row and column variables.
Generalised correlation matrix	The matrix of generalised correlations when performing an ordered correspondence analysis, catype must be "DOCA", "DONSCA", "SOCA" or "SONSCA".
Row principal coordinates	The row principal coordinates when catype = "CA" or catype = "NSCA".
Column principal coordinates	The column principal coordinates when catype = "CA" or catype = "NSCA".
Row standard coordinates	The row standard coordinates when catype = "CA" or catype = "NSCA".
Column standard coordinates	The column standard coordinates when catype = "CA" or catype = "NSCA".
Row principal polynomial coordinates	The row principal polynomial coordinates when performing an ordered correspondence analysis.
Column principal polynomial coordinates	The column principal coordinates when performing a doubly ordered correspondence analysis.
Row standard polynomial coordinates	The row standard polynomial coordinates, when performing an ordered variant of correspondence analysis.
Column standard polynomial coordinates	The column standard polynomial coordinates, when performing an ordered variant of correspondence analysis.
Row distances from the origin of the plot	The squared Euclidean distance of the row categories from the origin of the plot.
Column distances from the origin of the plot	The squared Euclidean distance of the column categories from the origin of the plot.



**Polynomial components**

The polynomial components of the total inertia and their p-values. The total inertia of the column space is partitioned to identify polynomial components. when `catype = "SOCA"` or `catype = "SONSCA"`. When `catype = "DOCA"` or `catype = "DONSCA"`, the total inertia of both the row and column space is partitioned to give the polynomial components.

**Inner product** The inner product of the biplot coordinates for the two-dimensional plot.

**ellprint** The logical parameter used for displaying the numerical characteristics of confidence ellipses. By default, `ell = TRUE`.

**Author(s)**

Rosaria Lombardo and Eric J. Beh

**References**

Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.

Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.

**Examples**

```
data(asbestos)
resasbestos <- CAvariants(asbestos, catype = "DOCA", firstaxis = 1, lastaxis = 2)
print(resasbestos)
```

---

printwithaxes      *Secondary printing function*

---

**Description**

The function is called from the main print function `print.CAvariants`. It adds the names to objects.

**Usage**

```
printwithaxes(x, thenames,digits=3)
```

**Arguments**

**x**                    A matrix.

**thenames**            A character vector of the same length as `x`.

**digits**                The number of decimal places used for displaying the numerical summaries of the analysis. By default, `digits = 3`.

**Author(s)**

Rosaria Lombardo and Eric J. Beh

**References**

Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.  
 Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.

---

 shopdataM

---

*Two-way contingency table of Dutch shoplifting (1977-1978)*


---

**Description**

This two-way contingency table summarises, in part, the results of a survey of the Dutch Central Bureau of Statistics (Isra`els, 1987). The table considers a sample of 20819 men who were suspected of shoplifting in stores of the Netherlands between 1977 and 1978.

**Usage**

```
data(shopdataM)
```

**Format**

The format is:  
 row names [1:13] "clothing" "accessories" "tobacco" "stationary" ...  
 col names [1:9] "M12<" "M13" "M16" "M19" ...

**References**

Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.  
 Isra`els A 1987 Eigenvalue Techniques for Qualitative Data. DSWO Press, Leiden.  
 Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.

**Examples**

```
shopdataM <- structure(c(81, 66, 150, 667, 67, 24, 47, 430, 743, 132, 32,
197, 209, 138, 204, 340, 1409, 259, 272, 117, 637, 684, 408,
57, 547, 550, 304, 193, 229, 527, 258, 368, 98, 246, 116, 298,
61, 402, 454, 384, 149, 151, 84, 146, 141, 61, 40, 13, 71, 52,
138, 252, 942, 297, 313, 92, 251, 167, 193, 30, 16, 130, 111,
280, 624, 359, 109, 136, 36, 96, 67, 75, 11, 16, 31, 54, 200,
195, 178, 53, 121, 36, 48, 29, 50, 5, 6, 14, 41, 152, 88, 137,
68, 171, 37, 56, 27, 55, 17, 3, 11, 50, 211, 90, 45, 28, 145,
17, 41, 7, 29, 28, 8, 10, 28, 111, 34), .Dim = c(13L,9L), .Dimnames = list(
```

```
c("clothing", "accessories", "tobacco", "stationary", "books",
  "records", "household", "candy", "toys", "jewelry", "perfumes",
  "hobby", "other"), c("M12<", "M13", "M16", "M19", "M25",
  "M35", "M45", "M57", "M65+"))
dim(shopdataM)
```

---

socabasic	<i>Singly, or one-way, ordered correspondence analysis: for an ordered column variable</i>
-----------	--

---

### Description

This function is used by the main function `CAvariants` when the input parameter is `catype = "SOCA"`. It performs the hybrid decomposition of Pearson's ratios and computes the principal axes for the rows and polynomial axes for the columns. It also gives the coordinates, row and column weights, total inertia (based on Pearson's chi-squared statistic) and the rank of the matrix. It decomposes the inertia in terms of the column polynomial components.

### Usage

```
socabasic(Xtable, mj)
```

### Arguments

<code>Xtable</code>	The two-way contingency table.
<code>mj</code>	The set of ordered column scores. By default, <code>mj = c(1:ncol(Xtable))</code> (natural scores).

### Author(s)

Rosaria Lombardo and Eric J. Beh

### References

Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.  
 Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.  
 Lombardo R Beh EJ and Kroonenberg PM 2016 Modelling Trends in Ordered Correspondence Analysis Using Orthogonal Polynomials. Psychometrika, 81(2), 325–349.

### Examples

```
data(asbestos)
mj <- c(1, 2, 3, 4, 5)
socabasic(asbestos, mj)
```

---

sonscabasic	<i>Singly, or one-way, ordered non symmetrical correspondence analysis: for an ordered column predictor variable</i>
-------------	--

---

## Description

This function is used by the main function `CAvariants` when the input parameter is `catype = "SONSCA"`. It performs the hybrid decomposition of the numerator of the Goodman-Kruskal tau index and implies an ordered (column) variable. It calculates the principal axes for the rows and polynomial axes for the columns, coordinates. It also calculates the row and column weights, inertia (based on the numerator of the tau index) and the rank of the matrix. It decomposes the inertia into column polynomial components.

## Usage

```
sonscabasic(Xtable, mj)
```

## Arguments

<code>Xtable</code>	The two-way contingency table.
<code>mj</code>	The set of ordered column scores. By default, <code>mj = c(1:ncol(Xtable))</code> (natural scores).

## Author(s)

Rosaria Lombardo and Eric J. Beh

## References

Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.  
Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.  
Lombardo R Beh EJ and Kroonenberg PM 2016 Modelling Trends in Ordered Correspondence Analysis Using Orthogonal Polynomials. Psychometrika, 81(2), 325-349.

## Examples

```
data(asbestos)
mj<-c(1, 2, 3, 4, 5)
sonscabasic(asbestos, mj)
```

---

summary.CAvariants      *Summary of numerical results from CA variants*

---

### Description

This function prints a numerical summary of the results from any of the six variants of correspondence analysis. The input parameter is the name of the output of the main function CAvariants.

### Usage

```
## S3 method for class 'CAvariants'
summary(object, printdims, digits, ...)
```

### Arguments

object	The output of the main function CAvariants.
printdims	The number of dimensions that are used for summarising the numerical output of the analysis. By default, printdims = 2. the maximum number is equal to the rank of the table.
digits	The number of decimal places used for displaying the numerical summaries of the analysis. By default, digits = 3.
...	Further arguments passed to, or from, other functions.

### Value

The value of output returned depends on the type of correspondence analysis that is performed.

**Inertias**      The inertia values, their percentage contribution to the total inertia and the cumulative percent inertias for the row and column variables.

**Generalised correlation matrix**  
The matrix of generalised correlations when performing an ordered correspondence analysis, catype = "DOCA", catype = "DONSCA", catype = "SOCA" or catype = "SONSCA".

**Row principal coordinates**  
The row principal coordinates when catype = "CA", or catype = "NSCA".

**Column principal coordinates**  
The column principal coordinates when catype = "CA", or catype = "NSCA".

**Row standard coordinates**  
The row standard coordinates when catype = "CA", or catype = "NSCA".

**Column standard coordinates**  
The column standard coordinates when catype = "CA", or catype = "NSCA".

**Row principal polynomial coordinates**  
The row principal polynomial coordinates when catype = "DOCA", catype = "DONSCA", catype = "SOCA", or catype = "SONSCA".

**Column principal polynomial coordinates**  
The column principal coordinates when catype = "DOCA", or catype = "DONSCA".

Row standard polynomial coordinates

The row standard polynomial coordinates when `catype` is "DOCA" or "DONSCA".

Column standard polynomial coordinates

The column standard polynomial coordinates when `catype` = "DOCA", `catype` = "DONSCA", `catype` = "SOCA", or `catype` = "SONSCA".

Total inertia The total inertia. For example, for non symmetrical correspondence analysis the numerator of the Goodman-Kruskal tau index, its C-statistic and p-value are returned.

Polynomial components

The polynomial components of the total inertia and their p-values. The total inertia of the column space is partitioned to identify polynomial components. when `catype` = "SOCA" or `catype` = "SONSCA". When `catype` = "DOCA" or `catype` = "DONSCA", the total inertia of both the row and column space is partitioned to give the polynomial components.

Inner product The inner product of the biplot coordinates for the two-dimensional plot.

### Author(s)

Rosaria Lombardo and Eric J. Beh

### References

- Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.
- Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.
- Lombardo R Beh EJ and Kroonenberg PM 2016 Modelling Trends in Ordered Correspondence Analysis Using Orthogonal Polynomials. Psychometrika, 81(2), 325–349.

### Examples

```
asbestos <- matrix(c(310, 36, 0, 0, 212, 158, 9, 0, 21, 35, 17, 4, 25, 102,
49, 18, 7, 35, 51, 28), 4, 5, dimnames = list(c("none", "grade1", "grade2", "grade3"),
c("0-9", "10-19", "20-29", "30-39", "40")))
risasbestos <- CAvariants(asbestos, catype = "DOCA", firstaxis = 1, lastaxis = 2)
summary(risasbestos)
```

---

trendplot

*Plot of reconstructed centred row and column profiles*

---

### Description

This function portrays the trend of the centred row and column of the column profile matrix that are reconstructed using orthogonal polynomials and/or principal axes.

**Usage**

```
trendplot(mf, mg, cex = 1, cex.lab = 0.8, prop = 0.5, posleg = "topleft",  
xlab = "First Principal Axis", ylab = "Second Principal Axis")
```

**Arguments**

mf	The number of row or column categories. By defaults, natural numbers.
mg	The inner product matrix.
cex	The parameter for setting the size of the character labels for the points in a graphical display. By default, cex = 0.8.
cex.lab	The parameter for setting the size of character labels of axes in graphical displays. By default, cex.lab = 0.8.
prop	The scaling parameter for specifying the limits of the plotting area. By default, prop = 0.5.
posleg	The position of the legend when portraying trends of the categories for ordered variants of correspondence analysis. By default, posleg = "topleft".
xlab	The parameter for setting the character label along the horizontal axis of the graphical display.
ylab	The parameter for setting the character label along the vertical axis of the graphical display.

**Note**

This function is called from the main plot function `plot.CAvariants`.

**Author(s)**

Rosaria Lombardo and Eric J. Beh

**References**

- Beh EJ and Lombardo R 2014 Correspondence Analysis: Theory, Practice and New Strategies. Wiley.
- Lombardo R Beh EJ 2016 Variants of Simple Correspondence Analysis. The R Journal, 8 (2), 167–184.
- Lombardo R Beh EJ and Kroonenberg PM 2016 Modelling Trends in Ordered Correspondence Analysis Using Orthogonal Polynomials. Psychometrika, 81(2), 325–349.

# Index

\*Topic **\textasciitildemultivariate**

docabasic, 13  
donscabasic, 14

\*Topic **correspondence analysis variants**

CAvariants, 8

\*Topic **datasets**

asbestos, 2  
shopdataM, 26

\*Topic **graph**

angle, 2  
trendplot, 30

\*Topic **multivariate**

cabasic, 3  
caellipse, 4  
caellipseprint, 6  
caplot3d, 7  
CAvariants, 8  
compsonetable.exe, 11  
compstable.exe, 12  
nscabasic, 17  
nscaellipse, 17  
nscaellipseprint, 19  
plot.CAvariants, 21  
print.CAvariants, 23  
socabasic, 27  
sonscabasic, 28

\*Topic **nonparametric**

emerson.poly, 16

\*Topic **orthogonal polynomials**

sonscabasic, 28

\*Topic **print**

printwithaxes, 25

\*Topic **summary**

summary.CAvariants, 29

\*Topic **univariate**

ellipse, 15

angle, 2

asbestos, 2

cabasic, 3

caellipse, 4

caellipseprint, 6

caplot3d, 7

CAvariants, 8

compsonetable.exe, 11

compstable.exe, 12

docabasic, 13

donscabasic, 14

ellipse, 15

emerson.poly, 16

nscabasic, 17

nscaellipse, 17

nscaellipseprint, 19

plot.CAvariants, 21

print.CAvariants, 23

printwithaxes, 25

shopdataM, 26

socabasic, 27

sonscabasic, 28

summary.CAvariants, 29

trendplot, 30