

# Package ‘GerminaR’

June 11, 2021

**Type** Package

**Title** Indices and Graphics for Assess Seed Germination Process

**Version** 2.1.2

**Description**

A collection of different indices and visualization techniques for evaluate the seed germination process in ecophysiological studies (Lozano-Isla et al. 2019) <[doi:10.1111/1440-1703.1275](https://doi.org/10.1111/1440-1703.1275)>.

**Date** 2021-06-10

**URL** <https://germinar.inkaverse.com/>,  
<https://github.com/flavjack/germinar>

**BugReports** <https://github.com/flavjack/germinar/issues>

**Depends** shiny, agricolae, ggplot2, dplyr, R (>= 3.5.0)

**Imports** tidyr, tibble, purrr, DT

**Suggests** knitr, rmarkdown, gsheets, inti

**VignetteBuilder** knitr

**License** GPL-3 | file LICENSE

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Author** Flavio Lozano-Isla [aut, cre] (<<https://orcid.org/0000-0002-0714-669X>>),  
Omar Benites Alfaro [aut] (<<https://orcid.org/0000-0002-6852-9598>>),  
Denise Garcia de Santana [aut],  
Marli A. Ranal [aut],  
Marcelo F. Pompelli [aut, ths]  
(<<https://orcid.org/0000-0002-4408-6374>>),  
Federal University of Pernambuco [cph] (Register of application),  
Federal Rural University of Pernambuco [cph] (Post Graduate Program)

**Maintainer** Flavio Lozano-Isla <[flavjack@gmail.com](mailto:flavjack@gmail.com)>

**Repository** CRAN

**Date/Publication** 2021-06-11 07:50:02 UTC

**R topics documented:**

fplot . . . . .	2
GerminaQuant . . . . .	4
ger_ASG . . . . .	5
ger_boxp . . . . .	5
ger_CVG . . . . .	7
ger_GRP . . . . .	7
ger_GRS . . . . .	8
ger_GSP . . . . .	9
ger_intime . . . . .	9
ger_MGR . . . . .	10
ger_MGT . . . . .	11
ger_SDG . . . . .	12
ger_summary . . . . .	13
ger_SYN . . . . .	13
ger_testcomp . . . . .	14
ger_UNC . . . . .	15
ger_VGT . . . . .	16
osmp . . . . .	17
prosopis . . . . .	17
rep_row . . . . .	18
textcolor . . . . .	18
webTable . . . . .	19

<b>Index</b>	<b>21</b>
--------------	-----------

---

fplot	<i>Plot line or bar graphic</i>
-------	---------------------------------

---

**Description**

Function use the dtsm function for plot the results

**Usage**

```
fplot(
  data,
  type = "bar",
  x,
  y,
  group = NULL,
  xlab = NULL,
  ylab = NULL,
  glab = NULL,
  ylimits = NULL,
  xrotation = NULL,
  xtext = NULL,
```

```

gtext = NULL,
legend = "top",
sig = NULL,
sigsize = 3,
error = NULL,
color = TRUE,
opt = NULL
)

```

### Arguments

data	Output from ger_testcomp function
type	Type of graphic. "bar" or "line"
x	Axis x variable
y	Axis y variable
group	Group variable
xlab	Title for the axis x
ylab	Title for the axis y
glab	Title for the legend
ylimits	limits of the y axis
xrotation	Rotation in x axis c(angle, h, v)
xtext	Text labels in x axis
gtext	Text labels in groups
legend	the position of legends ("none", "left", "right", "bottom", "top", or two-element numeric vector)
sig	Column with the significance
sigsize	Font size in significance letters
error	Show the error bar ("ste" or "std").
color	colored figure c(TRUE, FALSE) or vector with the color.
opt	Add news layer to the plot

### Value

Line o bar plot

### Examples

```

## Not run:

library(GerminaR)

smr <- ger_summary(SeedN = "seeds"
                  , evalName = "D"

```

```
      , data = prosopis) %>%
  mutate(across(rep:temp, as.factor))

av <- aov(grp ~ nacl*temp, smr)
anova(av)

mc <- ger_testcomp(aov = av
  , comp = c("nacl", "temp"))

plotdt <- mc$table

fplot(data = plotdt
  , type = "bar"
  , x = "temp"
  , y = "grp"
  , group = "nacl"
  , sig = "sig"
  , error = "ste"
  , color = T
  , ylimits = c(0, 120, 20)
  )

## End(Not run)
```

---

GerminaQuant

*GerminaQuant for R*

---

## Description

GermiQuant for R app allows make the calculation for the germination indices incredibly easy in a interactive applications build in base a GerminaR R package and Shiny. GermiQuant app is live!. Outputs change instantly as users modify inputs, without requiring a reload the app. The principal features of the application allow calculate the principal germination indices, statistical analysis and easy way to plot the results.

## Usage

```
GerminaQuant(dependencies = FALSE)
```

## Arguments

`dependencies` Install package dependencies for run the app

## Source

Lozano-Isla, F., Benites Alfaro, O., & Pompelli, M. F. (2016). GerminaQuant for R (Patent No. BR 51 2016 001327-3). <https://flavjack.shinyapps.io/germinaquant/>

---

ger_ASG	<i>ArcSin of Germination Percentage</i>
---------	---

---

**Description**

This function calculates the arcsin of germination percentage for normalization.

**Usage**

```
ger_ASG(SeedN, evalName, data)
```

**Arguments**

SeedN	Name of the column with the number of seeds sown.
evalName	Prefix of the names of the periods of evaluation.
data	The name of the data frame containing the data.

**Value**

It returns an vector with the ArcSin of Germination values

**Examples**

```
library(GerminaR)
dfr <- prosopis
gas <- ger_ASG(SeedN = "seeds", evalName = "D", data = dfr)
gas
```

---

ger_boxp	<i>Boxplot graphic</i>
----------	------------------------

---

**Description**

Function use the raw data for made a boxplot graphic

**Usage**

```
ger_boxp(
  data,
  x,
  y,
  group = NULL,
  xlab = NULL,
  ylab = NULL,
  glab = NULL,
```

```

    ylimits = NULL,
    xrotation = NULL,
    legend = "top",
    xtext = NULL,
    gtext = NULL,
    opt = NULL
  )

```

### Arguments

data	raw data
x	Axis x variable
y	Axis y variable
group	Group variable
xlab	Title for the axis x
ylab	Title for the axis y
glab	Title for the legend
ylimits	Limits and break of the y axis c(init, end, brakes)
xrotation	Rotation in x axis c(angle, h, v)
legend	the position of legends ("none", "left", "right", "bottom", "top", or two-element numeric vector)
xtext	Text labels in x axis
gtext	Text labels in groups
opt	Add news layer to the plot

### Value

boxplot

### Examples

```

## Not run:

library(GerminaR)

fb <- ger_summary(SeedN = "seeds", evalName = "D", data = prosopis)

ger_boxp(data = fb
  , x = "nac1"
  , y = "grp"
  , group = "temp"
  )

## End(Not run)

```

---

ger_CVG	<i>Coefficient of Variance of the Mean Germination Time</i>
---------	---

---

**Description**

This function calculates the coefficient of variation of the mean germination time

**Usage**

```
ger_CVG(evalName, data)
```

**Arguments**

evalName	Prefix of the names of the periods of evaluation.
data	The name of the data frame containing the data.

**Value**

It returns an vector with the values of Coefficient of Variance of germination

**Examples**

```
library(GerminaR)
dfr <- prosopis
cvg <- ger_CVG(evalName = "D", data = dfr)
cvg
```

---

ger_GRP	<i>Germination Seed Percentage</i>
---------	------------------------------------

---

**Description**

This function calculates the germination percentage related at total seed sown for experimental unit.

**Usage**

```
ger_GRP(SeedN, evalName, data)
```

**Arguments**

SeedN	Name of the column with the number of seeds sown.
evalName	Prefix of the names of the periods of evaluation.
data	The name of the data frame containing the data.

**Details**

According GOUVEA LABOURIAU (1983), the germinability of a sample of is the percentage of seeds in which the seed germination process comes to an end, in experimental conditions by the seminal intrauterine growth resulting protrusion (or emergence) of a living embryo.

**Value**

It returns an vector with the percentage of seed germinated.

**References**

LABOURIAU, L. G.; VALADARES, M. E. B. The germination of seeds. OEA, Washington, DC, 1983.

**Examples**

```
library(GerminaR)
dt <- prosopis
grp <- ger_GRP(SeedN = "seeds", evalName = "D", data = dt)
grp
```

---

ger\_GRS

*Germinated Seed Number*

---

**Description**

This function calculates the number of seed germinated.

**Usage**

```
ger_GRS(evalName, data)
```

**Arguments**

evalName	Prefix of the names of the periods of evaluation.
data	The name of the data frame containing the data.

**Value**

Number of seed germinated

**Examples**

```
library(GerminaR)
dt <- prosopis
grs <- ger_GRS(evalName = "D", data = dt)
grs
```



---

ger_GSP	<i>Germination Speed</i>
---------	--------------------------

---

**Description**

This function calculates the Germination Speed according at the time lapse of the evaluations.

**Usage**

```
ger_GSP(evalName, data)
```

**Arguments**

evalName	Prefix of the names of the periods of evaluation.
data	The name of the data frame containing the data.

**Value**

It returns an vector with the Germination Speed

**Examples**

```
library(GerminaR)
dfr <- prosopis
gsp <- ger_GSP(evalName = "D", data = dfr)
gsp
```

---

ger_intime	<i>Cumulative sum of germination by period of time for line graphic</i>
------------	---

---

**Description**

This function makes a data table with the cumulative sum of values of germination by days.

**Usage**

```
ger_intime(Factor, SeedN, evalName, method = "percentage", data)
```

**Arguments**

Factor	Factor which will be graph in time
SeedN	Name of the column with the seed numbers
evalName	Prefix of the evaluation variable
method	Type of cumulative germination. "percentage" or "relative"
data	Data with the germination evaluation process

**Details**

Need a summary by factor before use it with function SummaryBy.

**Value**

Data frame with the germination by period

**Examples**

```
## Not run:

library(GerminaR)
data <- prosopis
grt <- ger_intime(Factor = "temp"
                 , SeedN = "seeds"
                 , evalName = "D"
                 , method = "rel"
                 , data = data)

head(grt, 10)

fplot(data = grt
      , type = "line"
      , x = "evaluation"
      , y = "mean"
      , groups = "temp"
      , sig = NULL)

## End(Not run)
```

---

ger\_MGR

*Mean Germination Rate*

---

**Description**

This function calculates the mean germination rate of the germination.

**Usage**

```
ger_MGR(evalName, data)
```

**Arguments**

evalName	Prefix of the names of the periods of evaluation.
data	The name of the data frame containing the data.

**Details**

The average speed of germination is defined as the reciprocal of the average time germination (RANAL; SANTANA, 2006).

**Value**

It returns an vector with the values of Mean Germination Rate

**References**

RANAL, M. A.; SANTANA, D. G. DE. How and why to measure the germination process? Revista Brasileira de Botanica, v. 29, n. 1, p. 1-11, mar. 2006.

**Examples**

```
library(GerminaR)
dfr <- prosopis
mgr <- ger_MGR(evalName = "D", data = dfr)
mgr
```

---

ger\_MGT

*Mean Germination Time*

---

**Description**

This function calculates the mean germination time of germination according at the time lapse of the evaluations.

**Usage**

```
ger_MGT(evalName, data)
```

**Arguments**

evalName      Prefix of the names of the periods of evaluation.  
data            The name of the data frame containing the data.

**Details**

It was proposed by Haberlandt in 1875. It is calculated as the weighted average germination time. The number of germinated seeds at the intervals established for the collection of data is used as weight. It is expressed in terms of the same units of time used in the germination count (CZABATOR, 1962).

**Value**

It returns an vector with the values of Mean Germination Time.

## References

CZABATOR, F. J. Germination value: an index combining speed and completeness of pine seed germination. Forest Science, v. 8, n. 4, p. 386-396, 1962.

## Examples

```
library(GerminAR)
dfr <- prosopis
mgt <- ger_MGT(evalName = "D", data = dfr)
mgt
```

---

ger\_SDG

*Standard deviation of the Mean Germination Time*

---

## Description

This function calculates the standard deviation of the mean germination time

## Usage

```
ger_SDG(evalName, data)
```

## Arguments

evalName      Prefix of the names of the periods of evaluation.  
data            The name of the data frame containing the data.

## Value

It returns an vector with the values of Standard deviation of germination

## Examples

```
library(GerminAR)
dfr <- prosopis
sdg <- ger_SDG(evalName = "D", data = dfr)
sdg
```

---

ger_summary	<i>Summary of Germination indices</i>
-------------	---------------------------------------

---

**Description**

This function makes a data table with the result of germination indices for each experimental unit.

**Usage**

```
ger_summary(SeedN, evalName, data)
```

**Arguments**

SeedN	Name of the column with the seed numbers
evalName	Prefix of the evaluation variable
data	The name of the data frame containing the data.

**Value**

Data frame with the summary values of germination variables.

**Examples**

```
library(GerminaR)
fb <- prosopis
smr <- ger_summary(SeedN = "seeds", evalName = "D", data = fb)
smr
```

---

ger_SYN	<i>Germination Synchronization Index</i>
---------	--

---

**Description**

This function calculates the germination synchronization of the germination process.

**Usage**

```
ger_SYN(evalName, data)
```

**Arguments**

evalName	Prefix of the names of the periods of evaluation.
data	The name of the data frame containing the data.

**Details**

The Synchrony Index Z has been proposed to assess the degree of overlap between flowering individuals in a population. By adopting the idea expressed by PRIMACK, R.B. (1980) the synchrony of one seed with other included in the same replication.  $Z = 1$  when germination of all the seeds occurs at the same time and  $Z = 0$  when at least two seeds can germinate one each time. Z produces a number if and only if there are two seeds finishing the seed germination process at the same time. Thus, the value of Z assessments is the grade of overlap between seed germination.

**Value**

It returns an vector with the values of Germination synchrony

**References**

RANAL, M. A.; SANTANA, D. G. DE. How and why to measure the germination process? Revista Brasileira de Botanica, v. 29, n. 1, p. 1-11, mar. 2006.

**Examples**

```
library(GerminaR)
dfr <- prosopis
syn <- ger_SYN(evalName = "D", data = dfr)
syn
```

---

 ger\_testcomp

*Multiple comparison test*


---

**Description**

Function analysis of variance for summary data.

**Usage**

```
ger_testcomp(aov, comp, type = "snk", sig = 0.05)
```

**Arguments**

aov	lm o aov result function.
comp	treatments will be compared.
type	method for made comparison analysis: c("snk", "tukey", "duncan").
sig	significance level. Default 0.05

**Value**

Table with complete data for graphics

## Examples

```
## Not run:

library(GerminaR)
library(dplyr)
data <- prosopis %>% mutate(across(c(nacl, temp, rep), as.factor))
smr <- ger_summary(SeedN = "seeds", evalName = "D", data = data)

aov <- aov(grp ~ nacl*temp, smr)

mc <- ger_testcomp(aov = aov
                  , comp <- c("nacl", "temp")
                  )

## End(Not run)
```

---

ger\_UNC

*Germination Uncertainty*

---

## Description

This function calculates the germination uncertainty in the germination process.

## Usage

```
ger_UNC(evalName, data)
```

## Arguments

evalName	Prefix of the names of the periods of evaluation.
data	The name of the data frame containing the data.

## Details

The uncertainty index  $u$  is an adaptation of Shannon index measures the degree of uncertainty in predicting the informational entropy or uncertainty associated with the distribution of the relative frequency of germination (GOUVEA LABOURIAU 1983; LABOURIAU; VALADARES, 1983). Low values of  $u$  indicate frequencies with short peaks, i.e. the more concentrated the germination in time. Just a germinated seed changes the value of  $u$ . This means that  $u$  measures the degree of germination scattering.

## Value

It returns an vector with the values of Germination Uncertainty.

## References

GOUVEA LABOURIAU, L. L. G. L. A germinacao das sementes. Washington. LABOURIAU, L. G.; VALADARES, M. E. B. The germination of seeds. OEA, Washington, DC, 1983.

## Examples

```
library(GerminaR)
dfr <- prosopis
unc <- ger UNC(evalName = "D", data = dfr)
unc
```

---

ger\_VGT

*Variance of the Mean Germination Time*

---

## Description

This function calculates the variance of the mean germination time.

## Usage

```
ger_VGT(evalName, data)
```

## Arguments

evalName      Prefix of the names of the periods of evaluation.  
data            The name of the data frame containing the data.

## Value

It returns an vector with the values of Variance of Germination

## Examples

```
library(GerminaR)
dfr <- prosopis
vgt <- ger_VGT(evalName = "D", data = dfr)
vgt
```



---

osmp *Osmotic potential calculator*

---

### Description

Function to calculate the grams of salt or PEG-6000 needed for determined osmotic potential

### Usage

```
osmp(type = "salt", vol, pres, temp, mw, ki)
```

### Arguments

type	Salt or PEG-6000 c("salt", "peg6000"). Default: "salt".
vol	volume (liters)
pres	Pressure (Mpa) in negative values. 1 bar = 0.1 Mpa
temp	Temperature (centigrade)
mw	Molecular weight
ki	Salt dissociation constant (NaCl = 1.8)

### Value

Numeric value (grams)

---

prosopis *Germination under different osmotic potentials and temperatures.*

---

### Description

Dataset containing information from germination experiment with Prosopis juliflor under different osmotic potentials and temperatures.

- rep a numeric vector, repetitions or replications.
- nacl a numeric vector, NaCl osmotic potentials levels in Mpa to be evaluated.
- temp a numeric vector, temperature levels in centigrades to be evaluated.
- seeds a numeric vector, number of seed used for experimental unit.
- D0-D10 numeric vectors, ten evaluations days performed in the germination experiment.

### Usage

```
prosopis
```

**Format**

A data frame with 15 columns and 80 rows.

**Source**

LEV-UFRPE

**References**

MIRANDA, R. D. Q.; CORREIA, R. M.; DE ALMEIDA-CORTEZ, J. S.; POMPELLI, M. F. Germination of *Prosopis juliflora* (Sw.) D.C. seeds at different osmotic potentials and temperatures. *Plant Species Biology*, v. 29, n. 3, p. E9-E20, set. 2014.

---

rep_row	<i>Repeated Rows in a data matrix</i>
---------	---------------------------------------

---

**Description**

This function made a data table with the evaluation days of germination

**Usage**

```
rep_row(Rseq, Nrow)
```

**Arguments**

Rseq	Row sequence for the data matrix
Nrow	Number of rows for the data matrix

**Value**

Data Matrix with day of the germination

---

textcolor	<i>Colourise text for display in the terminal.</i>
-----------	--

---

**Description**

If R is not currently running in a system that supports terminal colours the text will be returned unchanged.

**Usage**

```
textcolor(text, fg = "red", bg = NULL)
```

**Arguments**

text	character vector
fg	foreground colour, defaults to white
bg	background colour, defaults to transparent

**Details**

Allowed colours are: black, blue, brown, cyan, dark gray, green, light blue, light cyan, light gray, light green, light purple, light red, purple, red, white, yellow

**Author(s)**

testthat package

**Examples**

```
print(textcolor("Red", "red"))
cat(textcolor("Red", "red"), "\n")
cat(textcolor("White on red", "white", "red"), "\n")
```

---

webTable

*Web table*

---

**Description**

Web table

**Usage**

```
webTable(  
  data,  
  caption = NULL,  
  digits = 3,  
  rnames = FALSE,  
  buttons = NULL,  
  file_name = NULL,  
  scrolly = NULL  
)
```

**Arguments**

<code>data</code>	Dataset.
<code>caption</code>	Title for the table.
<code>digits</code>	Digits number in the table exported.
<code>rnames</code>	Row names.
<code>buttons</code>	Buttons: "excel", "copy" or "none". Default <code>c("excel", "copy")</code>
<code>file_name</code>	Excel file name
<code>scrolly</code>	Windows height to show the table

# Index

## \* **GerminaR**

GerminaQuant, 4

fplot, 2

ger\_ASG, 5

ger\_boxp, 5

ger\_CVG, 7

ger\_GRP, 7

ger\_GRS, 8

ger\_GSP, 9

ger\_intime, 9

ger\_MGR, 10

ger\_MGT, 11

ger\_SDG, 12

ger\_summary, 13

ger\_SYN, 13

ger\_testcomp, 14

ger\_UNC, 15

ger\_VGT, 16

GerminaQuant, 4

osmp, 17

prosopis, 17

rep\_row, 18

textcolor, 18

webTable, 19