

Package ‘NLPutils’

October 12, 2022

Version 0.0-5

Title Natural Language Processing Utilities

Description Utilities for Natural Language Processing.

License GPL-2

Imports NLP (>= 0.1-11.3), SnowballC, qdap, utils

NeedsCompilation no

Author Kurt Hornik [aut, cre] (<<https://orcid.org/0000-0003-4198-9911>>)

Maintainer Kurt Hornik <Kurt.Hornik@R-project.org>

Repository CRAN

Date/Publication 2018-10-18 15:58:08 UTC

R topics documented:

diversity	1
formality	2
polarity	3
stem	3
Index	5

diversity	<i>Document Diversity Annotator</i>
-----------	-------------------------------------

Description

Generate an annotator which computes document diversity annotations for English documents using `diversity()` from package **qdap**.

Usage

`QDAP_Diversity_Annotator()`

Value

A [Annotator](#) object giving the generated document diversity annotator.

Examples

```
require("NLP")
doc <- readRDS(system.file("texts", "stanford.rds", package = "NLP"))
s <- content(doc)
a <- annotation(doc)

diversity_annotator <- QDAP_Diversity_Annotator()
diversity_annotator(s, a)
```

formality

Document Formality Annotator

Description

Generate an annotator which computes document formality annotations for English documents using [formality\(\)](#) from package [qdap](#).

Usage

```
QDAP_Formality_Annotator()
```

Value

A [Annotator](#) object giving the generated document formality annotator.

Examples

```
require("NLP")
doc <- readRDS(system.file("texts", "stanford.rds", package = "NLP"))
s <- content(doc)
a <- annotation(doc)

formality_annotator <- QDAP_Formality_Annotator()
formality_annotator(s, a)
```

polarity

Sentence Polarity Annotator

Description

Generate an annotator which computes sentence polarity annotations for English documents using `polarity()` from package **qdap**.

Usage

```
QDAP_Polarity_Annotator()
```

Value

A `Annotator` object giving the generated sentence polarity annotator.

Examples

```
require("NLP")
doc <- readRDS(system.file("texts", "stanford.rds", package = "NLP"))
s <- content(doc)
a <- annotation(doc)

polarity_annotator <- QDAP_Polarity_Annotator()
polarity_annotator(s, a)
```

stem

Word Stem Annotator

Description

Generate an annotator which computes word stem annotations using `wordStem()` from package **SnowballC**.

Usage

```
Snowball_Stem_Annotator(language = "porter")
```

Arguments

`language` a character string giving the document language. See the documentation for `wordStem()` for more information.

Value

A `Annotator` object giving the generated word stem annotator.

Examples

```
require("NLP")
doc <- readRDS(system.file("texts", "stanford.rds", package = "NLP"))
s <- content(doc)
a <- annotation(doc)

stem_annotator <- Snowball_Stem_Annotator()
stem_annotator(s, a)
```

Index

Annotator, [2](#), [3](#)

diversity, [1](#), [1](#)

formality, [2](#), [2](#)

polarity, [3](#), [3](#)

QDAP_Diversity_Annotator (diversity), [1](#)

QDAP_Formality_Annotator (formality), [2](#)

QDAP_Polarity_Annotator (polarity), [3](#)

Snowball_Stem_Annotator (stem), [3](#)

stem, [3](#)

wordStem, [3](#)