

Package ‘VedicDateTime’

May 8, 2023

Type Package

Title Vedic Calendar System

Version 0.1.4

Description Provides platform for Vedic calendar system having several functionalities to facilitate conversion between Gregorian and Vedic calendar systems, and helpful in examining its impact in the time series analysis domain. The background is described in Neeraj Dhanraj Bokde et al. (2021) <[doi:10.48550/arXiv.2111.03441](https://doi.org/10.48550/arXiv.2111.03441)>.

URL <https://www.neerajbokde.in/vignette/2022-09-05-VedicDateTime>

BugReports <https://github.com/prajwalkpatil/VedicDateTime/issues>

License GPL-3

Encoding UTF-8

RoxygenNote 7.2.3

Depends R (>= 3.1.0)

Suggests knitr, rmarkdown, testthat (>= 3.0.0), qpdf, formatR, spelling, tinytex

VignetteBuilder knitr

Imports swephR

Config/testthat/edition 3

Language en-US

NeedsCompilation no

Author Neeraj Dhanraj Bokde [aut, cre, cph],
Prajwal Kailasnath Patil [aut],
Saradindu Sengupta [aut],
Andrés Elías Feijóo Lorenzo [aut]

Maintainer Neeraj Dhanraj Bokde <neerajdhanraj@gmail.com>

Repository CRAN

Date/Publication 2023-05-08 10:30:02 UTC

R topics documented:

ahargana	3
day_duration	3
elapsed_year	4
from_dms	4
get_karana_name	5
get_lagna_name	5
get_masa_name	6
get_nakshatra_name	6
get_rashi_name	7
get_ritu_name	7
get_samvatsara_name	8
get_tithi_name	8
get_vaara_name	9
get_yoga_name	9
gregorian_to_jd	10
inverse_lagrange	10
jd_to_gregorian	11
karana	11
karanas	12
lagna	12
lunar_phase	13
masa	13
masas	14
moonrise	14
moonset	15
moon_longitude	15
nakshatra	16
nakshatras	16
new_moon	17
rashi	17
rashis	18
ritu	18
ritus	19
samvatsara	19
samvatsars	20
sunrise	20
sunset	21
sun_longitude	21
tithi	22
tithis	22
to_dms	23
unwrap_angles	23
vaara	24
vaaras	24
yoga	25
yogas	25

ahargana

3

Index

[26](#)

<i>ahargana</i>	<i>ahargana</i>
-----------------	-----------------

Description

ahargana

Usage

`ahargana(jd)`

Arguments

`jd` Julian day number

Value

Ahargana

Examples

```
ahargana(2459778)
ahargana(swephR::swe_julday(2022, 7, 14, 0, swephR::SE$GREG_CAL))
```

<i>day_duration</i>	<i>day_duration</i>
---------------------	---------------------

Description

Duration of the day for a given place and time

Usage

`day_duration(jd, place)`

Arguments

`jd` Julian day number
`place` Vector containing latitude, longitude and timezone

Value

Vector containing the length of the day & in dms

Examples

```
day_duration(2459778, c(15.34, 75.13, +5.5))
day_duration(swephR::swe_julday(2022, 7, 14, 0, swephR::SE$GREG_CAL), c(15.34, 75.13, +5.5))
```

elapsed_year	<i>elapsed_year</i>
--------------	---------------------

Description

elapsed_year

Usage

elapsed_year(jd, maasa_num)

Arguments

jd	Julian Day number
maasa_num	Number indicating the Maasa

Value

A vector containing Kali, Saka, and Vikram Samvat

Examples

elapsed_year(2459778,2)

from_dms	<i>from_dms</i>
----------	-----------------

Description

Convert degrees, minutes, and seconds to decimal degrees

Usage

from_dms(degs, mins, secs)

Arguments

degs	Degrees
mins	Minutes
secs	Seconds

Value

Degrees as a decimal number

Examples

from_dms(30, 15, 50)

get_karana_name *get_karana_name*

Description

Get name(s) of the Karana for given Julian day number and place.

Usage

`get_karana_name(jd, place)`

Arguments

jd Julian day number
place Vector containing latitude, longitude and timezone

Value

Name(s) of the Karana.

Examples

```
get_karana_name(2459778,c(15.34, 75.13, +5.5))  
get_karana_name(swephR::swe_julday(2022,7,14,0,swephR::SE$GREG_CAL),c(15.34, 75.13, +5.5))
```

get_lagna_name *get_lagna_name*

Description

Get name of the Lagna for given Julian day number.

Usage

`get_lagna_name(jd)`

Arguments

jd Julian day number

Value

Name of the lagna.

Examples

```
get_lagna_name(2459778)  
get_lagna_name(gregorian_to_jd(30,8,2022))
```

<code>get_masa_name</code>	<i>get_masa_name</i>
----------------------------	----------------------

Description

Get name of the Masa for given Julian day number and place.

Usage

```
get_masa_name(jd, place)
```

Arguments

<code>jd</code>	Julian day number
<code>place</code>	Vector containing latitude, longitude and timezone

Value

Name of the Masa

Examples

```
get_masa_name(2459778, c(15.34, 75.13, +5.5))
get_masa_name(swephR::swe_julday(2022, 7, 14, 0, swephR::SE$GREG_CAL), c(15.34, 75.13, +5.5))
```

<code>get_nakshatra_name</code>	<i>get_nakshatra_name</i>
---------------------------------	---------------------------

Description

Get name(s) of the Nakshatra for given Julian day number and place.

Usage

```
get_nakshatra_name(jd, place)
```

Arguments

<code>jd</code>	Julian day number
<code>place</code>	Vector containing latitude, longitude and timezone

Value

Name(s) of the Nakshatra and its ending time.

Examples

```
get_nakshatra_name(2459778,c(15.34, 75.13, +5.5))  
get_nakshatra_name(swephR::swe_julday(2022,7,14,0,swephR::SE$GREG_CAL),c(15.34, 75.13, +5.5))
```

<i>get_rashi_name</i>	<i>get_rashi_name</i>
-----------------------	-----------------------

Description

Get name of the Rashi for given Julian day number.

Usage

```
get_rashi_name(jd)
```

Arguments

jd Julian day number

Value

Name of the Rashi.

Examples

```
get_rashi_name(2459778)  
get_rashi_name(gregorian_to_jd(30,8,2022))
```

<i>get_ritu_name</i>	<i>get_ritu_name</i>
----------------------	----------------------

Description

get_ritu_name

Usage

```
get_ritu_name(masa_num)
```

Arguments

masa_num Number associated with a Masa

Value

Ritu's name

Examples

```
ritu(2)
```

```
get_samvatsara_name    get_samvatsara_name
```

Description

Name of the Shaka Samvatsar for a given Julian day number and maasa number.

Usage

```
get_samvatsara_name(jd, maasa_num)
```

Arguments

jd	Julian day number
maasa_num	Maasa number

Value

Shaka Samvatsar

Examples

```
get_samvatsara_name(2459778,2)
```

```
get_tithi_name        get_tithi_name
```

Description

Get name(s) of the Tithi for given Julian day number and place.

Usage

```
get_tithi_name(jd, place)
```

Arguments

jd	Julian day number
place	Vector containing latitude, longitude and timezone

Value

Name(s) of the Tithi and its ending time.

Examples

```

get_tithi_name(2459778,c(15.34, 75.13, +5.5))
get_tithi_name(swephR::swe_julday(2022,7,14,0,swephR::SE$GREG_CAL),c(15.34, 75.13, +5.5))

```

get_vaara_name	<i>get_vaara_name</i>
----------------	-----------------------

Description

Get name of the Vaara for given Julian day number.

Usage

```
get_vaara_name(jd)
```

Arguments

jd	Julian day number
----	-------------------

Value

Name of the Vaara.

Examples

```

get_vaara_name(2459778)
get_vaara_name(swephR::swe_julday(2022,7,14,0,swephR::SE$GREG_CAL))

```

get_yoga_name	<i>get_yoga_name</i>
---------------	----------------------

Description

Get name(s) of the Yoga for given Julian day number and place.

Usage

```
get_yoga_name(jd, place)
```

Arguments

jd	Julian day number
place	Vector containing latitude, longitude and timezone

Value

Name(s) of the Yoga and its ending time.

Examples

```
get_yoga_name(2459778,c(15.34, 75.13, +5.5))
get_yoga_name(swephR::swe_julday(2022,7,14,0,swephR::SE$GREG_CAL),c(15.34, 75.13, +5.5))
```

```
gregorian_to_jd      gregorian_to_jd
```

Description

Convert Gregorian date to Julian day number at 00:00 UTC

Usage

```
gregorian_to_jd(day, month, year)
```

Arguments

day	Day number
month	Month number
year	Year number

Value

Julian day number

Examples

```
gregorian_to_jd(18,7,2022)
```

```
inverse_lagrange      inverse_lagrange
```

Description

Given two vectors x and y , find the value of $x = x_a$ when $y = y_a$, i.e., $f(x_a) = y_a$

Usage

```
inverse_lagrange(x, y, ya)
```

Arguments

x	Vector x
y	Vector y
y_a	Double y_a

Value

Value of xa

jd_to_gregorian *jd_to_gregorian*

Description

Convert Julian day number to Gregorian date

Usage

`jd_to_gregorian(jd)`

Arguments

`jd` Julian day number

Value

Gregorian date

Examples

`jd_to_gregorian(2459778)`

karana *karana*

Description

Karana for a given place and time

Usage

`karana(jd, place)`

Arguments

`jd` Julian day number
`place` Vector containing latitude, longitude and timezone

Value

Two karanas

Examples

```
karana(2459778,c(15.34, 75.13, +5.5))
karana(gregorian_to_jd(17,6,2022),c(15.34, 75.13, +5.5))
```

karanas	<i>karanas</i>
---------	----------------

Description

Name of 60 Karanas which is when moon traverses 6° in longitude relative to the sun

Usage

```
karanas
```

Format

An object of class character of length 60.

lagna	<i>Lagna</i>
-------	--------------

Description

Lagna for a given Julian day number

Usage

```
lagna(jd)
```

Arguments

jd	Julian day number
----	-------------------

Value

Lagna as an integer

Examples

```
lagna(2459778)
lagna(gregorian_to_jd(30,8,2022))
```

lunar_phase	<i>lunar_phase</i>
-------------	--------------------

Description

Lunar phase for a given Julian day number

Usage

```
lunar_phase(jd)
```

Arguments

jd	Julian day number
----	-------------------

Value

Lunar phase

Examples

```
lunar_phase(2459778)
```

masa	<i>masa</i>
------	-------------

Description

Masa for a given place and time

Usage

```
masa(jd, place)
```

Arguments

jd	Julian day number
place	Vector containing latitude, longitude and timezone

Value

Masa number and whether it is adhika masa or not

Examples

```
masa(2459778, c(15.34, 75.13, +5.5))
masa(swephR::swe_julday(2022, 7, 14, 0, swephR::SE$GREG_CAL), c(15.34, 75.13, +5.5))
```

masas	<i>masas</i>
-------	--------------

Description

Lunar month in the Vedic calendar system

Usage

masas

Format

An object of class character of length 12.

moonrise	<i>moonrise</i>
----------	-----------------

Description

Moonrise for a given date and place

Usage

moonrise(jd, place)

Arguments

jd	Julian day number
place	Vector containing latitude, longitude and timezone

Value

Moonrise as Julian day number

Examples

```
moonrise(2459778,c(15.34, 75.13, +5.5))
```

moonset	<i>moonset</i>
---------	----------------

Description

Moonset for a given date and place

Usage

```
moonset(jd, place)
```

Arguments

jd	Julian day number
place	Vector containing latitude, longitude and timezone

Value

Moonset as Julian day number

Examples

```
moonset(2459778,c(15.34, 75.13, +5.5))
```

moon_longitude	<i>moon_longitude</i>
----------------	-----------------------

Description

Get Lunar longitude for a given Julian day number.

Usage

```
moon_longitude(jd)
```

Arguments

jd	Julian day
----	------------

Value

Lunar longitude for jd

Examples

```
moon_longitude(2459778)  
moon_longitude(2459500)
```

nakshatra	<i>nakshatra</i>
-----------	------------------

Description

Nakshatra for a given place and time

Usage

nakshatra(jd, place)

Arguments

jd	Julian day number
place	Vector containing latitude, longitude and timezone

Value

Nakshatra and it's ending time

Examples

```
nakshatra(2459778,c(15.34, 75.13, +5.5))
nakshatra(gregorian_to_jd(17,6,2022),c(15.34, 75.13, +5.5))
```

nakshatras	<i>nakshatras</i>
------------	-------------------

Description

Name of the 27 Nakshatras in Vedic calendar system

Usage

nakshatras

Format

An object of class character of length 27.

new_moon	<i>new_moon</i>
----------	-----------------

Description

Julian day representing the new moon day for a given Julian day number and tithi

Usage

```
new_moon(jd, tithi_, opt = -1)
```

Arguments

jd	Julian day number
tithi_	Number associated with the tithi
opt	Option to select next new moon day(opt = 1) or previous new moon day (opt = -1), Default opt = -1 .

Value

New moon day as a Julian day number

Examples

```
new_moon(2459778,2)
new_moon(2459778,tithi(2459778,c(15.34, 75.13, +5.5)))
```

rashi	<i>Rashi</i>
-------	--------------

Description

Rashi for a given Julian day number

Usage

```
rashi(jd)
```

Arguments

jd	Julian day number
----	-------------------

Value

Rashi as an integer

Examples

```
rashi(2459778)
rashi(gregorian_to_jd(30, 8, 2022))
```

rashis	<i>rashis</i>
--------	---------------

Description

The name of 12 Rashis which represents the position of the moon on the zodiac at a given time

Usage

```
rashis
```

Format

An object of class character of length 12.

ritu	<i>ritu</i>
------	-------------

Description

```
ritu
```

Usage

```
ritu(masa_num)
```

Arguments

masa_num	Number associated with a Masa
----------	-------------------------------

Value

Number associated with the Ritu

Examples

```
ritu(2)
```

ritus

ritus

Description

Name of the 6 seasons in Vedic calendar system

Usage

ritus

Format

An object of class character of length 6.

samvatsara

samvatsara

Description

Shaka Samvatsar for a given Julian day number and maasa number.

Usage

samvatsara(jd, maasa_num)

Arguments

jd Julian day number

maasa_num Maasa number

Value

Number associated with the Shaka Samvatsar

Examples

samvatsara(2459778, 2)

samvatsars

samvatsars

Description

Name of the Year in Hindu Panchang

Usage

samvatsars

Format

An object of class character of length 60.

sunrise

sunrise

Description

Sunrise for a given date and place

Usage

sunrise(jd, place)

Arguments

jd Julian day number

place Vector containing latitude, longitude and timezone

Value

Sunrise as Julian day number

Examples

sunrise(2459778,c(15.34, 75.13, +5.5))

sunset	<i>sunset</i>
--------	---------------

Description

Sunset for a given date and place

Usage

```
sunset(jd, place)
```

Arguments

jd	Julian day number
place	Vector containing latitude, longitude and timezone

Value

Sunset as Julian day number

Examples

```
sunset(2459778, c(15.34, 75.13, +5.5))
```

sun_longitude	<i>sun_longitude</i>
---------------	----------------------

Description

Get Solar longitude for a given Julian day number.

Usage

```
sun_longitude(jd)
```

Arguments

jd	Julian day
----	------------

Value

Solar longitude for jd

Examples

```
sun_longitude(2459778)
sun_longitude(2459500)
```

tithi	<i>tithi</i>
-------	--------------

Description

Tithi for a given place and time

Usage

```
tithi(jd, place)
```

Arguments

jd	Julian day number
place	Vector containing latitude, longitude and timezone

Value

Tithi and its ending time

Examples

```
tithi(2459778,c(15.34, 75.13, +5.5))
tithi(gregorian_to_jd(17,6,2022),c(15.34, 75.13, +5.5))
```

tithis	<i>tithis</i>
--------	---------------

Description

lunar day in the Vedic calendar system

Usage

```
tithis
```

Format

An object of class character of length 30.

to_dms	<i>to_dms</i>
--------	---------------

Description

Convert decimal degrees to degrees, minutes, and seconds

Usage

```
to_dms(deg)
```

Arguments

deg Degrees as a decimal number

Value

A vector containing degrees, minutes and seconds

Examples

```
to_dms(30.263888889)
```

unwrap_angles	<i>unwrap_angles</i>
---------------	----------------------

Description

Add 360 degs an element in the input vector if elements are not sorted in ascending order.

Usage

```
unwrap_angles(angles)
```

Arguments

angles Vector containing angles

Value

angles in ascending order

vaara

vaara

Description

Vaara for a given Julian day number

Usage

vaara(jd)

Arguments

jd Julian day number

Value

Vaara as an integer

Examples

vaara(2459778)

vaaras

vaaras

Description

Name of the day of the week

Usage

vaaras

Format

An object of class character of length 7.

yoga	<i>yoga</i>
------	-------------

Description

Yoga for a given place and time

Usage

```
yoga(jd, place)
```

Arguments

jd	Julian day number
place	Vector containing latitude, longitude and timezone

Value

Yoga and it's ending time

Examples

```
yoga(2459778,c(15.34, 75.13, +5.5))
yoga(gregorian_to_jd(17,6,2022),c(15.34, 75.13, +5.5))
```

yogas	<i>yogas</i>
-------	--------------

Description

Name of the 27 yogas which is sum of sidereal longitudes of sun and moon in the multiples of 13 degrees 20 minutes

Usage

```
yogas
```

Format

An object of class character of length 27.

Index

* datasets

- [karanas, 12](#)
 - [masas, 14](#)
 - [nakshatras, 16](#)
 - [rashis, 18](#)
 - [ritus, 19](#)
 - [samvatsars, 20](#)
 - [tithis, 22](#)
 - [vaaras, 24](#)
 - [yogas, 25](#)
- [ahargana, 3](#)
- [day_duration, 3](#)
- [elapsed_year, 4](#)
- [from_dms, 4](#)
- [get_karana_name, 5](#)
- [get_lagna_name, 5](#)
- [get_masa_name, 6](#)
- [get_nakshatra_name, 6](#)
- [get_rashi_name, 7](#)
- [get_ritu_name, 7](#)
- [get_samvatsara_name, 8](#)
- [get_tithi_name, 8](#)
- [get_vaara_name, 9](#)
- [get_yoga_name, 9](#)
- [gregorian_to_jd, 10](#)
- [inverse_lagrange, 10](#)
- [jd_to_gregorian, 11](#)
- [karana, 11](#)
- [karanas, 12](#)
- [lagna, 12](#)
- [lunar_phase, 13](#)
- [masa, 13](#)
- [masas, 14](#)
- [moon_longitude, 15](#)
- [moonrise, 14](#)
- [moonset, 15](#)
- [nakshatra, 16](#)
- [nakshatras, 16](#)
- [new_moon, 17](#)
- [rashi, 17](#)
- [rashis, 18](#)
- [ritu, 18](#)
- [ritus, 19](#)
- [samvatsara, 19](#)
- [samvatsars, 20](#)
- [sun_longitude, 21](#)
- [sunrise, 20](#)
- [sunset, 21](#)
- [tithi, 22](#)
- [tithis, 22](#)
- [to_dms, 23](#)
- [unwrap_angles, 23](#)
- [vaara, 24](#)
- [vaaras, 24](#)
- [yoga, 25](#)
- [yogas, 25](#)