

Package ‘evclass’

October 13, 2022

Type Package

Title Evidential Distance-Based Classification

Version 1.1.1

Date 2017-03-19

Author Thierry Denoeux

Maintainer Thierry Denoeux <tdenoeux@utc.fr>

Description Different evidential distance-based classifiers, which provide outputs in the form of Dempster-Shafer mass functions. The methods are: the evidential K-nearest neighbor rule and the evidential neural network.

License GPL-3

Depends R (>= 3.1.0)

Imports FNN

LazyData TRUE

RoxygenNote 6.0.1

VignetteBuilder knitr

Suggests knitr,rmarkdown,datasets

NeedsCompilation no

Repository CRAN

Date/Publication 2017-03-20 05:22:18 UTC

R topics documented:

decision	2
EkNNfit	3
EkNNinit	5
EkNNval	6
evclass	7
glass	8
ionosphere	9
proDSfit	10

proDSinit	11
proDSval	12
vehicles	14

Index	15
--------------	-----------

decision	<i>Decision rules for evidential classifiers</i>
----------	--

Description

decision returns decisions from a loss matrix and mass functions computed by an evidential classifier.

Usage

```
decision(m, L = 1 - diag(ncol(m) - 1), rule = c("upper", "lower",
"pignistic", "hurwicz"), rho = 0.5)
```

Arguments

m	Matrix of masses for n test cases. Each row is a mass function. The first M columns correspond to the mass assigned to each of the M classes. The last column corresponds to the mass assigned to the whole set of classes.
L	The loss matrix of dimension (na,M) or (na,M+1), where na is the set of actions. L[k,j] is the loss incurred if action j is chosen and the true class is ω_k . If L has M+1 rows, the last row corresponds to the unknown class.
rule	Decision rule to be used. Must be one of these: 'upper' (upper expectation), 'lower' (lower expectations), 'pignistic' (pignistic expectation), 'hurwicz' (weighted sum of the lower and upper expectations).
rho	Parameter between 0 and 1. Used only if rule='rho'.

Details

This function implements the decision rules described in Denoeux (1997), with an arbitrary loss function. The decision rules are the minimization of the lower, upper or pignistic expectation, and Jaffray's decision rule based on minimizing a convex combination of the lower and upper expectations. The function also handles the case where there is an "unknown" class, in addition to the classes represented in the training set.

Value

A n-vector with the decisions (integers between 1 and na).

Author(s)

Thierry Denoeux.

References

T. Denoeux. Analysis of evidence-theoretic decision rules for pattern classification. *Pattern Recognition*, 30(7):1095–1107, 1997.

Available from <https://www.hds.utc.fr/~tdenoeux>.

See Also

[EkNNval](#), [proDSval](#)

Examples

```
## Example with M=2 classes
m<-matrix(c(0.9,0.1,0,0.4,0.6,0,0.1,0.1,0.8),3,3,byrow=TRUE)
## Loss matrix with na=4 acts: assignment to class 1, assignment to class2,
# rejection, and assignment to the unknown class.
L<-matrix(c(0,1,1,1,0,1,0.2,0.2,0.2,0.25,0.25,0),3,4)
d<-decision(m,L,'upper') ## instances 2 and 3 are rejected
d<-decision(m,L,'lower') ## instance 2 is rejected, instance 3 is
# assigned to the unknown class
```

 EkNNfit

Training of the EkNN classifier

Description

EkNNfit optimizes the parameters of the EkNN classifier.

Usage

```
EkNNfit(x, y, K, param = NULL, alpha = 0.95,
        lambda = 1/max(as.numeric(y)), optimize = TRUE, options = list(maxiter =
        300, eta = 0.1, gain_min = 1e-06, disp = TRUE))
```

Arguments

x	Input matrix of size n x d, where n is the number of objects and d the number of attributes.
y	Vector of class labels (of length n). May be a factor, or a vector of integers from 1 to M (number of classes).
K	Number of neighbors.
param	Initial parameters (default: NULL).
alpha	Parameter α (default: 0.95)
lambda	Parameter of the cost function. If $\lambda=1$, the cost function measures the error between the plausibilities and the 0-1 target values. If $\lambda=1/M$, where M is the number of classes (default), the pignistic probabilities are considered in the cost function. If $\lambda=0$, the beliefs are used.

<code>optimize</code>	Boolean. If TRUE (default), the parameters are optimized.
<code>options</code>	A list of parameters for the optimization algorithm: <code>maxiter</code> (maximum number of iterations), <code>eta</code> (initial step of gradient variation), <code>gain_min</code> (minimum gain in the optimisation loop), <code>disp</code> (Boolean; if TRUE, intermediate results are displayed during the optimization).

Details

If the argument `param` is not supplied, the function `EkNNinit` is called.

Value

A list with five elements:

param The optimized parameters.

cost Final value of the cost function.

err Leave-one-out error rate.

ypred Leave-one-out predicted class labels (coded as integers from 1 to M).

m Leave-one-out predicted mass functions. The first M columns correspond to the mass assigned to each class. The last column corresponds to the mass assigned to the whole set of classes.

Author(s)

Thierry Denoeux.

References

T. Denoeux. A k-nearest neighbor classification rule based on Dempster-Shafer theory. *IEEE Transactions on Systems, Man and Cybernetics*, 25(05):804–813, 1995.

L. M. Zouhal and T. Denoeux. An evidence-theoretic k-NN rule with parameter optimization. *IEEE Transactions on Systems, Man and Cybernetics Part C*, 28(2):263–271, 1998.

Available from <https://www.hds.utc.fr/~tdenoeux>.

See Also

`EkNNinit`, `EkNNval`

Examples

```
## Iris dataset
data(iris)
x<-iris[,1:4]
y<-iris[,5]
fit<-EkNNfit(x,y,K=5)
```

EkNNinit*Initialization of parameters for the EkNN classifier*

Description

EkNNinit returns initial parameter values for the EkNN classifier.

Usage

```
EkNNinit(x, y, alpha = 0.95)
```

Arguments

x	Input matrix of size $n \times d$, where n is the number of objects and d the number of attributes.
y	Vector of class labels (of length n). May be a factor, or a vector of integers from 1 to M (number of classes).
alpha	Parameter α .

Details

Each parameter γ_k is set of the inverse of the square root of the mean Euclidean distances within class k . Note that γ_k here is the square root of the γ_k as defined in (Zouhal and Denoeux, 1998). By default, parameter α is set to 0.95. This value normally does not have to be changed.

Value

A list with two elements:

gamma Vector of parameters γ_k , of length c , the number of classes.

alpha Parameter α , set to 0.95.

Author(s)

Thierry Denoeux.

References

T. Denoeux. A k -nearest neighbor classification rule based on Dempster-Shafer theory. *IEEE Transactions on Systems, Man and Cybernetics*, 25(05):804–813, 1995.

L. M. Zouhal and T. Denoeux. An evidence-theoretic k -NN rule with parameter optimization. *IEEE Transactions on Systems, Man and Cybernetics Part C*, 28(2):263–271, 1998.

Available from <https://www.hds.utc.fr/~tdenoeux>.

See Also

[EkNNfit](#), [EkNNval](#)

Examples

```
## Iris dataset
data(iris)
x<-iris[,1:4]
y<-iris[,5]
param<-EkNNinit(x,y)
param
```

EkNNval

Classification of a test set by the EkNN classifier

Description

EkNNval classifies instances in a test set using the EkNN classifier.

Usage

```
EkNNval(xtrain, ytrain, xtst, K, ytst = NULL, param = NULL)
```

Arguments

xtrain	Matrix of size ntrain x d, containing the values of the d attributes for the training data.
ytrain	Vector of class labels for the training data (of length ntrain). May be a factor, or a vector of integers from 1 to M (number of classes).
xtst	Matrix of size ntst x d, containing the values of the d attributes for the test data.
K	Number of neighbors.
ytst	Vector of class labels for the test data (optional). May be a factor, or a vector of integers from 1 to M (number of classes).
param	Parameters, as returned by EkNNfit .

Details

If class labels for the test set are provided, the test error rate is also returned. If parameters are not supplied, they are given default values by [EkNNinit](#).

Value

A list with three elements:

m Predicted mass functions for the test data. The first M columns correspond to the mass assigned to each class. The last column corresponds to the mass assigned to the whole set of classes.

ypred Predicted class labels for the test data (coded as integers from 1 to M).

err Test error rate.

Author(s)

Thierry Denoeux.

References

T. Denoeux. A k-nearest neighbor classification rule based on Dempster-Shafer theory. *IEEE Transactions on Systems, Man and Cybernetics*, 25(05):804–813, 1995.

L. M. Zouhal and T. Denoeux. An evidence-theoretic k-NN rule with parameter optimization. *IEEE Transactions on Systems, Man and Cybernetics Part C*, 28(2):263–271, 1998.

Available from <https://www.hds.utc.fr/~tdenoeux>.

See Also

[EkNNinit](#), [EkNNfit](#)

Examples

```
## Iris dataset
data(iris)
train<-sample(150,100)
xtrain<-iris[train,1:4]
ytrain<-iris[train,5]
xtst<-iris[-train,1:4]
ytst<-iris[-train,5]
K<-5
fit<-EkNNfit(xtrain,ytrain,K)
test<-EkNNval(xtrain,ytrain,xtst,K,ytst,fit$param)
```

evclass

evclass: A package for evidential classification

Description

The evclass package currently contains functions for two evidential classifiers: the evidential K-nearest neighbor (EK-NN) rule (Denoeux, 1995; Zouhal and Denoeux, 1998) and the evidential neural network (Denoeux, 2000). In contrast with classical statistical classifiers, evidential classifier quantify the uncertainty of the classification using Dempster-Shafer mass functions.

Details

The main functions are: [EkNNinit](#), [EkNNfit](#) and [EkNNval](#) for the initialization, training and evaluation of the EK-NN classifier, [proDSinit](#), [proDSfit](#) and [proDSval](#) for the evidential neural network classifier, and [decision](#) for decision-making.

References

T. Denoeux. A k-nearest neighbor classification rule based on Dempster-Shafer theory. *IEEE Transactions on Systems, Man and Cybernetics*, 25(05):804–813, 1995.

T. Denoeux. Analysis of evidence-theoretic decision rules for pattern classification. *Pattern Recognition*, 30(7):1095–1107, 1997.

T. Denoeux. A neural network classifier based on Dempster-Shafer theory. *IEEE Trans. on Systems, Man and Cybernetics A*, 30(2):131–150, 2000.

L. M. Zouhal and T. Denoeux. An evidence-theoretic k-NN rule with parameter optimization. *IEEE Transactions on Systems, Man and Cybernetics Part C*, 28(2):263–271, 1998.

Available from <https://www.hds.utc.fr/~tdenoeux>.

See Also

[EkNNinit](#), [EkNNfit](#), [EkNNval](#), [proDSinit](#), [proDSfit](#), [proDSval](#).

glass

Glass dataset

Description

This data set contains the description of 214 fragments of glass originally collected for a study in the context of criminal investigation. Each fragment has a measured reflectivity index and chemical composition (weight percent of Na, Mg, Al, Si, K, Ca, Ba and Fe). As suggested by Ripley (1994), 29 instances were discarded, and the remaining 185 were re-grouped in four classes: window float glass (70), window non-float glass (76), vehicle window glass (17) and other (22). The data set was split randomly in a training set of size 89 and a test set of size 96.

Usage

```
data(glass)
```

Format

A list with two elements:

x The 185 x 9 object-attribute matrix.

y A 185-vector containing the class labels.

References

P. M. Murphy and D. W. Aha. UCI Repository of machine learning databases. [Machine readable data repository]. University of California, Departement of Information and Computer Science, Irvine, CA.

B.D.Ripley, Flexible nonlinear approaches to classification, in "From Statistics to Neural Networks", V. Cherkassly, J. H. Friedman, and H. Wechsler, Eds., Berlin, Germany: Springer-Verlag, 1994, pp. 105–126.

T. Denoeux. A neural network classifier based on Dempster-Shafer theory. *IEEE Trans. on Systems, Man and Cybernetics A*, 30(2):131–150, 2000.

Examples

```
data(glass)
table(glass$y)
```

ionosphere	<i>Ionosphere dataset</i>
------------	---------------------------

Description

This dataset was collected by a radar system and consists of phased array of 16 high-frequency antennas with a total transmitted power of the order of 6.4 kilowatts. The targets were free electrons in the ionosphere. "Good" radar returns are those showing evidence of some type of structure in the ionosphere. "Bad" returns are those that do not. There are 351 instances and 34 numeric attributes. The first 175 instances are training data, the rest are test data. This version of dataset was used by Zouhal and Denoeux (1998).

Usage

```
data(ionosphere)
```

Format

A list with two elements:

- x** The 351 x 18 object-attribute matrix.
- y** A 351-vector containing the class labels.

References

P. M. Murphy and D. W. Aha. UCI Repository of machine learning databases. [Machine readable data repository]. University of California, Department of Information and Computer Science, Irvine, CA.

L. M. Zouhal and T. Denoeux. An evidence-theoretic k-NN rule with parameter optimization. *IEEE Transactions on Systems, Man and Cybernetics Part C*, 28(2):263–271, 1998.

Examples

```
data(ionosphere)
table(vehicles$y)
```

proDSfit

*Training of the evidential neural network classifier***Description**

proDSfit performs parameter optimization for the evidential neural network classifier.

Usage

```
proDSfit(x, y, param, lambda = 1/max(as.numeric(y)), mu = 0,
  optimProto = TRUE, options = list(maxiter = 500, eta = 0.1, gain_min =
  1e-04, disp = 10))
```

Arguments

x	Input matrix of size $n \times d$, where n is the number of objects and d the number of attributes.
y	Vector of class labels (of length n). May be a factor, or a vector of integers from 1 to M (number of classes).
param	Initial parameters (see <code>link{proDSinit}</code>).
lambda	Parameter of the cost function. If $\lambda=1$, the cost function measures the error between the plausibilities and the 0-1 target values. If $\lambda=1/M$, where M is the number of classes (default), the pignistic probabilities are considered in the cost function. If $\lambda=0$, the beliefs are used.
mu	Regularization hyperparameter (default=0).
optimProto	Boolean. If TRUE, the prototypes are optimized (default). Otherwise, they are fixed.
options	A list of parameters for the optimization algorithm: maxiter (maximum number of iterations), eta (initial step of gradient variation), gain_min (minimum gain in the optimisation loop), disp (integer; if >0, intermediate results are displayed every disp iterations).

Details

The prototypes are initialized by the k-means algorithms. The initial membership values u_{ik} of each prototype p_i to class ω_k are normally defined as the proportion of training samples from class ω_k in the neighborhood of prototype p_i . If arguments `crisp` and `nprotoPerClass` are set to TRUE, the prototypes are assigned to one and only one class.

Value

A list with three elements:

param Optimized network parameters.

cost Final value of the cost function.

err Training error rate.

Author(s)

Thierry Denoeux.

References

T. Denoeux. A neural network classifier based on Dempster-Shafer theory. IEEE Trans. on Systems, Man and Cybernetics A, 30(2):131–150, 2000.

Available from <https://www.hds.utc.fr/~tdenoeux>.

See Also

[proDSinit](#), [proDSval](#)

Examples

```
## Glass dataset
data(glass)
xapp<-glass$x[1:89,]
yapp<-glass$y[1:89]
xtst<-glass$x[90:185,]
ytst<-glass$y[90:185]
## Initialization
param0<-proDSinit(xapp,yapp,nproto=7)
## Training
fit<-proDSfit(xapp,yapp,param0)
```

proDSinit

Initialization of parameters for the evidential neural network classifier

Description

proDSinit returns initial parameter values for the evidential neural network classifier.

Usage

```
proDSinit(x, y, nproto, nprotoPerClass = FALSE, crisp = FALSE)
```

Arguments

x	Input matrix of size n x d, where n is the number of objects and d the number of attributes.
y	Vector of class labels (of length n). May be a factor, or a vector of integers from 1 to M (number of classes).
nproto	Number of prototypes.
nprotoPerClass	Boolean. If TRUE, there are nproto prototypes per class. If FALSE (default), the total number of prototypes is equal to nproto.
crisp	Boolean. If TRUE, the prototypes have full membership to only one class. (Available only is nprotoPerClass=TRUE).

Details

The prototypes are initialized by the k-means algorithms. The initial membership values u_{ik} of each prototype p_i to class ω_k are normally defined as the proportion of training samples from class ω_k in the neighborhood of prototype p_i . If arguments `crisp` and `nprotoPerClass` are set to `TRUE`, the prototypes are assigned to one and only one class.

Value

A list with four elements containing the initialized network parameters

alpha Vector of length `r`, where `r` is the number of prototypes.

gamma Vector of length `r`

beta Matrix of size (r, M) , where `M` is the number fo classes.

W Matrix of size (r, d) , containing the prototype coordinates.

Author(s)

Thierry Denoeux.

References

T. Denoeux. A neural network classifier based on Dempster-Shafer theory. *IEEE Trans. on Systems, Man and Cybernetics A*, 30(2):131–150, 2000.

Available from <https://www.hds.utc.fr/~tdenoeux>.

See Also

[proDSfit](#), [proDSval](#)

Examples

```
## Glass dataset
data(glass)
xapp<-glass$x[1:89,]
yapp<-glass$y[1:89]
param0<-proDSinit(xapp,yapp,nproto=7)
param0
```

proDSval

Classification of a test set by the evidential neural network classifier

Description

`proDSval` classifies instances in a test set using the evidential neural network classifier.

Usage

```
proDSval(x, param, y = NULL)
```

Arguments

<code>x</code>	Matrix of size $n \times d$, containing the values of the d attributes for the test data.
<code>param</code>	Neural network parameters, as provided by <code>proDSfit</code> .
<code>y</code>	Optional vector of class labels for the test data. May be a factor, or a vector of integers from 1 to M (number of classes).

Details

If class labels for the test set are provided, the test error rate is also returned.

Value

A list with three elements:

- m** Predicted mass functions for the test data. The first M columns correspond to the mass assigned to each class. The last column corresponds to the mass assigned to the whole set of classes.
- ypred** Predicted class labels for the test data.
- err** Test error rate (if the class label of test data has been provided).

Author(s)

Thierry Denoeux.

References

- T. Denoeux. A neural network classifier based on Dempster-Shafer theory. *IEEE Trans. on Systems, Man and Cybernetics A*, 30(2):131–150, 2000.
 Available from <https://www.hds.utc.fr/~tdenoeux>.

See Also

`proDSinit`, `proDSfit`

Examples

```
## Glass dataset
data(glass)
xapp<-glass$x[1:89,]
yapp<-glass$y[1:89]
xtst<-glass$x[90:185,]
ytst<-glass$y[90:185]
## Initialization
param0<-proDSinit(xapp,yapp,nproto=7)
## Training
fit<-proDSfit(xapp,yapp,param0)
## Test
val<-proDSval(xtst,fit$param,ytst)
## Confusion matrix
table(ytst,val$ypred)
```

vehicles

Vehicles dataset

Description

This dataset was collected from silhouettes by the HIPS (Hierarchical Image Processing System) extension BINATTS. Four model vehicles were used for the experiment: bus, Chevrolet van, Saab 9000 and Opel Manta. The data were used to distinguish 3D objects within a 2-D silhouette of the objects. There are 846 instances and 18 numeric attributes. The first 564 objects are training data, the rest are test data. This version of dataset was used by Zouhal and Denoeux (1998).

Usage

```
data(vehicles)
```

Format

A list with two elements:

x The 846 x 18 object-attribute matrix.

y A 846-vector containing the class labels.

References

P. M. Murphy and D. W. Aha. UCI Repository of machine learning databases. [Machine readable data repository]. University of California, Department of Information and Computer Science, Irvine, CA.

L. M. Zouhal and T. Denoeux. An evidence-theoretic k-NN rule with parameter optimization. IEEE Transactions on Systems, Man and Cybernetics Part C, 28(2):263–271, 1998.

Examples

```
data(vehicles)
table(vehicles$y)
```

Index

* datasets

- glass, 8
- ionosphere, 9
- vehicles, 14

decision, 2, 7

EkNNfit, 3, 5–8

EkNNinit, 4, 5, 6–8

EkNNval, 3–5, 6, 7, 8

evclass, 7

evclass-package (evclass), 7

glass, 8

ionosphere, 9

proDSfit, 7, 8, 10, 12, 13

proDSinit, 7, 8, 11, 11, 13

proDSval, 3, 7, 8, 11, 12, 12

vehicles, 14