

# Package ‘mixAR’

June 29, 2020

**Type** Package

**Title** Mixture Autoregressive Models

**Version** 0.22.4

**Date** 2020-06-29

**Maintainer** Georgi N. Boshnakov <georgi.boshnakov@manchester.ac.uk>

**Description** Model time series using mixture autoregressive (MAR) models. Implemented are frequentist (EM) and Bayesian methods for estimation, prediction and model evaluation. See Wong and Li (2002) <doi:10.1111/1467-9868.00222>, Boshnakov (2009) <doi:10.1016/j.spl.2009.04.009>, and the extensive references in the documentation.

**License** GPL (>= 2)

**LazyLoad** yes

**Depends** R (>= 3.5), methods

**Imports** stats, graphics, utils, stats4, BB, combinat, timeDate, fGarch, Rdpack (>= 0.7), gbutils (>= 0.3-1), MCMCpack, e1071, permute, mvtnorm

**Suggests** fma, testthat

**RdMacros** Rdpack

**URL** <https://geobosh.github.io/mixAR/> (website),  
<https://github.com/GeoBosh/mixAR/> (devel)

**BugReports** <https://github.com/GeoBosh/mixAR/issues>

**Collate** raggedCoef.R raggedCoefS.R mixComp.R mixAR.R mixARcalc.R  
mixutil.R dist.R predict.R mix\_se.R obs\_info\_matrix.R  
samp\_functions.R bayes\_mixAR.R label\_switch.R Choose\_pk.R  
marg\_loglik.R mixSARfit.R mixARreg.R fit\_mixARreg.R  
raggedCoefV.R mixVAR.R fit\_mixVAR.R cond\_loglikV.R mixVAR\_sim.R  
tsdiag.R mixAR\_diag.R devel.R em0.R emGaussian.R emgen.R  
00marmath.R exmodels.R mixARsim.R

**Encoding** UTF-8

**RoxygenNote** 7.1.0

**NeedsCompilation** no

**Author** Georgi N. Boshnakov [aut, cre],  
Davide Ravagli [aut]

**Repository** CRAN

**Date/Publication** 2020-06-29 17:30:02 UTC

## R topics documented:

mixAR-package . . . . .	3
bayes_mixAR . . . . .	7
Choose_pk . . . . .	8
cond_loglik . . . . .	10
dist_norm . . . . .	11
em_est_dist . . . . .	12
em_est_sigma . . . . .	12
em_rinit . . . . .	13
est_templ . . . . .	14
exampleModels . . . . .	15
fit_mixAR-methods . . . . .	17
fit_mixARreg-methods . . . . .	19
fit_mixVAR-methods . . . . .	21
fnoise . . . . .	22
get_edist-methods . . . . .	24
inner . . . . .	25
isStable . . . . .	26
label_switch . . . . .	27
lik_params . . . . .	28
make_fcond_lik-methods . . . . .	29
marg_loglik . . . . .	30
MixAR-class . . . . .	32
mixAR-methods . . . . .	33
mixARemFixedPoint . . . . .	34
mixARExperiment . . . . .	36
MixARGaussian-class . . . . .	38
MixARgen-class . . . . .	40
mixARnoise_sim . . . . .	42
mixAR_BIC . . . . .	43
mixAR_cond_probs . . . . .	44
mixAR_diag . . . . .	45
mixAR_sim . . . . .	47
mixAR_switch . . . . .	49
MixComp-class . . . . .	50
mixFilter . . . . .	52
mixgenMstep . . . . .	53

mixMstep . . . . .	55
mixSARfit . . . . .	56
MixVAR-class . . . . .	57
mixVARfit . . . . .	58
MixVARGaussian-class . . . . .	59
mixVAR_sim . . . . .	60
mix_ek . . . . .	61
mix_hatk . . . . .	63
mix_moment . . . . .	63
mix_ncomp-methods . . . . .	66
mix_pdf-methods . . . . .	66
mix_se-methods . . . . .	67
multiStep_dist-methods . . . . .	69
noise_dist . . . . .	72
noise_dist-methods . . . . .	73
noise_params-methods . . . . .	73
noise_rand-methods . . . . .	73
parameters . . . . .	74
percent_of . . . . .	75
permn_cols . . . . .	77
PortfolioData1 . . . . .	78
predict_coef . . . . .	78
ragged . . . . .	79
raggedCoef-class . . . . .	80
raggedCoefS-class . . . . .	84
raggedCoefV-class . . . . .	85
raghat1 . . . . .	87
randomArCoefficients . . . . .	88
row_lengths-methods . . . . .	89
sampZpi . . . . .	89
show_diff . . . . .	91
simuExperiment . . . . .	92
stdnormmoment . . . . .	95
test_unswitch . . . . .	96
tomarparambyComp . . . . .	97
unswitch . . . . .	99

**Index****100**

mixAR-package

*Mixture Autoregressive Models***Description**

Model time series using mixture autoregressive (MAR) models. Implemented are frequentist (EM) and Bayesian methods for estimation, prediction and model evaluation. See Wong and Li (2002) <doi:10.1111/1467-9868.00222>, Boshnakov (2009) <doi:10.1016/j.spl.2009.04.009>), and the extensive references in the documentation.

## Details

Package **mixAR** provides functions for modelling with mixture autoregressive (MixAR) models. The S4 class "MixARGaussian" can be used when the error distributions of the components are standard Gaussian. The class "MixARgen" admits arbitrary (well, within reason) distributions for the error components. Both classes inherit from the virtual class "MixAR".

Estimation can be done with `fit_mixAR`. Currently, the EM algorithm is used for estimation.

For "MixARGaussian" the M-step of the EM algorithm reduces to a system of linear equations. For "MixARgen" the problem is substantially non-linear. The implementation is fairly general but currently not optimised for efficiency. The specification of the error distributions went through several stages and may still be reviewed. However, backward compatibility will be kept.

## Author(s)

Georgi N. Boshnakov [aut, cre], Davide Ravagli [aut]

Maintainer: Georgi N. Boshnakov <georgi.boshnakov@manchester.ac.uk>

## References

- Akinyemi MI (2013). *Mixture autoregressive models: asymptotic properties and application to financial risk*. Ph.D. thesis, Probability and Statistics Group, School of Mathematics, University of Manchester.
- Boshnakov GN (2009). "Analytic expressions for predictive distributions in mixture autoregressive models." *Stat. Probab. Lett.* , **79**(15), 1704-1709. doi: [10.1016/j.spl.2009.04.009](https://doi.org/10.1016/j.spl.2009.04.009).
- Boshnakov GN (2011). "On First and Second Order Stationarity of Random Coefficient Models." *Linear Algebra Appl.*, **434**(2), 415–423. doi: [10.1016/j.laa.2010.09.023](https://doi.org/10.1016/j.laa.2010.09.023).
- Fong P, Li W, Yau C, Wong C (2007). "On a mixture vector autoregressive model." *Can. J. Stat.* , **35**(1), 135-150.
- Ravagli D, Boshnakov GN (2020). "Bayesian analysis of mixture autoregressive models covering the complete parameter space." 2006.11041, <https://arxiv.org/abs/2006.11041>.
- Ravagli D, Boshnakov GN (2020). "Portfolio optimization with mixture vector autoregressive models." 2005.13396, <https://arxiv.org/abs/2005.13396>.
- Hossain AS (2012). *Complete Bayesian analysis of some mixture time series models*. Ph.D. thesis, Probability and Statistics Group, School of Mathematics, University of Manchester.
- Wong CS (1998). *Statistical inference for some nonlinear time series models*. Ph.D. thesis, University of Hong Kong, Hong Kong .
- Wong CS, Li WK (2000). "On a mixture autoregressive model." *J. R. Stat. Soc., Ser. B, Stat. Methodol.* , **62**(1), 95-115.
- Wong CS, Li WK (2001). "On a logistic mixture autoregressive model." *Biometrika* , **88**(3), 833-846. doi: [10.1093/biomet/88.3.833](https://doi.org/10.1093/biomet/88.3.833).
- Wong CS, Li WK (2001). "On a mixture autoregressive conditional heteroscedastic model." *J. Am. Stat. Assoc.* , **96**(455), 982-995. doi: [10.1198/016214501753208645](https://doi.org/10.1198/016214501753208645).

**Examples**

```

## object 'exampleModels' contains a number of models for examples and testing
names(exampleModels)
exampleModels$WL_ibm

## some of the models below are available in object 'exampleModels';
## the examples here show how to create them from scratch
mo_WLprob <- c(0.5439, 0.4176, 0.0385)          # model coefficients from Wong&Li
mo_WLsigma <- c(4.8227, 6.0082, 18.1716)
mo_WLar <- list(c(0.6792, 0.3208), c(1.6711, -0.6711), 1)

mo_WL <- new("MixARGaussian", prob = mo_WLprob, scale = mo_WLsigma, arcoef = mo_WLar)

mo_WL_A <- new("MixARGaussian"                # WongLi, model A
, prob = c(0.5, 0.5)
, scale = c(5, 1)
, shift = c(0, 0)
, arcoef = list(c(0.5), c(1.1))
)

mo_WL_B <- new("MixARGaussian"                # WongLi, model B
, prob = c(0.75, 0.25)
, scale = c(5, 1)
, shift = c(0, 0)
, arcoef = list(c(0.5), c(1.4))
)

mo_WL_I <- new("MixARGaussian"                # WongLi, model I
, prob = c(0.4, 0.3, 0.3)
, scale = c(1, 1, 5)
, shift = c(0, 0, -5)
, arcoef = list(c(0.9, -0.6), c(-0.5), c(1.50, -0.74, 0.12))
)

mo_WL_II <- new("MixARGaussian"               # WongLi, model II
, prob = c(0.4, 0.3, 0.3)
, scale = c(1, 1, 5)
, shift = c(5, 0, -5)
, arcoef = list(c(0.9, -0.6), c(-0.7, 0), c( 0, 0.80))
)

## MixAR models with arbitrary dist. of the components
## (user interface not finalized)

## Gaussian
mo_WLgen <- new("MixARgen", prob = mo_WLprob, scale = mo_WLsigma, arcoef = mo_WLar,
dist = list(dist_norm))

## t_3
mo_WLt3v <- new("MixARgen", prob = mo_WLprob, scale = mo_WLsigma, arcoef = mo_WLar,
dist = list(fdist_std(3, fixed = FALSE)))

```

```

## t_20, t_30, t_40 (can be used to start estimation)
mo_WLtf <- new("MixARgen", prob = mo_WLprob, scale = mo_WLsigma, arcoef = mo_WLar,
              dist = list(generator =
                           function(par)
                             fn_stdtd(par, fixed = FALSE), param = c(20, 30, 40)))

## data(ibmclose, package = "fma") # for `ibmclose'

## The examples below are quick but some of them are marked as 'not run'
## to avoid cumulative time of more than 5s on CRAN.

## fit a MAR(2,2,1) model
a0a <- fit_mixAR(as.numeric(fma::ibmclose), c(2, 2, 1), crit = 1e-4)
## same with 2 sets of automatically generated initial values.

a0b <- fit_mixAR(as.numeric(fma::ibmclose), c(2, 2, 1), 2, crit = 1e-4)

## fix the shift parameters:
a1a <- fit_mixAR(as.numeric(fma::ibmclose), c(2, 2, 1), fix = "shift", crit = 1e-4)
## ... with 3 sets of automatically generated initial values.

a1b <- fit_mixAR(as.numeric(fma::ibmclose), c(2, 2, 1), 3, fix = "shift", crit = 1e-4)

## specify the model using a MixAR model object
a1c <- fit_mixAR(as.numeric(fma::ibmclose), a1a$model, init = a0a$model, fix = "shift",
                crit = 1e-4)

## fit a model like mo_WL using as initial values 2 automatically generated sets.
a2 <- fit_mixAR(as.numeric(fma::ibmclose), mo_WL, 2, fix = "shift", permute = TRUE,
                crit = 1e-4)

moT_B3 <- new("MixARgen"
             , prob = c(0.3, 0.3, 0.4)
             , scale = c(2, 1, 0.5)
             , shift = c(5, -5, 0)
             , arcoef = list(c(0.5, 0.24), c(-0.9), c(1.5, -0.74, 0.12))
                           # t4, t4, t10
             , dist = distlist("stdtd", c(4,10), fixed = c(FALSE, TRUE), tr = c(1, 1, 2))
             )

moT_C1 <- new("MixARgen"
             , prob = c(0.3, 0.3, 0.4)
             , scale = c(2, 1, 0.5)
             , shift = c(5, -5, 0)
             , arcoef = list(c(0.5, 0.24), c(-0.9), c(1.5, -0.74, 0.12))
                           # t4, t7, N(0,1)
             , dist = distlist(c("stdtd", "stdtd", "stdnorm"), c(4,7))
             )

```

```
## demonstrate reuse of existing models
exampleModels$WL_Bt_1
moT_C2 <- new("MixARgen"
             , model = exampleModels$WL_Bt_1
             , dist = distlist(c("stdt", "stdt", "stdnorm"), c(4,7)) # t4, t7, N(0,1)
             )
moT_C3 <- new("MixARGaussian", model = exampleModels$WL_Bt_1 )
```

---

 bayes\_mixAR

*Bayesian sampling of mixture autoregressive models*


---

### Description

Samples parameters of a mixture autoregressive model from respective posterior distributions.

### Usage

```
bayes_mixAR(y, model, fix_shift = FALSE, a = .2, c = 2, tau, nsim, burnin)
```

### Arguments

<code>y</code>	a time series (currently a numeric vector).
<code>model</code>	an object of class MixAR. Currently only handles MixARGaussian objects.
<code>fix_shift</code>	should shift be kept fixed? If FALSE (default) shift is sampled.
<code>a, c</code>	numeric hyperparameters, default values are from Richardson and Green (1997).
<code>tau</code>	numeric vector of length <code>g</code> , the number of components in the mixture. Tuning parameter for M-H move in updating AR parameters. If <code>length(tau)</code> is 1, same tuning parameter is taken for all components.
<code>nsim</code>	numeric, the number of iterations.
<code>burnin</code>	numeric, the number of iterations taken as burn-in period.

### Details

For details see Ravagli and Boshnakov (2020).

### Value

a list with following elements:

<code>mix_weights</code>	a <code>g</code> columns matrix with samples from the posterior distributions of the mixing weights.
<code>scale</code>	a <code>g</code> columns matrix with samples from posterior distributions of scale parameters.
<code>precision</code>	a <code>g</code> columns matrix with samples from posterior distributions of precision parameters, defined as $1 / (\text{scale}^2)$ .

shift	a g columns matrix with samples from posterior distributions of shift parameters, namely phi_k0.
mu	a g columns matrix with samples from posterior distributions of component means, calculated as phi_k0 / (1 -phi_k1 -phi_k2 -...).
ARcoeff	a list which elements are matrices, one for each AR component in the mixture.
acc_rate	numeric vector, the acceptance rate for M-H moves.
n_samp	the sample size, calculated as nsim -burnin.
LatentZ	the latest Z variables drawn (for utility only).
n_comp	the number of components in the mixture.
fix_shift	same as input, whether the shift parameter was kept fixed or not.

**Author(s)**

Davide Ravagli

**References**

Richardson S, Green PJ (1997). "On Bayesian Analysis of Mixtures with an Unknown Number of Components." *J. R. Stat. Soc., Ser. B, Stat. Methodol.* , **59**(4), 731-792.

Ravagli D, Boshnakov GN (2020). "Bayesian analysis of mixture autoregressive models covering the complete parameter space." 2006.11041, <https://arxiv.org/abs/2006.11041>.

**Examples**

```

prob <- c(0.5, 0.5)
sigma <- c(1, 2)
ar <- list(-0.5, 1)

model <- new("MixARGaussian", prob = prob, scale = sigma, arcoef = ar)

## MAR(1,1) model
y <- mixAR_sim(model, 300, rep(0, max(model$order)))

bayes_mixAR(y, model, fix_shift = FALSE, tau = c(.15,.25), nsim = 20, burnin = 10)

```

---

Choose\_pk

*Choose the autoregressive order of MixAR components*

---

**Description**

Reversible Jump MCMC algorithm to choose the optimal autoregressive order of each component of a mixture autoregressive model.

**Usage**

```
Choose_pk(y, model, fix_shift = FALSE, tau, pmax, method, par = NULL, nsim)
```



**Arguments**

y	a time series. Currently a numeric vector.
model	an object inheriting from class "MixAR".
fix_shift	whether the shift/mean parameter should be kept fixed to its starting value or not. Default is FALSE.
tau	tuning parameters for Metropolis-Hastings algorithm in sampling AR coefficients.
pmax	the largest autoregressive order allowed for each component.
method	character vector of length 1. Method for calculating probability of new AR order to be increased/decreased by 1 unit. Currently available "Ratio", "Poisson" and "NULL". Default is "NULL".
par	numeric, parameter for tuning probabilities according to method. Ignored if method is "NULL".
nsim	numeric, the number of iterations.

**Value**

out	a dataframe with $g+1$ columns. The first $g$ columns contain the autoregressive orders of the components, the last column how often a model is preferred, divided by <code>nsim</code> .
fix_shift	the choice made for the shift/mean parameters.
method	the method used to increase/decrease AR orders.

**Note**

Choose\_pk currently supports class "MixARGaussian" only.

**Author(s)**

Davide Ravagli

**References**

Ravagli D, Boshnakov GN (2020). "Bayesian analysis of mixture autoregressive models covering the complete parameter space." 2006.11041, <https://arxiv.org/abs/2006.11041>.

**See Also**

[bx\\_dx](#) for more details on the method

**Examples**

```
model <- new("MixARGaussian",
  prob = exampleModels$WL_At@prob,      # c(0.5, 0.5)
  scale = exampleModels$WL_At@scale,    # c(1, 2)
  arcoef = list(-0.5, 1) )
# note: arcoef != list(-0.5, 1.1) == exampleModels$WL_At@arcoef@a
```

```
set.seed(1234)
n <- 50 # 200
y <- mixAR_sim(model, n, rep(0, max(model$order)), nskip = 100)

nsim <- 25 # 100
pk_star <- Choose_pk(y, model, tau = c(.15, .25), pmax = 5, method = "NULL", nsim = nsim)
```

---

cond\_loglik

*Log-likelihood of MixAR models*

---

### Description

Compute the log-likelihood of a MixAR model for a univariate time series.

### Usage

```
cond_loglik(model, x, index)
cond_loglikS(model, x, index)
```

### Arguments

model	a MixAR model.
x	a time series or numeric vector.
index	a vector of integers giving the indices in x over which to compute the sum for the log-likelihood, default is $(p+1):length(x)$ , where p is the maximum AR order of the components of the model.

### Details

cond\_loglik computes the conditional log-likelihood of a MixAR model. Conditional here means conditional on the first p values being fixed, where p is the maximum AR order of the components of the model.

Argument index can be used to compute the sum over a subset of time points.

cond\_loglikS is a variant of cond\_loglik for the case when the input model contains seasonal AR coefficients.

### Value

the log-likelihood, a numeric value

### Author(s)

Georgi N. Boshnakov and Davide Ravagli

**Examples**

```
## data(ibmclose, package = "fma") # doesn't work with fma v2.4, using ':'
cond_loglik(exampleModels$WL_ibm, as.numeric(fma::ibmclose))
cond_loglik(exampleModels$WL_ibm_gen, as.numeric(fma::ibmclose))

data(lynx) # for 'lynx' data
sar <- new("raggedCoefs", a = list(c(1.1022, -0.2835), c(1.5279, -0.8871)),
          as = list(c(0, 0), 0), s = 10)

## SMAR(2; 2, 2)(2, 1)_10
model_s10 <- new("MixARGaussian", prob = c(.3, .7), scale = c(.08, .202),
                arcoef = sar, shift = c(.7,1))
cond_loglikS(model_s10, log(lynx))
cond_loglikS(model_s10, log(lynx), index = 45:114) # on reduced dataset
```

---

dist\_norm

*Functions for the standard normal distribution*


---

**Description**

The noise distributions are specified by a list of functions for the density, quantiles, etc. This object demonstrates this for the standard normal distribution.

**Usage**

```
dist_norm
```

**Format**

This is a list of functions or names of functions for calculations related to the standard normal distribution. Currently it has elements with the following names: "pdf", "cdf", "rand", "logpdf", "Fscore", "xFscore", "Parscore", "get\_param", "set\_param", "any\_param".

**Details**

dist\_norm may be used to specify the noise distribution for MixAR models. It can be used as a template if other distributions are needed, see also `fdist_stdnorm`.

**See Also**

[fdist\\_stdnorm](#)

**Examples**

```
dist_norm
dist_norm$pdf
dist_norm$cdf
```

---

 em\_est\_dist

*Optimise scale parameters in MixARgen models*


---

**Description**

Optimise the scale parameters in MixAR models from class MixARgen. Internal function.

**Usage**

```
em_est_dist(tau, etk, parscore, sigma, nu, logpdf)
```

**Arguments**

tau	conditional probabilities, an object of class "MixComp", see 'Details'.
etk	component residuals, see 'Details'.
parscore	the score function(s), see 'Details'.
sigma	current values of the scale parameters, a numeric vector.
nu	current values of the parameters. w.r.t. which optimisation is done.
logpdf	the log of pdf as a function of the parameters.

**Details**

One or more of the error distributions of a MixAR model may have parameters that are considered unknown. In that case em\_est\_dist can be used to optimise with respect to them.

The representation of the error distributions in "MixARgen" models carries all the necessary information about parameters. em\_est\_dist works by extracting their current values from logpdf, passes them to the optimisation function (or equation solver) and stores the result back into logpdf. em\_est\_dist is quite general, as long as logpdf is prepared according to the conventions it expects (this is so if they are valid elements of the dist slot of "MixARgen" objects).

**Value**

the new values of the parameters

---

 em\_est\_sigma

*Update the scale parameters of MixAR models*


---

**Description**

Calculates estimates of scale parameters of MixAR models from conditional probabilities and mixture 'residuals'. Used in EM algorithm.

**Usage**

```
tauetk2sigmahat(tau, etk)

em_est_sigma(tau, etk, Fscore, sigma,
             dontfix = rep(TRUE, length(sigma)), compwise = FALSE)
```

**Arguments**

tau	the conditional probabilities for the groups, a "MixComp" object.
etk	component "residuals", MixComp object(?).
Fscore	the score function(s) of the noise distributions.
sigma	current values of the scale parameters.
compwise	if TRUE solve the equations component-wise, see 'Details'.
dontfix	a logical vector containig TRUE in the positions of elements of sigma that are to be estimated.

**Details**

tauetk2sigmahat calculates estimates of the scale parameters for a MixAR time series with Gaussian components. There is an explicit formula in that case.

em\_est\_sigma calculates estimates of the scale parameters in the general case. The non-linear equations are solved using functions from package BB. The equations for the components can often be solved independently. When that is the case, compwise may speed things up a little.

**Value**

The new values of the scale parameters, a numeric vector

---

em_rinit	<i>Gaussian EM-step with random initialisation</i>
----------	--

---

**Description**

Gaussian EM-step with random initialisation.

**Usage**

```
em_rinit(y, order, partempl)

etk2tau(etk)
```

**Arguments**

y	time series.
order	MixAR order, vector of length the number of components.
partempl	parameter template, a list containing one element for each mixture component, see <a href="#">randomArCoefficients</a> .
etk	MixAR component residuals, a matrix.

**Details**

em\_rinit generates random MAR residuals, performs a non-distributional E-step, and a Gaussian M-step.

etk2tau estimates tau from component residuals only. Note that this is unlike [em\\_tau](#), which also needs the noise pdf's, as well as estimates of the mixture probabilities.

em\_rinit uses etk2tau to start the EM algorithm.

**Value**

for em\_rinit, an object from class "MixARGaussian"

for etk2tau, a matrix representing tau (i-th row contains probabilities corresponding to the i-th observation)

**Author(s)**

Georgi N. Boshnakov

---

 est\_tmpl

---

*Create estimation templates from MixAR model objects*


---

**Description**

Create estimation templates from MixAR model objects.

**Usage**

```
est_tmpl(model, shift = TRUE, ...)
```

**Arguments**

model	a "MixAR" object.
shift	logical, see Details.
...	currently not used.

**Details**

Argument `model` is used as a template to specify values of parameters and/or which parameters to estimate or fix. In general, If a value of a parameter in `model` is `NA`, then it is to be estimated. Otherwise the parameter is taken as is.

The current implementation is incomplete. In particular, the AR parameters are always designated for estimation.

Argument `shift` can be used to overwrite some or values component `shift` in `model`. If `shift` has length one, it is replicated to the number of MixAR components. If `shift[k]` is `TRUE`, then the shift coefficient for the  $k$ -th component is set to `NA` to request its estimation. Otherwise, the value of the shift for the  $k$ -th component in `model` is taken.

Argument `shift` has a default of `TRUE` which causes the shift coefficients to be estimated irrespectively of their values in `model`.

`est_tmpl` returns a list with as many components as there are MixAR components in the model. The  $k$ -th component of the list is itself a list specifying which parameters of the  $i$ -th MixAR component to estimate or fix.

**Value**

a list, as described in Details.

**Examples**

```
exampleModels$WL_A
est_tmpl(exampleModels$WL_A)
est_tmpl(exampleModels$WL_A, shift = FALSE)

exampleModels$WL_I
est_tmpl(exampleModels$WL_I)
```

---

exampleModels

*MixAR models for examples and testing*

---

**Description**

MixAR models for examples and testing.

**Usage**

```
exampleModels
```

**Details**

Coefficients of models from the examples in Wong and Li (2000). Variations on these with different noise distributions are used throughout the examples in **mixAR**. The models are from classes inheriting from class "MixAR".

`exampleModels` is a list with the following components:

```

WL_ibm
WL_A
WL_B
WL_I
WL_II
WL_ibm_gen
WL_ibm_t3v
WL_ibm_tf
WL_At
WL_Bt_1
WL_Bt_2
WL_Bt_3
WL_Ct_1
WL_Ct_2
WL_Ct_3

```

Each component is a MixAR model, i.e. an object inheriting from class "MixAR".

### Source

Wong CS, Li WK (2000). "On a mixture autoregressive model." *J. R. Stat. Soc., Ser. B, Stat. Methodol.* , **62**(1), 95-115.

### Examples

```

## use these instead of moWL, moWL_A, moWL_B, etc.
exampleModels$WL_ibm

exampleModels$WL_A
exampleModels$WL_B
# what is the difference between A and B?
show_diff(exampleModels$WL_A, exampleModels$WL_B)

exampleModels$WL_I
exampleModels$WL_II
#show_diff(exampleModels$WL_I, exampleModels$WL_II)

exampleModels$WL_ibm_gen
exampleModels$WL_ibm_t3v
exampleModels$WL_ibm_tf
#show_diff(exampleModels$WL_ibm_gen, exampleModels$WL_ibm_t3v)

exampleModels$WL_At

exampleModels$WL_Bt_1
exampleModels$WL_Bt_2
exampleModels$WL_Bt_3
## what is different between Bt_2 and Bt_1? (df of component 2)
show_diff(exampleModels$WL_Bt_2, exampleModels$WL_Bt_1)

exampleModels$WL_Ct_1

```



```

exampleModels$WL_Ct_2
exampleModels$WL_Ct_3

## The models were created with something like:
moWLprob <- c(0.5439,0.4176,0.0385)
moWLSigma <- c(4.8227,6.0082,18.1716)
moWLaR <- list(c(0.6792,0.3208), c(1.6711,-0.6711), 1)

moWL <- new("MixARGaussian", prob = moWLprob, scale = moWLSigma,
           arcoef = moWLaR)
moWLgen <- new("MixARgen", prob = moWLprob, scale = moWLSigma,
             arcoef = moWLaR, dist = list(dist_norm))
## clean up a bit
rm(moWLprob, moWLSigma, moWLaR, moWL, moWLgen)

```

---

fit\_mixAR-methods      *Fit mixture autoregressive models*

---

## Description

Estimate a MixAR model for a time series. This is a generic function. The methods defined in package **mixAR** are described here.

## Usage

```
fit_mixAR(x, model, init, fix, ...)
```

## Arguments

<code>x</code>	a time series.
<code>model</code>	model, object inheriting from MixAR class.
<code>init</code>	what initializations to do, see Details.
<code>fix</code>	which parameters to fix, see Details.
<code>...</code>	additional arguments for the methods.

## Details

Method dispatch is done on the first three arguments: `x`, `model` and `init`.

`model` specifies the model to fit. If `model` inherits from "MixAR", it is used as a template. If `init` is missing, the parameters of `model` are also used as initial values. `model` can also be a numeric vector specifying the order of a MixAR model with Gaussian components.

Argument `init` can be used to give initial values in variety of ways. If it is a MixAR object it doesn't need to be of the same class as `model`, to allow using as initial values common parameters of different MixAR models. A positive integer value of `init` asks to run the fitting procedure `init` times, each time generating random initial values.

`init` can also be a list. In that case, each component of the list should itself be an acceptable value for `init` and the fitting procedure is run with each component of `init`.

Argument `fix` can be given in a number of ways. Note however that currently there is no method dispatch on it.

Currently the default method for `fit_mixAR` just throws error, since there seems no suitable default task to do.

See individual methods for further details.

## Value

a MixAR model or a list of MixAR models, depending on the arguments.

## Methods

`signature(x = "ANY", model = "ANY", init = "ANY")` The default method throws error.

`signature(x = "ANY", model = "MixAR", init = "missing")` This is equivalent to setting `init = model`.

`signature(x = "ANY", model = "MixAR", init = "MixAR")` `model` is a template for the result, `init` specifies initial values for the parameters. In principle, `model` and `init` may be from different classes, to allow for example using AR coefficients from a Gaussian fit for other distributions.

`signature(x = "ANY", model = "MixAR", init = "numeric")` `init` must be a single positive integer here. The model is fitted `init` times, each time starting with a new set of randomly generated initial values. If `select` is TRUE, the default, the model with the largest likelihood is returned, otherwise a list containing the `init` fitted models is returned.

`signature(x = "ANY", model = "MixAR", init = "list")` Each element of the list `init` should be an acceptable value for `init`. The model is fitted with the initial value set to each element of `init`. A list containing the fitted models is returned.

`signature(x = "ANY", model = "MixARGaussian", init = "MixAR")`

`signature(x = "ANY", model = "numeric", init = "missing")` This is equivalent to setting `init = 1`.

`signature(x = "ANY", model = "numeric", init = "numeric")` A numeric model should be a vector of non-negative integers specifying the order of the MixAR model. The distribution of the components is assumed Gaussian.

## Examples

```
## model coefficients from Wong&Li (IBM fit)
prob <- exampleModels$WL_ibm@prob      # c(0.5439, 0.4176, 0.0385)
sigma <- exampleModels$WL_ibm@scale    # c(4.8227, 6.0082, 18.1716)
ar    <- exampleModels$WL_ibm@arcoef@a # list(c(0.6792, 0.3208), c(1.6711, -0.6711), 1)

## data(ibmclose, package = "fma") # `ibmclose'

mo_WLt3 <- new("MixARgen", prob = prob, scale = sigma, arcoef = ar,
              dist = list(fdist_stdtd(3)))
mo_WLt30 <- new("MixARgen", prob = prob, scale = sigma, arcoef = ar,
              dist = list(fdist_stdtd(30)))

fi0 <- fit_mixAR(fma::ibmclose, exampleModels$WL_ibm, fix = "shift", crit = 1e-4)
```

---

 fit\_mixARreg-methods *Fit time series regression models with mixture autoregressive residuals*


---

### Description

Estimate a linear regression model for time series with residuals from a mixture autoregressive process.

### Usage

```
fit_mixARreg(x, y, mixARmodel, Einit, ...)
```

```
mixARreg(x, y, mixARmodel, tol = 1e-6, niter = 200)
```

### Arguments

x	the response time series (currently a numeric vector).
y	data.frame, matrix or numeric vector. If either of the first two, each column must contain one covariate (currently numeric). A check for matching lengths between x and y is done.
mixARmodel	An object inheriting from class "MixAR", giving initial values for EM-estimation of mixture autoregressive parameters. Currently only "MixARGaussian" is supported.
Einit	starting values for EM estimation of MixAR parameters. If present, must be a named list, containing at least prob and scale as numeric vectors, and a list for arcoef.
tol	threshold for convergence criterion.
...	passed on to MixARreg.
niter	maximal number of iterations.

### Details

fit\_mixARreg is a generic function. Currently there is no default method for fit\_mixARreg. Arguments y, mixARmodel, Einit can be given in a number of ways, see individual methods for details.

Argument mixARmodel gives the details of the the MixAR part of the model and initial values for the parameters. For fit\_mixARreg this can alternatively be done with a list using argument Einit. Currently, at least one of the two must be supplied, and if both are present Einit is ignored.

mixARreg performs a two-step estimation of a linear regression model with mixture autoregressive residuals. It is the workhorse for fit\_mixARreg which calls it to do the computations.

### Value

reg	The summary output of the regression part of the model.
mixARmodel	Estimates of the mixture autoregressive part of the model.
niter	The number of iterations until convergence.

**Methods**

signature(x = "ANY", y = "data.frame", mixARmodel = "MixAR", EInit = "missing") Covariates y are supplied as data.frame: each column corresponds to one covariate. Initialization of MixAR parameters is done using input mixARmodel

signature(x = "ANY", y = "matrix", mixARmodel = "MixAR", EInit = "missing") Covariates y are supplied as matrix: each column corresponds to one covariate. Initialization of MixAR parameters is done using input mixARmodel

signature(x = "ANY", y = "numeric", mixARmodel = "MixAR", EInit = "missing") Covariates y is supplied as numeric: this method handles the simple regression case with a single covariate. Initialization of MixAR parameters is done using input mixARmodel

signature(x = "ANY", y = "ANY", mixARmodel = "missing", EInit = "list") EInit must be a named list (see 'Arguments').

signature(x = "ANY", y = "ANY", mixARmodel = "MixAR", EInit = "list") When both mixARmodel and EInit are supplied, the second is ignored.

**Note**

Estimation is done using the function mixARreg within each method.

**Author(s)**

Davide Ravagli and Georgi N. Boshnakov

**See Also**

[fit\\_mixAR](#)

**Examples**

```
## Simulate covariates
set.seed(1234)
n <- 50 # for CRAN
y <- data.frame(rnorm(n, 7, 1), rt(n, 3), rnorm(n, 3, 2))

## Build mixAR part
model <- new("MixARGaussian",
             prob = exampleModels$WL_At@prob,      # c(0.5, 0.5)
             scale = exampleModels$WL_At@scale,   # c(1, 2)
             arcoef = exampleModels$WL_At@arcoef@a ) # list(-0.5, 1.1)

## Simulate from MixAR part
u <- mixAR_sim(model, n, 0)

x <- 10 + y[, 1] + 3 * y[, 2] + 2 * y[, 3] + u

## Fit model

## Using MixARGaussian
fit_mixARreg(x = x, y = y, mixARmodel = model, niter = 3)
```

```
## Using EInit
EMinit <- list(prob = exampleModels$WL_At@prob, scale = exampleModels$WL_At@scale,
              arcoef = exampleModels$WL_At@arcoef@a)
fit_mixARreg(x = x, y = y, EInit = EInit, niter = 3)
```

---

fit\_mixVAR-methods      *Fit mixture vector autoregressive models*

---

### Description

Estimate a MixVAR model for a multivariate time series. This is a generic function. The methods defined in package **MixAR** are described here.

### Usage

```
fit_mixVAR(x, model, fix, ...)
```

### Arguments

<code>x</code>	a multivariate time series (currently a numeric matrix).
<code>model</code>	model, object inheriting from MixVAR class.
<code>fix</code>	if TRUE, fix the shift parameters.
<code>...</code>	additional arguments for the methods (not currently used).

### Details

`model` specifies the model to fit. If `model` inherits from "MixVAR", it is used as a template. Estimation is done via EM-Algorithm, using the function `mixVARfit`.

Currently the default method for `fit_mixAR` just throws error, since there seems no suitable default task to do.

### Value

a MixVAR model.

### Methods

```
signature(x = "ANY", model = "MixVAR")
```

```
signature(x = "ANY", model = "ANY")
```

### See Also

[mixVARfit](#)

**Examples**

```

AR <- list()
AR[[1]] <- array(c(0.5, -0.3, -0.6, 0, 0, 0.5, 0.4, 0.5, -0.3), dim = c(3, 3, 1))
AR[[2]] <- array(c(-0.5, 0.3, 0, 1, 0, -0.5, -0.4, -0.2, 0.5), dim = c(3, 3, 1))

prob <- c(0.75, 0.25)
shift <- cbind(c(0, 0, 0), c(0, 0, 0))

Sigma1 <- cbind(c(1, 0.5, -0.4), c(0.5, 2, 0.8), c(-0.4, 0.8, 4))
Sigma2 <- cbind(c(1, 0.2, 0), c(0.2, 2, -0.15), c(0, -0.15, 4))
Sigma <- array(c(Sigma1, Sigma2), dim = c(3, 3, 2))

m <- new("MixVARGaussian", prob = prob, vcov = Sigma, arcoef = AR, shift = shift)

set.seed(1234)
y <- mixVAR_sim(m, n = 100, init = matrix(0, ncol = 3), nskip = 50, flag = FALSE)

fit_mixVAR(y, m, tol = 1e-3)
mixVARfit(y, m, tol = 1e-3)

```

---

fnoise

*Generator functions for noise distributions*


---

**Description**

These functions and objects are mostly internal and should not be needed for routine use. Generate noise distribution, currently standard normal and standardised t-distributions. These functions can be used as templates for new distributions.

**Usage**

```

fdist_stdnorm()

fdist_stdtd(df, fixed = TRUE)

fn_stdtd(df, fixed = TRUE)

b_show(x)

distlist(type, param, ncomp = NULL, fixed = FALSE, tr = NULL, ...)

ed_nparam

ed_parse(s)

ed_skeleton(df, fixed = FALSE, n = length(df), tr = NULL)

ed_src

```

ed\_stdnorm

ed\_std

ed\_std0

ed\_std1

ft\_std

### Arguments

df	degrees of freedom
fixed	if TRUE, the parameters are fixed, otherwise they are variable, see Details.
x	a fitted object.
type	list of distributions.
param	parameters.
ncomp	number of components.
tr	transformation.
...	not used.
s	named vector.
n	number of different degrees of freedom.

### Details

If argument `fixed` is TRUE, estimation functions assume that the parameter(s) are fixed, otherwise they estimate it. The support is incomplete, see below.

`fdist_stdnorm` is for the standard normal distribution. For example `dist_norm` is generated by it.

`fdist_std` is for the t-distribution with `df` degrees of freedom.

`fn_std` is also for the t-distribution but the degrees of freedom, `df`, may be a vector. The value is a list of distributions. Although the list can be obtained by repeated calls of `fdist_std`

The support is incomplete. In particular, if parameter `fixed` is TRUE, changes to the parameter(s) should probably not be allowed (this can be achieved by simply dropping the corresponding function from the list). However, a thorough rethinking is necessary, as I introduced it on the fly while developing estimation functions and forbidding changes may necessitate changes in the code. Changes are useful for estimation for convenience but also to avoid recreating the whole distributions again and again.

However, there is a major drawback, which in the final version needs to be addressed satisfactorily. Since parameters are held in local environments, changes to the parameters are reflected in copies of the objects. For example, an estimation function (or the user) may call another function with a model containing an object generated by the above functions and assign the result to a new object. However if the parameters of the noise distribution are changed in the process this will be reflected in the original model.

Note that the above effect is valid only if an object generated by the above functions is reused. Objects created by different calls have different environments, so the problem does not arise for them.

### Examples

```
stdt3 <- fdist_stdtd(3)
stdt3v <- fdist_stdtd(3, fixed = FALSE)
fn_stdtd(c(20, 30, 40), fixed = FALSE)

mo_tf <- new("MixARgen", prob = exampleModels$WL_ibm@prob,
            scale = exampleModels$WL_ibm@scale, arcoef = exampleModels$WL_ibm@arcoef@a,
            dist = list(generator = function(par)
                fn_stdtd(par, fixed = FALSE), param = c(20, 30, 40)))

mo_tf
str(mo_tf)

noise_dist(mo_tf, "pdf")
parameters(mo_tf)
parameters(mo_tf, names = TRUE)
get_edist(mo_tf)
noise_params(mo_tf)
```

---

get\_edist-methods

*Methods for function get\_edist in package **mixAR***

---

### Description

Methods for function `get_edist` in package **mixAR**

### Methods

`get_edist` gives the error (or noise) distribution of MixAR objects.

Currently the distribution is returned as a list of functions. The list contains one element for each component. If the error distributions of all components are the same, then the list may contain a single element representing the common error distribution.

Note that the distribution is not necessarily stored in slot `dist` in this format, see the description of this slot in class "[MixARgen](#)". Such a slot may even not exist if the distribution of the error components is fixed as is the case for class `MixARGaussian`.

Each subclass of MixAR needs to define a method for `get_edist`.

`signature(model = "MixAR")` Issue an error message and stop.

This method is invoked for subclasses of MixAR that have not defined their own method for `get_edist`. This is an error.

`signature(model = "MixARGaussian")` Return an object representing the fact that the error distributions of the components of `MixARGaussian` objects are standard normal.

`signature(model = "MixARgen")` Return an object representing the error distributions of the components of `MixARgen` objects. The distributions are not necessarily the same for such objects.



---

inner *Generalised inner product and methods for class "MixComp"*

---

### Description

Generalised inner product and methods for class MixComp. The methods for MixComp provide for very convenient computing with MixAR models.

### Usage

```
inner(x, y, star = "*", plus = .mplus)
```

### Arguments

x	the first argument.
y	the second argument.
star	function to apply to pairs of elements from x and y, default is multiplication, as for the usual inner product.
plus	function to apply to combine the results from the pairs, default is addition, as for the usual inner product.

### Details

inner computes a generalised inner product  $x \cdot y$ , where multiplication and summation can be replaced by other functions.

The default method of inner applies star to the corresponding pairs of elements and combines them with plus. There is no recycling, if x and y have different lengths, an error is raised. The elements of x and y are accessed with "[[". plus should be n-ar operation.

### Value

the inner product, the type of the result depends on the arguments

### Methods

Methods for inner product between a "MixComp" object and a vector are similar to a product between a matrix and a vector but comply with the conventions of class "MixComp". For this reason they are described in the help page for class "MixComp", along with methods for other functions and operators applied to "MixComp" objects.

signature(x = "ANY", y = "ANY", star = "ANY", plus = "ANY") This is the default method, see section Details.

signature(x = "MixComp", y = "missing", star = "missing", plus = "missing") see "MixComp".

signature(x = "MixComp", y = "numeric", star = "missing", plus = "missing") see "MixComp".

signature(x = "numeric", y = "MixComp", star = "missing", plus = "missing") see "MixComp".

signature(x = "MixComp", y = "numeric", star = "ANY", plus = "ANY") see "MixComp".

signature(x = "MixComp", y = "numeric", star = "ANY", plus = "missing") see "MixComp".

**See Also**

["MixComp"](#)

**Examples**

```
inner(1:3, 2:4) # [1] 20
class(inner(1:3, 2:4)) # [1] "integer"
## compare to:
1:3 %% 2:4      # 20, but (1,1)-matrix
class(1:3 %% 2:4) # matrix
```

---

<code>isStable</code>	<i>Check if a MixAR model is stable</i>
-----------------------	---

---

**Description**

Checks if a MixAR model is stable. This is also the second order stationarity condition.

**Usage**

```
isStable(x)
```

**Arguments**

`x`                    the model

**Details**

If each component of a MixAR model corresponds to a stable autoregression model, then the MixAR model is also stable. However, the MixAR model may be stable also when some of its components correspond to integrated or explosive AR models, see the references.

**Value**

True if the model is stable (second order stationary), FALSE otherwise.

**References**

Boshnakov GN (2011). "On First and Second Order Stationarity of Random Coefficient Models." *Linear Algebra Appl.*, **434**(2), 415–423. doi: [10.1016/j.laa.2010.09.023](https://doi.org/10.1016/j.laa.2010.09.023).

Wong CS, Li WK (2000). "On a mixture autoregressive model." *J. R. Stat. Soc., Ser. B, Stat. Methodol.*, **62**(1), 95-115.

**Examples**

```
isStable(exampleModels$WL_I)
isStable(exampleModels$WL_II)
```

---

label_switch	<i>A posteriori relabelling of a Markov chain</i>
--------------	---

---

### Description

Takes the output from a MCMC simulation of parameters of a mixture, and detects whether labels switch has occurred while sampling, using the method by Celeux (2000).

### Usage

```
label_switch(x, m)
```

### Arguments

x	output from an MCMC sampling of a mixture. A matrix, each column corresponds to one component of the mixture.
m	the number of observations in the sample that will be used to initialise the algorithm. $m \sim 100$ is recommended.

### Details

Function can be directly executed when x is one of mix\_weights, scale, precision, shift or mu from bayes\_mixAR output. ARcoeff cannot be input as it is, but element from the list may be used.

### Value

A list of 2:

x	The input matrix, with adjusted labels
true_perm	The "true" permutation at each iteration.

### Note

There is no absolute choice on what x should be to obtain the "true" permutation at any given point. User is subject to make the most suitable choice, given output of their MCMC.

### Author(s)

Davide Ravagli

### References

Celeux G (2000). *Bayesian Inference of Mixture: The Label Switching Problem..* Payne R., Green P. (eds) COMPSTAT. Physica, Heidelberg.

### See Also

[bayes\\_mixAR](#)

**Examples**

```

model <- new("MixARGaussian",
             prob  = exampleModels$WL_At@prob,      # c(0.5, 0.5)
             scale = exampleModels$WL_At@scale,    # c(1, 2)
             arcoef = exampleModels$WL_At@arcoef@a ) # list(-0.5, 1.1)

y <- mixAR_sim(model, n = 300, init = rep(0, which.max(model@order)))

## just examples, use larger numbers in practice
nsim <- 30 # 200
burnin <- 10 # 100
x <- bayes_mixAR(y, model, fix_shift = FALSE, tau = c(.15, .25),
                 nsim = nsim, burnin = burnin)

label_switch(x$mix_weights, m = 5)

```

---

lik\_params

*Vector of parameters of a MixAR model*


---

**Description**

Give a numeric vector containing non-redundant parameters of a MixAR model in a form suitable for use by optimisation routines. The methods defined in package **mixAR** for this generic function are described here.

**Usage**

```
lik_params(model)
```

**Arguments**

model            a MixAR model.

**Details**

lik\_params gives the parameters of a MixAR model as a numeric vector.

This is a generic function. Parameters common to all MixAR models are arranged as described below. There are no other parameters when the error distributions do not contain parameters of their own. Methods for sub-classes with additional parameters should append them after the common parameters.

If  $k$  is the number of components and  $\pi_i$  is the probability associated with the  $i$ th component, then the parameters are put in a vector as follows:

1. component probabilities,  $\pi_1, \dots, \pi_{k-1}$ , (note:  $\pi_k$  is not included)
2. scales,  $\sigma_1, \dots, \sigma_k$ ,
3. shifts,  $\mu_1, \dots, \mu_k$ ,
4. AR coefficients of the 1st component,

5. AR coefficients of the 2nd component,
6. ...
7. AR coefficients of the  $k$ th component.

**Value**

A numeric vector containing all parameters except the probability associated with the last component.

**Methods**

```
signature(model = "MixAR")  
signature(model = "MixARgen")
```

**Note**

The probability associated with the  $k$ th component is omitted as it is redundant. This makes it possible to try unconstrained optimisation though it is not likely to give useful results since there are other restrictions on the probabilities.

**Author(s)**

Georgi N. Boshnakov

---

make\_fcond\_lik-methods

*Create a function for computation of conditional likelihood*

---

**Description**

Create a function for the computation of the conditional likelihood of MixAR models for a given time series. The methods for this generic function defined in package **mixAR** are described here.

**Usage**

```
make_fcond_lik(model, ts)
```

**Arguments**

model	a MixAR model
ts	the time series

**Details**

The returned value is a function, say  $f(x)$ , whose only argument is a numeric vector of parameters with the arrangement of `lik_params`, for which it computes the conditional loglikelihood.  $f$  can be given to optimisation routines.

Argument `model` is an object inheriting from `MixAR` and determines the structure of the `MixAR` model for the function,  $f$ , that it creates. So, properties of the model, such as number of components, AR order, and distribution of the noise components are fixed when  $f$  is created and only the numeric values of the parameters are changed by calls to it.

**Value**

a function of one argument, the parameters of a `MixAR` model as a numeric vector with the arrangement of `lik_params`, for which it computes the conditional loglikelihood

**Todo**

The environment of the returned function contains the time series and the model object (initially argument `model`, later the model used in the last call to  $f$ ). So, these things can be extracted from  $f$ . Is it necessary to create convenience functions?

**Methods**

```
signature(model = "MixAR", ts = "numeric")
```

**See Also**

[mix\\_pdf](#), [mix\\_cdf](#)

---

marg_loglik	<i>Calculate marginal loglikelihood at high density points of a MAR model.</i>
-------------	--

---

**Description**

The function implements the method by Chib (1995) and Chib and Jeliazkov (2001) for calculation of the marginal loglikelihood of a mixture autoregressive model. It automatically finds high density values for model parameters, and evaluates the likelihood at such points.

**Usage**

```
marg_loglik(y, model, tau, nsim, prob_mod)
```

**Arguments**

y	a time series (currently a numeric vector).
model	object of formal class MixAR, containing initial values for the parameters. Currently available for MixARGaussian objects only.
tau	tuning parameter for Metropolis-Hasting move to update autoregressive parameters.
nsim	sample size on which to evaluate highest density values.
prob_mod	this is currently the output from Choose_pk: the proportion of times the "best model" was chosen.

**Details**

nsim is the sample size on which to evaluate highest density values for each set of parameters. For example, choosing nsim=1000 results in 1000\*(g+3) (1000 iterations for each autoregressive component, plus 1000 for mean and scale parameters and mixing weights).

**Value**

A list containing the following elements:

marg_loglik	value of the marginal loglikelihood.
phi_hd	set of highest density autoregressive parameters.
prec_hd	set of highest density precision parameters.
mu_hd	set of highest density mean parameters.
weig_hd	set of highest density mixing weights.

**Author(s)**

Davide Ravagli

**References**

- Chib S (1995). "Marginal likelihood from the Gibbs output." *J. A. Stat. Ass.*, **90**(432), 1313-1321.  
 Chib S, Jeliazkov I (2001). "Marginal likelihood from the Metropolis-Hastings output." *J. A. Stat. Ass.*, **96**(453), 270-281.

**Examples**

```

prob <- c(0.5, 0.5)
sigma <- c(1, 2)
arco <- list(-0.5, 1)

model <- new("MixARGaussian", prob = prob, scale = sigma, arcoef = arco)

set.seed(1234)
y <- mixAR_sim(model, 250, rep(0, max(model$order)), nskip = 100) # data

nsim <- 10 # 50
marg_loglik(y, model, tau = c(.15, .25), nsim = nsim, 0.5)

```

---

 MixAR-class

 Class "MixAR" — mixture autoregressive models
 

---

## Description

Mixture autoregressive models

## Objects from the Class

A virtual Class: no objects can be created from it.

Derived classes add distribution properties, e.g. use class "[MixARGaussian](#)" for MixAR models with Gaussian error components.

## Slots

**prob:** the mixing probabilities, "numeric".

**order:** the AR orders, "numeric".

**shift:** intercept terms, "numeric".

**scale:** scaling factor, "numeric".

**arcoef:** autoregressive coefficients, an object from class "[raggedCoef](#)" containing one row for each mixture component.

## Methods

**fit\_mixAR** signature(x = "ANY", model = "MixAR", init = "list"): ...

**fit\_mixAR** signature(x = "ANY", model = "MixAR", init = "missing"): ...

**fit\_mixAR** signature(x = "ANY", model = "MixAR", init = "MixAR"): ...

**fit\_mixAR** signature(x = "ANY", model = "MixAR", init = "numeric"): ...

**fit\_mixAR** signature(x = "ANY", model = "MixARGaussian", init = "MixAR"): ...

**get\_edist** signature(model = "MixAR"): ...

**initialize** signature(.Object = "MixAR"): ...

**lik\_params** signature(model = "MixAR"): ...

**make\_fcond\_lik** signature(model = "MixAR", ts = "numeric"): ...

**mix\_ek** signature(model = "MixAR", x = "numeric", index = "numeric", xcond = "missing", scale = "missing"): ...

**mix\_ek** signature(model = "MixAR", x = "numeric", index = "numeric", xcond = "missing", scale = "logical"): ...

**mix\_ek** signature(model = "MixAR", x = "numeric", index = "missing", xcond = "numeric", scale = "missing"): ...

**mix\_ek** signature(model = "MixAR", x = "numeric", index = "missing", xcond = "numeric", scale = "logical"): ...



```

mix_hatk signature(model = "MixAR", x = "numeric", index = "numeric", xcond = "missing"):
  ...
mix_ncomp signature(x = "MixAR"): ...
mixAR signature(template = "MixAR"): ...
noise_dist signature(model = "MixAR"): ...
noise_params signature(model = "MixAR"): ...
noise_rand signature(model = "MixAR"): ...
parameters signature(model = "MixAR"): ...
row_lengths signature(x = "MixAR"): ...

```

**Author(s)**

Georgi N. Boshnakov

**See Also**

`codemixAR`, classes `"MixARGaussian"`, `"MixARgen"`

**Examples**

```

## some models from subclasses of (virtual) class "MixAR"
names(exampleModels)
exampleModels$WL_A
exampleModels$WL_At

## modify an existing model, here change the mixture weights
mixAR(exampleModels$WL_A, coef = list((prob = c(0.4, 0.6))))

```

---

mixAR-methods

*Create MixAR objects*

---

**Description**

Generic function with methods for creating MixAR objects.

**Usage**

```

mixAR(template, coef, ..., filler = NA_real_)

```

**Arguments**

template	an object to be used as a template for the new object, typically inheriting from "MixAR". Alternatively, missing or a numeric vector specifying the order of the MixAR model, see Details.
coef	parameters for the new object a list with components "arcoef", "order", "prob", "shift", and "scale".
...	further arguments for methods.
filler	value for unspecified parameters, default is NA_real_.

## Details

mixAR provides an alternative to the function new for specifying MixAR models.

If template is numeric vector, it is taken to specify the AR order of the model and the number of mixture components. A Gaussian MixAR model is created with parameters filled initially with NA's and then updated with values given by coef. coef does not need to have values for all parameters and may be missing altogether. If NA's are not suitable for initialisation, a suitable value can be specified with filler.

If template is a MixAR object, then the new object will have the class of template. The new object is set initially to a copy of template and then updated with parameters specified by coef (and maybe others for some methods).

In principle, the numeric parameters are vectors of length the number of components of the MixAR model. For convenience, single values are replicated to the number of components. For this to work, at least one component must be specified completely, for example the order. It is an error for the parameters to imply conflicting number of components.

## Methods

```
signature(template = "ANY")
signature(template = "MixAR")
```

## See Also

```
class "MixARGaussian", class "MixARgen"
```

## Examples

```
mixAR(coef = list(prob = c(.5,.5), scale = c(1,2),
                 arcoef = list(.5, 1.1), shift = c(0,0), order = c(1,1)))

mixAR(template = c(1,1))
mixAR(coef = list(order = c(1,1))) # same

m2 <- new("MixARGaussian", order = c(3, 2, 1),
         arcoef = matrix(c(1:3, c(1:2, 0), c(1, 0, 0)), nrow = 3, byrow = TRUE))
m2a <- mixAR(m2, list(prob = c(0.5, 0.25, 0.25)))
show_diff(m2, m2a)
```

---

mixARemFixedPoint      *EM estimation for mixture autoregressive models*

---

## Description

Fit a mixture autoregressive model to a univariate time series using the EM algorithm.

**Usage**

```
mixARemFixedPoint(y, model, est_shift = TRUE, crit = 1e-14,  
                  maxniter = 200, minniter = 10, verbose = FALSE)
```

```
mixARgenemFixedPoint(y, model, crit = 1e-14, maxniter = 200,  
                     minniter = 10, verbose = FALSE, ...)
```

**Arguments**

<code>y</code>	a univariate time series.
<code>model</code>	an object of class <code>MixAR</code> , a mixture autoregressive model providing the model specifications and initial values for the parameters.
<code>est_shift</code>	if <code>TRUE</code> optimise also w.r.t. the shift (constant) terms of the AR components, if <code>FALSE</code> keep the shift terms fixed.
<code>crit</code>	stop iterations when the relative change in the log-likelihood becomes smaller than this value.
<code>maxniter</code>	maximum number of iterations.
<code>minniter</code>	minimum number of iterations, do at least that many iterations.
<code>...</code>	further arguments to be passed on to the M-step optimiser.
<code>verbose</code>	print more details during optimisation.

**Details**

`mixARemFixedPoint` and `mixARgenemFixedPoint` estimate `MixAR` models with the EM algorithm. For `mixARemFixedPoint`, the distribution of the components are fixed to be Gaussian. For `mixARgenemFixedPoint`, the distributions can, in principle be arbitrary (well, to a point).

Starting with `model`, the expectation and maximisation steps of the EM algorithm are repeated until convergence is detected or the maximum number of iterations, `maxniter` is exceeded.

Currently the convergence check is very basic—the iterations stop when the relative change in the log-likelihood in the last two iterations is smaller than the threshold value specified by `crit` and at least `minniter` iterations have been done.

The EM algorithm may converge very slowly. To do additional iterations use the returned value in another call of this function.

**Value**

the fitted model as an object inheriting from "MixAR".

**Note**

This function was not intended to be called directly by the user (hence the inconvenient name).

**Author(s)**

Georgi N. Boshnakov

**See Also**

`fit_mixAR` which uses these functions for estimation, classes `"MixARGaussian"`, `"MixARgen"`

**Examples**

```
## data(ibmclose, package = "fma") # ibm data from BJ

m0 <- exampleModels$WL_ibm
m1 <- mixARemFixedPoint(fma::ibmclose, m0)
m1a <- mixARemFixedPoint(fma::ibmclose, m1$model)
show_diff(m1$model, m1a$model)

mixARemFixedPoint(fma::ibmclose, m0, est_shift = FALSE)

## simulate a continuation of ibmclose, assuming m0
ts1 <- mixAR_sim(m0, n = 50, init = c(346, 352, 357), nskip = 0)
m2a <- mixARemFixedPoint(ts1, m0, est_shift = FALSE)$model
m2b <- mixARemFixedPoint(diff(ts1), m0, est_shift = FALSE)$model
```

---

mixARExperiment

*Simulation experiments with MixAR models*

---

**Description**

Perform simulation experiments with MixAR models.

**Usage**

```
mixARExperiment(model, imodel = NULL, simargs = NULL, estargs = NULL, fix, ...)
```

**Arguments**

<code>model</code>	the underlying model, an object inheriting from "MixAR", see 'Details'.
<code>imodel</code>	initial model, an object inheriting from "MixAR", see 'Details'.
<code>simargs</code>	additional arguments for the simulation function, a list, see 'Details'.
<code>estargs</code>	additional arguments for the estimation function, a list, see 'Details'.
<code>fix</code>	which arguments to keep fixed during estimation; currently if <code>fix = "shift"</code> the shift parameters are kept fixed, otherwise all parameters are estimated.
<code>...</code>	additional arguments to pass on to <code>simuExperiment</code> .

**Details**

`mixARExperiment` is a wrapper for `simuExperiment`.

The simulation function is `mixARsim` and the estimation function is `fit_mixAR`. The simulation function gets `model` as first argument. The first argument of the estimation function is `imodel`, if supplied, or `model` otherwise. Some appropriate defaults for other arguments are also supplied. Arguments `simargs` and `estargs` are needed only to override defaults.

If `fix = "shift"`, the shifts components are not estimated and are kept fixed. This may be useful when fitting the model to differenced series, for example.

`mixARExperiment` sets `keep` and `summary_fun` to some defaults (currently `mixAR:::fsumA` for the latter).

**Value**

A list with one or more elements, depending on the arguments ... passed on to `simuExperiment`.

Summary            a summary of the experiment, by default sample means and standard deviations of the estimates. This is a list of MixAR models.

Raw                A list of the estimated models.

**Note**

This is an initial version of this function, some of its arguments may change. Additional elements may be made available in the returned value, so refer to those by name, not with a numeric index.

**Author(s)**

Georgi N. Boshnakov

**See Also**

[simuExperiment](#)

**Examples**

```
exampleModels$WL_II

set.seed(1234)
n = 20 # toy size
N = 5 # toy number of simulations
mixARExperiment(exampleModels$WL_II, N = N, estargs = list(crit = 1e-4))
mixARExperiment(exampleModels$WL_II, N = N, raw = TRUE, estargs = list(crit = 1e-4))
mixARExperiment(exampleModels$WL_II, N = N, raw = TRUE,
  simargs = list(n = n), estargs = list(crit = 1e-4) )
```

---

MixARGaussian-class     *mixAR models with Gaussian noise components*

---

### Description

Class "MixARGaussian" represents MixAR models with Gaussian noise components.

### Objects from the Class

Objects can be created by calls of the form `new("MixARGaussian", ...)`, giving the elements of the model as named arguments, see the examples below. All elements of the model, except `arcoef`, are simple numeric vectors. From version 0.19-15 of package MixAR it is possible to create objects using `MixARGaussian(...)`. The two forms are completely equivalent.

`arcoef` contains the AR coefficients, one numeric vector for each mixture component. It can be given as a "[raggedCoef](#)" object or as a list of numeric vectors.

To input a model with seasonal AR coefficients, argument passed to `arcoef` can be passed as a `raggedCoefs` object, or as a list of three elements. For the latter, seasonality `s` must be explicitly indicated. AR coefficients can be given as list or matrix within the main list (one for main AR coefficients, named `a`, and one for seasonal AR coefficients, `as`). Each row of a input matrix/element of the list denotes one component of the mixture. If not named, initialisation takes the first passed element to be `a` and the second to be `as`.

The AR order of the model is inferred from `arcoef` argument. If argument `order` is given, it is checked for consistency with `arcoef`. The `shift` slot defaults to a vector of zeroes and the `scale` slot to a vector of ones.

The distribution of the noise components is standard Gaussian,  $N(0,1)$ .

### Slots

All slots except `arcoef` are numeric vectors of length equal to the number of components in the model.

`prob`: probabilities of the mixture components

`order`: AR orders of the components

`shift`: the shift (intercept) terms of the AR components

`scale`: the standard deviations of the noise terms of the AR components

`arcoef`: The AR components, object of class "[raggedCoef](#)"

### Extends

Class "[MixAR](#)", directly.

**Methods**

```

mix_cdf signature(model = "MixARGaussian", x = "numeric", index = "numeric", xcond = "missing"):
  ...
mix_cdf signature(model = "MixARGaussian", x = "numeric", index = "missing", xcond = "numeric"):
  ...
fit_mixAR signature(x = "ANY", model = "MixARGaussian", init = "MixAR"): ...
get_edist signature(model = "MixARGaussian"): ...
mix_cdf signature(model = "MixARGaussian", x = "missing", index = "missing", xcond = "numeric"):
  ...
mix_pdf signature(model = "MixARGaussian", x = "missing", index = "missing", xcond = "numeric"):
  ...
mix_pdf signature(model = "MixARGaussian", x = "numeric", index = "missing", xcond = "numeric"):
  ...
mix_pdf signature(model = "MixARGaussian", x = "numeric", index = "numeric", xcond = "missing"):
  ...
noise_dist signature(model = "MixARGaussian"): ...
noise_rand signature(model = "MixARGaussian"): ...

```

**Author(s)**

Georgi N. Boshnakov

**See Also**

classes "[MixARgen](#)", "[MixAR](#)"

**Examples**

```

showClass("MixARGaussian")

## load ibm data from BJ
## data(ibmclose, package = "fma")

## compute a predictive density, assuming exampleModels$WL_ibm model
## for the first date after the end of the data
pdf1 <- mix_pdf(exampleModels$WL_ibm, xcond = as.numeric(fma::ibmclose))

## plot the predictive density
## (cdf is used to determine limits on the x-axis)
cdf1 <- mix_cdf(exampleModels$WL_ibm, xcond = as.numeric(fma::ibmclose))
gbutils::plotpdf(pdf1, cdf = cdf1, lq = 0.001, uq = 0.999)

```

---

MixARgen-class	Class "MixARgen"
----------------	------------------

---

### Description

A class for MixAR models with arbitrary noise distributions. "MixARgen" inherits from "MixAR".

### Objects from the Class

Objects can be created by calls of the form `new("MixARgen", dist, ...)` or `mixARgen(...)`. The two forms are completely equivalent. The latter is available from version 0.19-15 of package MixAR.

### Slots

Most slots are inherited from class "MixAR".

**prob:** the mixing probabilities, "numeric".

**order:** the AR orders, "numeric".

**shift:** intercept terms, "numeric".

**scale:** scaling factor, "numeric".

**arcoef:** autoregressive coefficients, an object from class "raggedCoef" containing one row for each mixture component.

**dist:** Object of class "list", representing the noise distributions. The list contains one element for each component of the MixAR model or a single element if the noise distribution is the same for all components.

If the distributions do not contain parameters (e.g. Gaussian or  $t_4$ ) it is sufficient to give the list of functions in the element `dist` of the list.

If the distributions do contain parameters the recommended arrangement is to give a list with components `generator` and `param`, such that a call `generator(param)` should produce the required list of distributions.

This is not finalised but if changed, backward compatibility with existing objects will be maintained.

### Extends

Class "MixAR", directly.

### Methods

**get\_edist** signature(model = "MixARgen"): ...

**initialize** signature(.Object = "MixARgen"): ...

**lik\_params** signature(model = "MixARgen"): ...

**mix\_cdf** signature(model = "MixARgen", x = "missing", index = "missing", xcond = "numeric"):

...



```

mix_cdf signature(model = "MixARgen", x = "numeric", index = "missing", xcond = "numeric"):
  ...
mix_cdf signature(model = "MixARgen", x = "numeric", index = "numeric", xcond = "missing"):
  ...
mix_pdf signature(model = "MixARgen", x = "missing", index = "missing", xcond = "numeric"):
  ...
mix_pdf signature(model = "MixARgen", x = "numeric", index = "missing", xcond = "numeric"):
  ...
mix_pdf signature(model = "MixARgen", x = "numeric", index = "numeric", xcond = "missing"):
  ...
noise_dist signature(model = "MixARgen"): ...
noise_params signature(model = "MixARgen"): ...
noise_rand signature(model = "MixARgen"): ...

```

## Examples

```

showClass("MixARgen")

exampleModels$WL_ibm_gen@dist
noise_dist(exampleModels$WL_ibm_gen, "cdf")
noise_dist(exampleModels$WL_ibm_gen, "pdf")
noise_dist(exampleModels$WL_ibm_gen, "pdf", expand = TRUE)
noise_dist(exampleModels$WL_ibm_gen, "cdf", expand = TRUE)

## data(ibmclose, package = "fma") # for `ibmclose`

pdf1 <- mix_pdf(exampleModels$WL_ibm, xcond = as.numeric(fma::ibmclose))
cdf1 <- mix_cdf(exampleModels$WL_ibm, xcond = as.numeric(fma::ibmclose))
gbutils::plotpdf(pdf1, cdf = cdf1, lq = 0.001, uq = 0.999)

pdf1gen <- mix_pdf(exampleModels$WL_ibm_gen, xcond = as.numeric(fma::ibmclose))
cdf1gen <- mix_cdf(exampleModels$WL_ibm_gen, xcond = as.numeric(fma::ibmclose))
gbutils::plotpdf(pdf1gen, cdf = cdf1gen, lq = 0.001, uq = 0.999)

length(fma::ibmclose)
cdf1gena <- mix_cdf(exampleModels$WL_ibm_gen, xcond = as.numeric(fma::ibmclose)[-(369:369)])
pdf1gena <- mix_pdf(exampleModels$WL_ibm_gen, xcond = as.numeric(fma::ibmclose)[-(369:369)])
gbutils::plotpdf(pdf1gena, cdf = cdf1gena, lq = 0.001, uq = 0.999)

pdf1a <- mix_pdf(exampleModels$WL_ibm, xcond = as.numeric(fma::ibmclose)[-(369:369)])
cdf1a <- mix_cdf(exampleModels$WL_ibm, xcond = as.numeric(fma::ibmclose)[-(369:369)])
gbutils::plotpdf(pdf1a, cdf = cdf1a, lq = 0.001, uq = 0.999)

cdf1gena <- mix_cdf(exampleModels$WL_ibm_gen, xcond = as.numeric(fma::ibmclose)[-(369:369)])

cond_loglik(exampleModels$WL_ibm, as.numeric(fma::ibmclose))
cond_loglik(exampleModels$WL_ibm_gen, as.numeric(fma::ibmclose))

```

```

ts1gen <- mixAR_sim(exampleModels$WL_ibm_gen, n = 30, init = c(346, 352, 357), nskip = 0)
plot(ts1gen)

plot(mixAR_sim(exampleModels$WL_ibm_gen, n = 100, init = c(346, 352, 357), nskip = 0),
     type = "l")

plot(diff(mixAR_sim(exampleModels$WL_ibm_gen, n = 100, init = c(346, 352, 357), nskip = 0)),
     type = "l")

noise_dist(exampleModels$WL_ibm_gen, "Fscore")

prob <- exampleModels$WL_ibm@prob
scale <- exampleModels$WL_ibm@scale
arcoef <- exampleModels$WL_ibm@arcoef@a

mo_WLt3 <- new("MixARgen", prob = prob, scale = scale, arcoef = arcoef,
              dist = list(fdist_stdtd(3)))
mo_WLt30 <- new("MixARgen", prob = prob, scale = scale, arcoef = arcoef,
              dist = list(fdist_stdtd(30)))

```

---

mixARnoise_sim	<i>Simulate white noise series from a list of functions and vector of regimes</i>
----------------	---

---

### Description

Simulate white noise series from a list of functions and vector of regimes. This function is used internally for simulation from MixAR models.

### Usage

```
mixARnoise_sim(rdist, z)
```

### Arguments

rdist	a list of functions for random number generation, see ‘Details’.
z	a vector of positive integers specifying the ‘regimes’.

### Details

If the length of the list rdist is  $\max(z)$ , then  $z[[i]]$  is the random number generator for regime  $i$ . Alternatively, if rdist is of length one, then the same generator will be used for all regimes.

mixARnoise\_sim returns a vector, say  $y$ , of the same length as  $z$ , such that  $y[i]$  is generated by  $z[[i]]$ .

### Value

a numeric vector

**See Also**[mixAR\\_sim](#)**Examples**

```
## MixAR with 2 components: N(0,1) and t_5
set.seed = 1234
z <- sample(2, size = 5, replace = TRUE)
mixARnoise_sim(list(rnorm, function(n) rt(n, 5)), z)
```

mixAR\_BIC

*BIC based model selection for MixAR models***Description**

BIC calculations for mixture autoregressive models.

**Usage**

```
mixAR_BIC(y, model, fix = NULL, comp_loglik = TRUE, index)
BIC_comp(x, y)
```

**Arguments**

<code>y</code>	a time series.
<code>model</code>	the model for which to calculate BIC, an object inheriting from class <code>MixAR</code> . Alternatively, an output list from <code>fit_mixAR</code> .
<code>fix</code>	If <code>fix = "shift"</code> shift parameters are not included in calculation of BIC. Default is <code>NULL</code> , i.e. shift parameters are included.
<code>comp_loglik</code>	Should the loglikelihood be calculated? Default is <code>TRUE</code> . If <code>FALSE</code> and <code>model</code> is output of <code>fit_mixAR</code> , then the loglikelihood is not recalculated.
<code>index</code>	Discard the first <code>1:index</code> observations. If missing, <code>index</code> is set to the largest AR order.
<code>x</code>	a list containing a combination of <code>MixAR</code> objects and/or output lists from <code>fit_mixAR</code> .

**Details**

`mixAR_BIC` calculates the BIC criterion of a given `MixAR` object with respect to a specified time series.

If `index` is specified, it has to be at least equal to the largest autoregressive order. The function calculates BIC on the last `(index + 1):n` data points.

`BIC_comp` calculates the value of BIC for the models listed in `x` with respect to the specified time series `y`.

If the distributions of the components contain estimated parameters, then their number is included in the number of parameters for the calculation of BIC.

**Value**

If `comp_loglik = TRUE`, the function calculates BIC based on the given model, data and index.

If `comp_loglik = FALSE` and model is output from `fit_mixAR`, it returns object `vallogf` from that list.

**Author(s)**

Davide Ravagli

**Examples**

```
model1 <- new("MixARGaussian", prob = c(0.5, 0.5), scale = c(1, 2),
             arcoef = list(-0.5, 1.1))

model2 <- new("MixARGaussian", prob = c(0.5, 0.3, 0.2), scale = c(1, 3, 8),
             arcoef = list(c(-0.5, 0.5), 1, 0.4))

set.seed(123)
y <- mixAR_sim(model1, 400, c(0, 0, 0), nskip = 100)

mixAR_BIC(y, model1)

model_fit1 <- fit_mixAR(y, model1)
model_fit2 <- fit_mixAR(y, model2, crit = 1e-4)

mixAR_BIC(y, model_fit1)
mixAR_BIC(y, model_fit2)

BIC_comp(list(model1, model2, model_fit1, model_fit2), y)

mixAR_BIC(y, model_fit1, index = 20)
mixAR_BIC(y, model_fit2, index = 20)
```

---

mixAR\_cond\_probs

*The E-step of the EM algorithm for MixAR models*

---

**Description**

Compute conditional probabilities for the E-step of the EM algorithm for MixAR models. Internal function.

**Usage**

```
mixAR_cond_probs(model, y, indx = NULL)
```

**Arguments**

<code>model</code>	an object from a sub-class of "MixAR".
<code>y</code>	the time series, a numeric vector.
<code>indx</code>	indices of elements for which to compute residuals.

**Details**

This is essentially the E-step for the MixAR models.

**Value**

the conditional probabilities, an object from class "MixComp".

---

mixAR_diag	<i>Diagnostic checks for mixture autoregressive models</i>
------------	--

---

**Description**

Perform diagnostic checks and tests on given MixAR object with respect to a given time series.

**Usage**

```
## S3 method for class 'MixAR'
tsdiag(object, gof.lag = NULL, y, ask = interactive(), ...,
        plot = TRUE, std.resid = FALSE)

mixAR_diag(model, y, ...)
```

**Arguments**

model,object	the model on which to perform the checks, an object from class MixAR. model can also be the output list from fit_mixAR.
gof.lag	Goodness of fit lag(s) for the Ljung-Box tests. Vector containing one or more positive integers. max(gof.lag) is the maximal lag in the acf and pacf plots. how many lags to compute for acf and pacf? The default is as that of lag.max for acf.
y	a time series, currently a numeric vector.
ask	if TRUE ask before presenting a new plot.
plot	if TRUE, the default, produce diagnostic plots. If FALSE don't produce plots. Otherwise, a numeric vector of integers defining a subset of plots to consider, see Details.
std.resid	if TRUE standardise the ordinary residuals using the conditional standard deviations. <b>NOTE:</b> the default is currently FALSE but it may soon be changed to TRUE.
...	for mixAR_diag, passed on to tsdiag.

## Details

It is recommended to use `tsdiag`. `mixAR_diag` is essentially deprecated and is still here for compatibility with old code. Moreover, the `tsdiag` method is more flexible. The only advantage of `mixAR_diag` is that it accepts also a list for argument `model` but this is equivalent to calling `tsdiag` with `object = model$model`.

The function calculates several types of residuals, provides diagnostic plots for each of them, and returns numerical results. The following choices are currently available:

1. ACF/PACF of residuals,
2. ACF/PACF of U\_residuals,
3. ACF/PACF of tau\_residuals,
4. ACF/Histogram of tau\_residuals.

In interactive sessions the user is presented with a menu to select plot(s) from the available ones. The choice can be restricted to a subset of them by giving argument `plot` a vector of integers. This is most useful to select a particular plot, with something like `plot = 2` in the call to `tsdiag`. `plot` is used as an index vector, so `plot = -1` would remove the first item listed above from the offered alternatives.

Transformations on the data are performed, as described in Smith (1985).

Four types of residuals are computed:

**ordinary residuals** difference (possibly scaled) between observed values and point predictions.

**U\_residuals/PIT residuals** probability integral transform of the data using the CDF of the conditional distributions implied by the fitted model. For a good model these should resemble an IID sequence uniformly distributed on (0,1).

**V\_residuals** set of transformed U\_residuals with the quantile function of the standard normal distribution (`qnorm`). For a good model these should resemble an IID sequence from  $N(0,1)$ .

**tau\_residuals** These residuals are calculated as the component specific residual  $e_{tk}$  divided by its corresponding scale  $\sigma_k$ , according to under which component  $y_t$  has largest density. Under correct model specification, these should be jointly Normal. Shapiro-Wilk test is performed on this set of residual to assess the hypothesis.

For all types of residual results for the Ljung-Box test are provided. This test is particularly relevant for the V- and tau-residuals.

Kolmogorov-Smirnov test is carried out for the U\_residuals to assess the hypothesis of uniform distribution.

Shapiro-Wilk test of normality

is applied to V- and tau-residuals.

## Value

returns invisibly a list with class "`tsdiagMixAR`", currently containing the following components:

<code>residuals</code>	ordinary residuals,
<code>U_residuals</code>	see Details,
<code>V_residuals</code>	see Details,

tau\_residuals see Details,  
BIC the value of the BIC criterion, a number.

Each component, except BIC, is a list containing the residuals in component value, Ljung-Box test in "Ljung-Box" and possibly other tests suitable for the corresponding type of residuals.

### Note

This function should be used for diagnostic checking of MixARGaussian objects only.

### Author(s)

Davide Ravagli and Georgi N. Boshnakov

### References

Smith JQ (1985). "Diagnostic checks of non-standard time series models." *Journal of Forecasting*, 4(3), 283-291. doi: [10.1002/for.3980040305](https://doi.org/10.1002/for.3980040305), <https://onlinelibrary.wiley.com/doi/pdf/10.1002/for.3980040305>, <https://onlinelibrary.wiley.com/doi/abs/10.1002/for.3980040305>.

Wong CS, Li WK (2000). "On a mixture autoregressive model." *J. R. Stat. Soc., Ser. B, Stat. Methodol.*, 62(1), 95-115.

### See Also

[mixAR\\_BIC](#), [tsdiag](#)

### Examples

```
model1 <- new("MixARGaussian", prob = c(0.5, 0.5), scale = c(1, 2),
             arcoef = list(-0.5, 1.1))
set.seed(123)
y <- mixAR_sim(model1, 400, c(0,0,0), nskip = 100)

fit1 <- fit_mixAR(y, model1)
d <- tsdiag(fit1$model, c(10, 20, 50), y)
d
```

---

mixAR\_sim

*Simulate from MixAR models*

---

### Description

Simulate from MixAR models

**Usage**

```
mixAR_sim(model, n, init, nskip = 100, flag = FALSE)
```

```
mixAny_sim(model, n, init, nskip=100, flag = FALSE,
           theta, galpha0, galpha, gbeta)
```

**Arguments**

model	model from which to simulate, an object inheriting from class MixAR.
init	initial values, numeric vector.
n	size of the simulated series.
nskip	number of burn-in values, see Details.
flag	if TRUE return also the regimes.
theta	ma coef, a list.
galpha0	alpha0[k], k=1,...,g.
galpha	garch alpha.
gbeta	garch beta.

**Details**

mixAR\_sim simulates a series of length nskip+n and returns the last n values.

mixAny\_sim simulates from a MixAR model with GARCH innovations. mixAny\_sim was a quick fix for Shahadat and needs consolidation.

The vector init provides the initial values for  $t = \dots, -1, 0$ . Its length must be at least equal to the maximal AR order. If it is longer, only the last  $\max(\text{model@order})$  elements are used.

**Value**

a numeric vector of length n. If flag = TRUE it has attribute regimes containing z.

**Examples**

```
exampleModels$WL_ibm
## simulate a continuation of BJ ibm data
ts1 <- mixAR_sim(exampleModels$WL_ibm, n = 30, init = c(346, 352, 357), nskip = 0)

# a simulation based estimate of the 1-step predictive distribution
# for the first date after the data.
s1 <- replicate(1000, mixAR_sim(exampleModels$WL_ibm, n = 1, init = c(346, 352, 357),
                               nskip = 0))
plot(density(s1))

# load ibm data from BJ
## data(ibmclose, package = "fma")

# overlay the 'true' predictive density.
```



```
pdf1 <- mix_pdf(exampleModels$WL_ibm, xcond = as.numeric(fma::ibmclose))
curve(pdf1, add = TRUE, col = 'blue')

# estimate of 5% quantile of predictive distribution
quantile(s1, 0.05)

# Monte Carlo estimate of "expected shortfall"
# (but the data has not been converted into returns...)
mean(s1[ s1 <= quantile(s1, 0.05) ])
```

---

mixAR_switch	<i>Relabel the components of a MixAR model</i>
--------------	--

---

## Description

Relabel the components of a MixAR model.

## Usage

```
mixAR_switch(model, perm)
mixAR_permute(model, perm)
```

## Arguments

model	a MixAR model
perm	a permutation for relabeling

## Details

If the permutation is the identity permutation the model is returned as is. Otherwise the order of the components is changed according to perm. Basically, perm is used as index, e.g. prob[perm], etc.

## Note

Currently the function only reorders the "usual" components. Subclasses of "MixAR" may contain other parameters (e.g. different error distributions). So this function may not be appropriate for them.

---

 MixComp-class

 Class "MixComp" — manipulation of MixAR time series
 

---

## Description

Class "MixComp" represents components of mixture autoregressive time series and their transformations obtained by arithmetic and related operations. Methods are provided to allow convenient computation with such time series.

## Objects from the Class

Objects can be created by calls of the form `new("MixComp", ...)`. It is more usual however to obtain such objects initially from functions such as `mix_ek`. Methods are defined to allow for convenient and intuitive further manipulation of such objects.

Internally, an object of class `MixComp` is a matrix with one column for each component. However, methods for arithmetic operations involving `MixComp` objects are defined to perform natural operations for mixture objects. For example, multiplication by vectors is commutative and "does the right thing".

## Slots

**m:** Object of class "matrix" with one column corresponding to each component of the mixture AR model.

## Methods

Arithmetic operations involving `MixComp` objects are defined to allow for convenient execution of computations for mixture autoregressive models, see class "`MixComp`".

- `signature(e1 = "MixComp", e2 = "missing")`: unary minus for "MixComp" objects.
- `signature(e1 = "numeric", e2 = "MixComp")`:  
 If `e2` is thought of as a matrix, `m`, then the number of elements of `e1` must be the same as the number of rows of `m` and each column of `m` is subtracted from `e1`, see also "`mix_ek`", "`mix_hatk`".  
 As a special case, if `m` has only one row, then it is subtracted from each element of `e1`, i.e. that row is replicated to obtain a matrix with as many rows as the length of `e1` and then subtracted from `e1` as above.  
 The result is a `MixComp` object.
- `signature(e1 = "MixComp", e2 = "numeric")`: This is analogous to the above method. (**FIXME:** the code of this function does not deal with the special case as in the above method. Is this an omission or I have done it on purpose?)
- %of%** `signature(e1 = "function", e2 = "MixComp")`: This applies the function `e1` to each element of `e2`. Together with the arithmetic operations this allows for easy computation with `MixComp` objects (e.g. pdfs, likelihoods).
- %of%** `signature(e1 = "character", e2 = "MixComp")`:

**%of%** signature(e1 = "list", e2 = "MixComp"): If e1 is of length one it specifies a function to be applied to each element of e2, otherwise it is a list of functions, such that the *i*th function is applied to the *i*th column of e2@m.

\* signature(e1 = "MixComp", e2 = "MixComp"): ...

\* signature(e1 = "MixComp", e2 = "numeric"): see the following.

\* signature(e1 = "numeric", e2 = "MixComp"): "Column" *i* of the MixComp object is multiplied by the *i*th element of the numeric vector, i.e. each "row" of the MixComp object is multiplied by the vector (or, the vector is replicated to a matrix to be multiplied by the MixComp object).

\* signature(e1 = "function", e2 = "MixComp"): Multiplying a function by a MixComp object actually applies the function to each element of the object. This is a misuse of methods, prefer operator **%of%** which does the same.

\* signature(e1 = "character", e2 = "MixComp"): The first argument is a name of a function which is applied to each element of the MixComp object. This is a misuse of methods, see operator **%of%** which does the same.

/ signature(e1 = "MixComp", e2 = "numeric"):

/ signature(e1 = "numeric", e2 = "MixComp"): Division works analogously to **"\*"**.

^ signature(e1 = "MixComp", e2 = "numeric"): If k is a scalar, raise each element of e1@m to power k.  
(For consistency this operation should have the semantics of **"\*"** and **"/"** but this operator probably makes sense only for scalar 'e2', where the semantics doesn't matter. So, don't bother for now.)

+ signature(e1 = "numeric", e2 = "MixComp"):

+ signature(e1 = "MixComp", e2 = "numeric"): Addition involving MixComp objects works analogously to subtraction.

**inner** signature(x = "MixComp", y = "missing", star = "missing", plus = "missing"): With one argument inner computes the sum of the columns of the argument. This is conceptually equivalent to y being a vector of ones.

**inner** signature(x = "MixComp", y = "numeric", star = "missing", plus = "missing"):

**inner** signature(x = "numeric", y = "MixComp", star = "missing", plus = "missing"): The number of elements of the numeric argument should be equal to the number of rows of the MixComp object. Effectively, computes the inner product of the two arguments. The order of the arguments does not matter.  
Returns a numeric vector.

**inner** signature(x = "MixComp", y = "numeric", star = "ANY", plus = "ANY"): Computes a generalised inner product of x with y using the specified functions in place of the usual **"\*"** and **"+"** operations. The defaults for star and + are equivalent to multiplication and addition, respectively.  
Note that **"+"** is a binary operation (not *n*-ary) in R. So technically the correct way to specify the default operation here is "sum" or sum. Since it is easy to make this mistake, if plus == **"+"**, it is replaced by "sum". (In fact, plus is given a single argument, the vector of values to work on. Since **"+"** works as a unary operator on one argument, it would give surprising results if left as is.)

**inner** signature(x = "MixComp", y = "numeric", star = "ANY", plus = "missing"): This is a more efficient implementation for the case when plus = sum.

**mix\_ncomp** signature(x = "MixComp"): Number of components.

signature(x = "MixComp") A "MixComp" object is essentially a matrix. This method gives the dimension of the underlying matrix. This method indirectly ensures that nrow() and ncol() work naturally for "MixComp" objects.

### Author(s)

Georgi N. Boshnakov

### Examples

```
## dim, nrow, ncol
a <- new("MixComp", m = matrix(c(1:7, 11:17, 21:27), ncol = 3))
a
dim(a)
nrow(a)
ncol(a)
mix_ncomp(a)

-a
a - 1:7
1:7 + a
2*a

b <- new("MixComp", m = matrix(rnorm(18), ncol = 3))

## apply a function to the columns of a MixComp object
pnorm %of% b

## apply a separate function to to each column
flist <- list(function(x) pnorm(x),
              function(x) pt(x, df = 5),
              function(x) pt(x, df = 4) )
flist %of% b
```

---

mixFilter

*Filter time series with MixAR filters*

---

### Description

Filter time series with MixAR filters, a generic function with no default method (currently).

### Usage

```
mixFilter(x, coef, index, shift = 0, residual = FALSE, scale = 1)
```

**Arguments**

x	time series
coef	the filter coefficients
index	indices for which to calculate the filtered values.
shift	optional shifts (intercept) terms.
residual	If FALSE (default) calculate “predictions”, if TRUE calculate “residuals”.
scale	optional scale factor(s), makes sense only when residual=TRUE, corresponds to scale in the specification of a MixAR model.

**Value**

a MixComp object

**Methods**

signature(x = "ANY", coef = "ANY", index = "ANY") This method simply prints an error message and stops.

signature(x = "numeric", coef = "raggedCoef", index = "numeric")

**Author(s)**

Georgi N. Boshnakov

**See Also**

[raghat1](#) [mix\\_ek](#) [mix\\_hatk](#)

---

mixgenMstep

*M-step for models from class MixARgen*

---

**Description**

M-step for models from class MixARgen. This function is for use by other functions.

**Usage**

```
mixgenMstep(y, tau, model, index, fix = NULL, comp_sigma = FALSE,
            method = "BBSolve", maxit = 100, trace = FALSE,
            lessverbose = TRUE, ...)
```

**Arguments**

<code>y</code>	time series, a numeric vector.
<code>tau</code>	conditional probabilities, an object of class "MixComp".
<code>model</code>	the current model, an object from a subclass of class "MixAR".
<code>index</code>	indices of observations for which to compute residuals, a vector of positive integers, see 'Details'.
<code>method</code>	optimisation or equation solving method for package BB
<code>...</code>	arguments to pass on to optimisation functions, not thought over yet. Do not use until this notice is removed.
<code>comp_sigma</code>	If TRUE optimise the scale parameters using univariate optimisation. (note: does not work with argument 'fix' yet.)
<code>fix</code>	specify parameters to be held fixed during optimisation, see 'Details'.
<code>maxit</code>	maximal number of iterations for BB optimisers and solvers. Meant mainly for testing.
<code>trace</code>	if TRUE, BB optimisers and solvers will print information about their proceedings. Meant mainly for testing.
<code>lessverbose</code>	if TRUE, print a dot instead of more verbose information.

**Details**

`mixgenMstep` is an implementation of the M-step of the EM algorithm for mixture autoregressive models specified by objects of class "MixARgen". The function was build and modified incrementally with the main goal of providing flexibility. Speed will be addressed later.

By default optimisation is done with respect to all parameters. Argument `fix` may be a list with elements "prob", "shift", "scale" and "arcoef". These elements should be logical vectors containing TRUE in the positions of the fixed parameters. Elements with no fixed parameters may be omitted. (Currently the "prob" element is ignored, i.e. it is not possible to fix any of the component probabilities.)

If `fix = "shift"` the shift parameters are kept fixed. This is equivalent to `fix = list(shift = rep(TRUE, g))`.

The parameters (if any) of the distributions of the error components are estimated by default. Currently the above method cannot be used to fix some of them. This can be achieved however by modifying the distribution part of the model since that incorporates information about the parameters and whether they are fixed or not.

**See Also**

[fit\\_mixAR](#) and [mixARgenemFixedPoint](#) which are meant to be called by users.

---

mixMstep	<i>Internal functions for estimation of MixAR models with Gaussian components</i>
----------	---

---

### Description

Internal functions for EM estimation of MixAR models with Gaussian components: sums of products and crossproducts; M-step for MixAR estimation; estimation of autoregressive part of the model.

### Usage

```
tauCorrelate(y, tau, order)
tau2arcoef(y, tau, order, est_shift = TRUE)
mixMstep(y, tau, order, index, est_shift = TRUE)
```

### Arguments

y	time series.
tau	conditional probabilities for the observations to belong to each of the components, a MixComp object.
order	order of the MixAR model, numeric vector of length the number of mixture components.
index	indices of the observations to include in the likelihood calculations, typically (p+1):n, where p is max(order) and n=length(y).
est_shift	if TRUE include shifts (intercepts) in the AR components, otherwise set them to zero.

### Details

mixMstep performs an M-step for estimation of MixAR models with Gaussian components.

tauCorrelate computes crossproducts needed for EM estimation of MixAR models with Gaussian components.

tau2arcoef computes the AR coefficients by solving Yule-Walker-type equations for each component.

### Value

For mixMstep, a MixAR model, an object of class MixARGaussian.

For tauCorrelate, a named list with the following components:

Stau

Stauy

Stauyy

For tau2arcoef, a list with two components:

shift	the shift (intercept) terms, a numeric vector
arcoef	the AR coefficients as a list, whose i-th component contains the coefficients for component i (as a numeric vector)

---

mixSARfit

*Fit mixture autoregressive models with seasonal AR parameters*

---

### Description

Provides estimation via EM-Algorithm for mixture autoregressive models including seasonal AR parameters.

### Usage

```
mixSARfit(y, model, est_shift = FALSE, tol = 10^-14)
```

### Arguments

y	a time series (currently a numeric vector).
model	an object of class "MixAR" including seasonal components.
est_shift	if missing or FALSE, fix the intercepts to zero, otherwise estimate them.
tol	threshold for stopping criterion.

### Details

This function only works for "MixAR" objects in which slot arcoef is of class "raggedCoefS".

### Value

A list of 2:

model	an object of class "MixAR". The estimated model.
vallogf	the value of the loglikelihood function for the returned model.

### Author(s)

Davide Ravagli and Georgi N. Boshnakov



**Examples**

```

ar1 <- list(c(0.5, -0.5), c(1.1, 0, -0.5))
ar12 <- list(0, c(-0.3, 0.1))
s = 12

rag <- new("raggedCoefS", a = ar1, as = ar12, s = s)

model <- new("MixARGaussian", prob = exampleModels$WL_A@prob, # c(0.5, 0.5)
            scale = exampleModels$WL_A@scale, # c(5, 1)
            arcoef = rag)

set.seed(1234)
y <- mixAR_sim(model, n = 100, init = rep(0, 24))

mixSARfit(y, model)
## fix the intercepts to zero
mixSARfit(y, model, est_shift = FALSE, tol = 10e-4)

```

---

MixVAR-class

*Class "MixVAR" — mixture vector autoregressive models*


---

**Description**

Mixture vector autoregressive models

**Objects from the Class**

A virtual Class: No objects may be created from it.

Derived classes add distribution properties, e.g. use class ["MixVARGaussian"](#) for MixVAR models with Gaussian error components.

**Slots**

prob: the mixing probabilities, an object of class "numeric"

order: Object of class "numeric" ~~

shift: Object of class "matrix" ~~

vcov: Object of class "array" ~~

arcoef: Object of class "raggedCoefV" ~~

**Methods**

**fit\_mixVAR** signature(x = "ANY", model = "MixAR"): ...

**Author(s)**

Davide Ravagli

**See Also**

class "[MixVARGaussian](#)"

---

mixVARfit

*Fit mixture vector autoregressive models*

---

**Description**

Provides EM-estimation of mixture autoregressive models for multivariate time series

**Usage**

```
mixVARfit(y, model, fix = FALSE, tol = 10^-6, verbose = FALSE)
```

**Arguments**

y	a data matrix.
model	an object of class "MixVAR" with initial values of parameter for EM estimation.
tol	Threshold for convergence criterion.
fix	if TRUE, fix the shift parameters.
verbose	if TRUE print information during the optimisation.

**Details**

Estimation is done under the assumption of multivariate Gaussian innovations.

**Value**

An object of class MixVARGaussian with EM estimates of model parameters.

**Author(s)**

Davide Ravagli

**References**

Fong PW, Li WK, Yau CW, Wong CS (2007). "On a Mixture Vector Autoregressive Model." *The Canadian Journal of Statistics / La Revue Canadienne de Statistique*, **35**(1), 135–150. ISSN 03195724, doi: [10.1002/cjs.5550350112](https://doi.org/10.1002/cjs.5550350112).

**See Also**

[fit\\_mixVAR-methods](#) for examples

---

MixVARGaussian-class *MixVAR models with multivariate Gaussian noise components*

---

### Description

Class MixVARGaussian represents MixAR models with multivariate Gaussian noise components.

### Objects from the Class

Objects can be created by calls of the form `new("MixVARGaussian", ...)`, giving the elements of the model as named arguments, see the examples below.

`arcoef` contains the AR coefficients, one numeric array for each mixture component. It can be given as a `"raggedCoefV"` object or as a list of numeric arrays.

The AR order of the model is inferred from `arcoef` argument. If argument `order` is given, it is checked for consistency with `arcoef`. The `shift` slot defaults to a matrix of zeroes and the `vcov` slot to an array of identity matrices, one for each component.

The distribution of the noise components is standard multivariate Gaussian,  $N(0,1)$ .

### Slots

All slots except `arcoef` are numeric vectors of length equal to the number of components in the model.

`prob`: probabilities of the mixture components,

`order`: AR orders of the components,

`shift`: the shift (intercept) terms of the AR components,

`vcov`: covariance matrices of the noise terms of the AR components,

`arcoef`: The AR components, object of class `"raggedCoefV"`.

### Extends

Class `"MixAR"`, directly.

### Methods

`fit_mixAR` signature(`x = "ANY"`, `model = "MixARGaussian"`): ...

### Author(s)

Davide Ravagli

### See Also

class `"MixAR"`

**Examples**

```

showClass("MixVARGaussian")

## Create array of covariance matrices
Sigma1 <- cbind(c(0.0013, 0.0011), c(0.0011, 0.0012))
Sigma2 <- cbind(c(0.0072, 0.0047), c(0.0047, 0.0039))
Sigma <- array(c(Sigma1, Sigma2), dim=c(2,2,2))

## Create list of AR coefficients
AR <- list()
AR[[1]] <- array(c(0.0973, -0.0499, 0.2927, 0.4256, ## VAR(2;4)
                 -0.0429, 0.0229, -0.1515, -0.1795,
                 -0.0837, -0.1060, -0.1530, 0.1947,
                 -0.1690, -0.0903, 0.1959, 0.0955), dim=c(2,2,4))
AR[[2]] <- array(c(0.3243, 0.2648, 0.4956, 0.2870, ## VAR(2;3)
                 -0.1488, 0.0454, -0.0593, -0.3629,
                 0.1314, 0.0274, 0.0637, 0.0485), dim=c(2,2,3))

## Create vector of mixing weights
prob <- c(0.6376, 0.3624)

## Create matrix of shift parameters
shift <- cbind(c(0.0044, 0.0020), c(-0.0039, -0.0014))

## Build "MixVARGaussian" model
new("MixVARGaussian", prob=prob, vcov=Sigma, arcoef=AR, shift=shift)

```

---

mixVAR\_sim

*Simulate from multivariate MixAR models*


---

**Description**

Simulate data from multivariate MixAR models under the assumptions of multivariate Gaussian innovation

**Usage**

```
mixVAR_sim(model, n, init, nskip = 100, flag = FALSE)
```

**Arguments**

model	model from which to simulate, an object inheriting from class MixVAR.
n	size of simulated multivariate series.
init	initial values, a numeric matrix. If missing, a matrix of 0 values is generated.
nskip	number of burn-in values.
flag	if TRUE returns also the regimes.

**Details**

mixVAR\_sim simulates a series of length nskip + n and returns the last n values. init provides initial values for the algorithm. Each row is considered as a time point. The number of rows must be at least equal to the maximal AR order.

**Value**

a numeric matrix with n rows.

**Author(s)**

Davide Ravagli

**See Also**

[mixAR\\_sim](#)

**Examples**

```
AR <- list()
AR[[1]] <- array(c(0.5,-0.3,-0.6,0,0,0.5,0.4,0.5,-0.3), dim = c(3,3,1))
AR[[2]] <- array(c(-0.5,0.3,0,1,0,-0.5,-0.4,-0.2, 0.5), dim = c(3,3,1))

prob <- c(0.75, 0.25)
shift <- cbind(c(0,0,0), c(0,0,0))

Sigma1 <- cbind(c(1, 0.5, -0.4), c(0.5, 2, 0.8), c(-0.4, 0.8, 4))
Sigma2 <- cbind(c(1,0.2, 0), c(0.2, 2, -0.15), c(0, -0.15, 4))
Sigma <- array(c(Sigma1, Sigma2), dim = c(3,3,2))

m <- new("MixVARGaussian", prob=prob, vcov=Sigma, arcoef=AR, shift=shift)
mixVAR_sim(m, n=500, init=matrix(rep(0,3), ncol=3), nskip=100, flag=FALSE)
```

---

mix\_ek

*Function and methods to compute component residuals for MixAR models*

---

**Description**

Compute component residuals for MixAR models.

**Usage**

```
mix_ek(model, x, index, xcond, scale)
```

### Arguments

model	a model.
x	time series.
index	a vector of positive integer specifying the indices for which to compute the residuals, has a natural default.
xcond	the past values needed for the conditional distribution, a numeric vector of length at least the maximal AR order of the components.
scale	logical or missing, if TRUE standardise the residuals.

### Details

mix\_ek computes component residuals from MixAR models.

It is highly desirable to use it along with [mix\\_hatk](#) and the underlying function [mixFilter](#). Doing this ensures transparent code and easy maintenance. Also, more efficient implementation can be introduced without changing other code.

### Methods

```
signature(model = "MixAR", x = "numeric", index = "missing", xcond = "numeric", scale = "logical")
```

```
signature(model = "MixAR", x = "numeric", index = "missing", xcond = "numeric", scale = "missing")
```

```
signature(model = "MixAR", x = "numeric", index = "numeric", xcond = "missing", scale = "logical")
```

```
signature(model = "MixAR", x = "numeric", index = "numeric", xcond = "missing", scale = "missing")
```

### Author(s)

Georgi N. Boshnakov

### See Also

[mixFilter](#) which is used by mix\_ek to do the job, [MixComp-class](#) for easy manipulation of the returned object.

class "[MixAR](#)"

---

mix_hatk	<i>Compute component predictions for MixAR models</i>
----------	---

---

**Description**

Function and methods to compute component predictions for MixAR models

**Usage**

```
mix_hatk(model, x, index, xcond)
```

**Arguments**

model	a model.
x	time series.
index	a vector of positive integer specifying the indices for which to compute the residuals, has a natural default.
xcond	the past values needed for the conditional distribution, a numeric vector of length at least the maximal AR order of the components.

**Methods**

```
signature(model = "MixAR", x = "numeric", index = "numeric", xcond = "missing")
```

**Author(s)**

Georgi N. Boshnakov

**See Also**

class "[MixAR](#)"

---

mix_moment	<i>Conditional moments of MixAR models</i>
------------	--

---

**Description**

Conditional moments of MixAR models.

**Usage**

```
mix_location(model, x, index, xcond)
mix_variance(model, x, index, xcond)
mix_central_moment(model, x, index, xcond, k)
mix_moment(model, x, index, xcond, k)
mix_kurtosis(...)
mix_ekurtosis(...)
```

**Arguments**

model	a MixAR object.
x	a time series.
index	a vector of indices in x for which to compute the requested property. If missing, the computation is done for all indices greater than <code>max(model\$order)</code> .
xcond	a time series, the point prediction is computed for the first value after the end of the time series. Only the last <code>max(model\$order)</code> values in xcond are used.
k	a positive integer specifying the moment to compute.
...	passed on to <code>mix_central_moment</code> .

**Details**

These functions compute conditional moments and related quantities.

`kurtosis` and `ekurtosis` compute conditional kurtosis and excess kurtosis, respectively. Effectively, they have the same parameters as `mix_central_moment`, since they pass "..." to it along with `k = 4`. It is an error to supply argument `k` to the kurtosis functions.

**Value**

when called with one argument (`model`), a function with argument `xcond`; otherwise if `xcond` is not missing, a single numeric value; otherwise a vector of length `length(index)`.

**Note**

I wrote the above description recently from reading six years old code, it may need further verification.

**Author(s)**

Georgi N. Boshnakov

**References**

Boshnakov GN (2009). "Analytic expressions for predictive distributions in mixture autoregressive models." *Stat. Probab. Lett.* , **79**(15), 1704-1709. doi: [10.1016/j.spl.2009.04.009](https://doi.org/10.1016/j.spl.2009.04.009).

**See Also**

[mix\\_pdf](#) for the predictive distributions

**Examples**

```
## data(ibmclose, package = "fma") # `ibmclose'
ibmclose <- as.numeric(fma::ibmclose)
length(ibmclose) # 369
max(exampleModels$WL_ibm$order) # 2

## compute point predictions for t = 3,...,369
```



```

pred <- mix_location(exampleModels$WL_ibm, ibmclose)
plot(pred)
## compute one-step point predictions for t = 360,...369
mix_location(exampleModels$WL_ibm, ibmclose, index = 369 - 9:0 )

f <- mix_location(exampleModels$WL_ibm) # a function
## predict the value after the last
f(ibmclose)

## a different way to compute one-step point predictions for t = 360,...369
sapply(369 - 10:1, function(k) f(ibmclose[1:k]))

## the results are the same, but notice that xcond gives past values
## while index above specifies the times for which to compute the predictions.
identical(sapply(369 - 10:1, function(k) f(ibmclose[1:k])),
          mix_location(exampleModels$WL_ibm, ibmclose, index = 369 - 9:0 ))

## conditional variance
f <- mix_variance(exampleModels$WL_ibm) # a function
## predict the value after the last
f(ibmclose)

## a different way to compute one-step point predictions for t = 360,...369
sapply(369 - 10:1, function(k) f(ibmclose[1:k]))

## the results are the same, but notice that xcond gives past values
## while index above specifies the times for which to compute the predictions.
identical(sapply(369 - 10:1, function(k) f(ibmclose[1:k])),
          mix_variance(exampleModels$WL_ibm, ibmclose, index = 369 - 9:0 ))

# interesting example
# bimodal distribution, low kurtosis, 4th moment not much larger than 2nd
moWL <- exampleModels$WL_ibm

mix_location(moWL, xcond = c(500, 450))
mix_kurtosis(moWL, xcond = c(500, 450))

f1pdf <- mix_pdf(moWL, xcond = c(500, 450))
f1cdf <- mix_cdf(moWL, xcond = c(500, 450))
gbutils::plotpdf(f1pdf, cdf=f1cdf)
gbutils::plotpdf(f1cdf, cdf=f1cdf)
f1cdf(c(400, 480))

mix_variance(moWL, xcond = c(500, 450))
mix_central_moment(moWL, xcond = c(500, 450), k=2)

sqrt(mix_variance(moWL, xcond = c(500, 450)))
sqrt(mix_central_moment(moWL, xcond = c(500, 450), k=2))

```

---

mix\_ncomp-methods      *Number of rows or columns of a MixComp object*

---

**Description**

Function and methods to get the number of component in a mixture object. For "MixComp" objects this is equivalent to ncol.

**Usage**

```
mix_ncomp(x)
```

**Arguments**

x                      an object, such as "MixComp" or "MixAR".

**Value**

a number

**Methods**

```
signature(x = "MixAR")
```

```
signature(x = "MixComp")
```

**Author(s)**

Georgi N. Boshnakov

**See Also**

[MixComp-class](#), [MixAR-class](#)

---

mix\_pdf-methods      *Conditional pdf's and cdf's of MixAR models*

---

**Description**

Gives conditional probability densities and distribution functions of mixture autoregressive models.

## Methods

`mix_pdf` gives a probability density, `mix_cdf` a distribution function. If argument `x` is supplied, the functions are evaluated for the specified values of `x`, otherwise function objects are returned and can be used for further computations, eg for graphs.

`mix_pdf` and `mix_cdf` have methods with the following signatures.

```
signature(model = "MixARGaussian", x = "missing", index = "missing", xcond = "numeric")
  Return (as a function of one argument) the conditional density (respectively cdf),  $f(x|xcond)$ ,
  of  $X_{t+1}$  given the past values xcond. The values in xcond are in natural time order, e.g. the
  last value in xcond is  $x_t$ . xcond must contain enough values for the computation of the con-
  ditional density (cdf) but if more are given, only the necessary ones are used.

signature(model = "MixARGaussian", x = "numeric", index = "missing", xcond = "numeric")
  Compute the conditional density (respectively cdf) at the values given by x.

signature(model = "MixARGaussian", x = "numeric", index = "numeric", xcond = "missing")
  Compute conditional densities (respectively cdf) for times specified in index. For each  $t \in$ 
  index the past values needed for the computation of the pdf (cdf) are  $\dots, x[t-2], x[t-1]$ .

signature(model = "MixARgen", x = "missing", index = "missing", xcond = "numeric")
signature(model = "MixARgen", x = "numeric", index = "missing", xcond = "numeric")
signature(model = "MixARgen", x = "numeric", index = "numeric", xcond = "missing")
```

## Author(s)

Georgi N. Boshnakov

## See Also

[mix\\_moment](#) for examples and computation of summary statistics of the predictive distributions

---

`mix_se-methods`      *Compute standard errors of estimates of MixAR models*

---

## Description

Compute standard errors of estimates of MixAR models.

## Usage

```
mix_se(x, model, fix_shift)
```

## Arguments

<code>x</code>	time series.
<code>model</code>	MixAR model, an object inheriting from class "MixAR".
<code>fix_shift</code>	logical. Should the shift paramters be fixed? Default is FALSE.

**Details**

For formulas used in the computation, see Wong (1998).

**Value**

a list with components:

`standard_errors`  
Standard error of parameter estimates,

`covariance_matrix`  
The covariance matrix, obtained as inverse of the information matrix,

`Complete_Information`  
Complete information matrix,

`Missing_Information`  
Missing information matrix.

**Methods**

```
signature(x = "ANY", model = "list")
signature(x = "ANY", model = "MixAR")
signature(x = "ANY", model = "MixARGaussian")
```

**Author(s)**

Davide Ravagli

**References**

Wong CS (1998). *Statistical inference for some nonlinear time series models*. Ph.D. thesis, University of Hong Kong, Hong Kong .

**Examples**

```
## Example with IBM data

## data(ibmclose, package = "fma")

moWLprob <- exampleModels$WL_ibm@prob # 2019-12-15; was: c(0.5339,0.4176,0.0385)
moWLsigma <- exampleModels$WL_ibm@scale # c(4.8227,6.0082,18.1716)
moWLar <- list(-0.3208, 0.6711,0) # @Davide - is this from some model?

moWLibm <- new("MixARGaussian", prob = moWLprob, scale = moWLsigma, arcoef = moWLar)

IBM <- diff(fma::ibmclose)
mix_se(as.numeric(IBM), moWLibm, fix_shift = TRUE)$'standard_errors'
```

---

 multiStep\_dist-methods

*Multi-step predictions for MixAR models*


---

**Description**

Multi-step predictions for MixAR models.

**Usage**

```
multiStep_dist(model, maxh, N, xcond, ...)
```

**Arguments**

model	a MixAR model.
maxh	maximal horizon, a positive integer.
N	an integer specifying the number of simulation samples to use, see 'Details'. This argument is used only by simulation based methods.
xcond	the past values needed for the conditional distribution, a numeric vector of length at least the maximal AR order of the components.
...	used only in some methods, see the details for the individual methods.

**Details**

The function currently implements two methods: the exact method due to Boshnakov (2009) and a simulation method described by (Wong and Li 2000) for Gaussian MixAR models but valid more generally.

The simulation method is available for any MixAR model, while the exact method is currently implemented only for models with Gaussian components ("MixARGaussian" class).

multiStep\_dist returns a function which can be used to obtain various properties of the predictive distribution for lags up to maxh.

If argument N is missing the exact method is tried. Currently an error will result if the exact method is not implemented for model.

If argument N is given it must be a scalar numeric value, the number of simulations to be performed to construct an approximation for the predictive distributions.

The simulation is done by multiStep\_dist. The properties obtained later from the function returned by multiStep\_dist use the samples generated by the call to multiStep\_dist. To do a simulation with different parameters (with larger N, call multiStep\_dist again.

If xcond is missing multiStep\_dist returns a function with arguments h, what and xcond.

If xcond is supplied, then it is fixed to that value and the arguments of the returned function are h, what and '...'. The dots argument is currently used in the case of the simulation method, see below.

Let f be the function returned by multiStep\_dist. Argument h is the required prediction horizon and can be a number in the interval  $[1, maxh]$ . Argument what is the required property of the

predictive distribution for lag  $h$ . If  $what$  is a function, it is applied to the simulated sample for the requested horizon ( currently available only for the simulation method). If  $what$  is a character string, the corresponding property of the predictive distribution for horizon  $h$  is returned. Currently possible values for  $what$  are:

"**pdf**" the probability density function.

"**cdf**" the cumulative distribution function.

"**location**" the location (conditional mean).

"**variance**" the conditional variance, a.k.a (squared) volatility.

"**sd**" the conditional standard deviation, a.k.a volatility.

"**skewness**" the conditional skewness.

"**kurtosis**" the conditional kurtosis.

Note that  $what = "pdf"$  and  $what = "cdf"$  return functions even in the simulation case. For "pdf" the function is constructed using `density` and the "... " arguments passed to `f` will be passed on to `density` if finer control is needed.

If  $what$  is none of the above, the raw object is returned currently (but this may change).

### Value

a function as described in 'Details'.

### Methods

The Details section gives a rather detailed description of the function, so the descriptions below are brief.

`signature(model = "MixAR", maxh = "numeric", N = "numeric", xcond = "numeric")` Non-missing  $N$  requests the simulation method. The predictive distribution is approximated by simulating  $N$  of future paths up to horizon  $maxh$  and using a non-parametric estimate. Arguments "... " are passed to `density` to allow finer control.

`signature(model = "MixARGaussian", maxh = "numeric", N = "missing", xcond = "missing")` Computes the predictive distribution using the exact method. Returns a function with arguments  $h$ ,  $what$  and  $xcond$ .

`signature(model = "MixARGaussian", maxh = "numeric", N = "missing", xcond = "ANY")` Computes the predictive distribution using the exact method. Returns a function with arguments  $h$  and  $what$ . (i.e.,  $xcond$  is fixed to the supplied argument  $xcond$ ).

### Author(s)

Georgi N. Boshnakov

### References

Boshnakov GN (2009). "Analytic expressions for predictive distributions in mixture autoregressive models." *Stat. Probab. Lett.* , **79**(15), 1704-1709. doi: [10.1016/j.spl.2009.04.009](https://doi.org/10.1016/j.spl.2009.04.009).

Wong CS, Li WK (2000). "On a mixture autoregressive model." *J. R. Stat. Soc., Ser. B, Stat. Methodol.* , **62**(1), 95-115.

**See Also**[predict\\_coef](#)**Examples**

```
## exact method, without xcond
dist <- multiStep_dist(exampleModels$WL_ibm, maxh = 3)

tfpdf <- dist(3, "pdf", xcond = c(560, 600)) # xcond is argument to 'dist' here
tfcdf <- dist(3, "cdf", xcond = c(560, 600))
## plot the pdf (gbutils::plotpdf determines suitable range automatically)
gbutils::plotpdf(tfpdf, cdf = tfcdf)

dist(3, "pdf", xcond = c(500, 400))

## use a simulation method with N = 1000
tf <- multiStep_dist(exampleModels$WL_ibm, maxh = 3, N = 1000, xcond = c(560, 600))
args(tf) # (h, what, ...)

## the exact method may also be used with fixed xcond:
tfe <- multiStep_dist(exampleModels$WL_ibm, maxh = 3, xcond = c(560, 600))

## get pdf and cdf for horizon 3
tfepdf <- tfe(3, "pdf")
tfecdf <- tfe(3, "cdf")
## plot the pdf
gbutils::plotpdf(tfepdf, cdf = tfecdf)

tf(3, "location")

tf(1, "location")
mix_location(exampleModels$WL_ibm, xcond = c(560, 600))

## larger simulation gives better approximation, in general
tf <- multiStep_dist(exampleModels$WL_ibm, maxh = 3, N = 10000, xcond = c(560, 600))
tf(1, "location")

tf1000pdf <- tf(3, "pdf")
tf1000cdf <- tf(3, "cdf")
gbutils::plotpdf(tf1000pdf, cdf = tf1000cdf)

## plot the exact and sim. pdf's together for comparison
gbutils::plotpdf(tfepdf, cdf = tfecdf)
curve(tf1000pdf, add = TRUE, col = "red")

## get the raw data
tfs <- tf(1, "sampled")
apply(tfs, 2, mean) # location for lags from 1 to maxh (here 3)

tf(1, "location")
tf(1, "variance")
tf(1, "sd")
```

```

mix_variance(exampleModels$WL_ibm, xcond = c(560, 600))
sqrt(mix_variance(exampleModels$WL_ibm, xcond = c(560, 600)))

mix_kurtosis(exampleModels$WL_ibm, xcond = c(359, 200))
mix_kurtosis(exampleModels$WL_ibm, xcond = c(359, 400))

```

---

noise_dist	<i>Internal mixAR functions</i>
------------	---------------------------------

---

## Description

Functions for the distributions of the components of MixAR models

## Usage

```

get_edist(model)
noise_dist(model, what, expand = FALSE)
noise_rand(model, expand = FALSE)
noise_params(model)
set_noise_params(model, nu)

```

## Arguments

model	a model.
what	the property, a character string.
expand	if TRUE, expand the list to length equal to the number of components, see Details.
nu	degrees of freedom.

## Details

`get_edist` gives the distributions of the noise components of `model`. `noise_dist` gives property `what` of the noise distribution. `noise_rand` gives a list of functions for simulation from the component distributions.

In each case, the list contains one element for each component but if it is of length one, then the only element is common for all components. To force a complete list even in this case, use `expand = TRUE`.

`noise_params` gives the parameters of the model as a numeric vector.

The distribution is specified as a list. Element "dist" contain the distribution. Element "generator" is a function that generates a distribution like the one specified. If "dist" is absent or NULL, the generator is called to generate a distribution object.

Initially the distribution itself was used for slot `dist`. For compatibility with old code using that format, this is still supported.

## See Also

[fdist\\_stdnorm](#), [fdist\\_stdtd](#), [fn\\_stdtd](#).



---

noise\_dist-methods     *Methods for function noise\_dist in package **mixAR***

---

**Description**

Methods for function noise\_dist in package **mixAR**

**Methods**

```
signature(model = "MixAR")  
signature(model = "MixARGaussian")  
signature(model = "MixARgen")
```

**See Also**

[noise\\_dist](#)

---

noise\_params-methods     *Methods for function noise\_params in package **mixAR***

---

**Description**

Methods for function noise\_params in package **mixAR**

**Methods**

```
signature(model = "MixAR")  
signature(model = "MixARgen")
```

---

noise\_rand-methods     *Methods for function noise\_rand in package **mixAR***

---

**Description**

Methods for function noise\_rand in package **mixAR**

**Methods**

```
signature(model = "MixAR")  
signature(model = "MixARGaussian")  
signature(model = "MixARgen")
```

---

parameters

*Set or extract the parameters of MixAR objects*

---

## Description

Set or extract the parameters of MixAR objects.

## Usage

```
parameters(model, namesflag = FALSE, drop = character(0))

parameters(model) <- value
## S4 replacement method for signature 'MixAR'
parameters(model) <- value
## S4 replacement method for signature 'ANY'
parameters(model) <- value
```

## Arguments

model	a model.
namesflag	if TRUE, generate names.
drop	names of parameters not to include in the returned value, a character vector. The default is to return all parameters, see Details.
value	values of the parameters, numeric.

## Details

This is a generic function. The dispatch is on argument `model`. The default calls `coef`.

`parameters` extracts the parameters of a MixAR object. It returns a numeric vector. If `namesflag` is TRUE the returned vector is named, so that the parameters can be referred to by names. Argument `drop` is a character vector giving names of parameters not to be included in the returned value.

This function can be useful for setting parameters from optimisation routines.

`set_parameters` is deprecated, use `parameters(model) <-value` instead.

## Value

a vector of parameters, maybe with names.

## Methods

```
signature(model = "ANY")
signature(model = "MixAR")
```

**Examples**

```

parameters(exampleModels$WL_ibm)
parameters(exampleModels$WL_ibm, namesflag = TRUE)
## drop orders
parameters(exampleModels$WL_ibm, namesflag = TRUE, drop = "order")
## drop orders and mixing weights
parameters(exampleModels$WL_ibm, namesflag = TRUE, drop = c("order", "prob"))

parameters(exampleModels$WL_I, namesflag = TRUE)
parameters(exampleModels$WL_II, namesflag = TRUE)

```

percent\_of

*Infix operator to apply functions to matrix-like objects***Description**

The infix operator `%of%` is a generic function which applies functions to objects. This page describes the function and the methods defined in package **mixAR**.

**Usage**

```

"%of%"(e1, e2)
e1 %of% e2

```

**Arguments**

e1	usually a function, the name of a function, a character vector, or a list of functions, see Details.
e2	an object, usually matrix-like.

**Details**

`%of%` is a generic function with dispatch on both arguments. It is intended to be used mainly in infix form.

`%of%` transforms each “column” of a matrix-like object by a function. If `e1` specifies a single function, that is applied to all columns. Otherwise `length(e1)` should equal the number of “columns” of `e2` and `e1[[i]]` is applied to the `i`-th “column” of `e2`.

The mental model is that the first argument, `e1`, is (converted to) a list of functions containing one function for each column of `e2`. The `i`-th function is applied to each element of the `i`-th column.

The methods for “MixComp” objects allow for very transparent and convenient computing with “MixAR” objects.

**Value**

for the default method, a matrix;

for methods with `e2` from class `MixComp`, a `MixComp` object with its slot `m` replaced by the result of applying `e1` to its elements, see the descriptions of the individual methods for details;

## Methods

Below are the descriptions of the methods for %of% defined by package **mixAR**.

`signature(e1 = "ANY", e2 = "ANY")` This is the default method. It uses `apply()` to evaluate `e1` for each element of the matrix `e2`, without checking the arguments. If the arguments are not suitable for `apply()`, any error messages will come from it. So, for this method `e1` is a function (or the name of a function) and `e2` is a matrix or array.

`signature(e1 = "function", e2 = "MixComp")` Create (and return) a `MixComp` object with its slot `m` replaced by the result of applying the function `e1` to each element of the `MixComp` object `e2`, see class "`MixComp`".

`signature(e1 = "character", e2 = "MixComp")` Here `e1` contains the names of one or more functions. If `length(e1) = 1`, this is equivalent to the method for `e1` of class "`function`".

If `length(e1) > 1`, then for each `i` the function specified by `e1[i]` is applied to the `i`th column of `e2@m`. In this case there is no recycling: `e1` must have `ncol(e2@m)` elements.

`signature(e1 = "list", e2 = "MixComp")` Here each element of `e1` is a function or the name of a function. It works analogously to the method with `e1` from class "`character`". If `length(e1) = 1`, then `e1[[1]]` is applied to each element of `e1@m`. Otherwise, if `length(e1) > 1`, then `e1[[i]]` is applied to the `i`th column of `e2@m`.

## Note

The code is rather inefficient for some of the methods.

Maybe should require that the functions in the first argument are vectorised. (Some methods effectively assume it.)

## Author(s)

Georgi N. Boshnakov

## See Also

class "`MixComp`"

## Examples

```
m <- matrix(rnorm(18), ncol = 3)
## default method
pm1 <- pnorm %of% m
f3 <- list(pnorm, function(x, ...) pnorm(x, mean = 0.1),
          function(x, ...) pnorm(x, mean = -0.1) )
## no method for f from "list" yet:
## pm2 <- f3 %of% m

mc <- new("MixComp", m = m)
pnorm %of% mc
pmc3 <- f3 %of% mc
## result is equivalent to applying f3[[i]] to m[, i]:
all.equal(pmc3@m, cbind(f3[[1]](m[, 1]), f3[[2]](m[, 2]), f3[[3]](m[, 3])))
```

---

permn_cols	<i>All permutations of the columns of a matrix</i>
------------	--

---

## Description

All permutations of the columns of a matrix

## Usage

```
permn_cols(m)
```

## Arguments

m                    a matrix

## Details

This function is a wrapper for `permn` from package ‘combinat’.

## Value

a list with one element for each permutation of the columns. Each element of the list is an unnamed list with two components:

1. the permutation, a vector of positive integers,
2. a matrix obtained by permuting the columns of m.

## Author(s)

Georgi N. Boshnakov

## Examples

```
m <- matrix(c(11:14,21:24,31:34), ncol=3)
pm <- permn_cols(m)
pm[[2]]
```

---

PortfolioData1	<i>Closing prices of four stocks</i>
----------------	--------------------------------------

---

**Description**

Closing prices of four stocks.

**Usage**

```
data("PortfolioData1")
```

**Format**

A data frame with 867 observations on the following 4 variables.

DELL numeric, Dell Technologies Inc.

MSFT numeric, Microsoft Corporation.

INTC numeric, Intel Corporation.

IBM numeric, International Business Machine Corporation.

**Details**

Time series of daily adjusted close prices of the above stocks from 2 January 2016 to 29 January 2020 (867 observations).

**Source**

<https://finance.yahoo.com/>

**Examples**

```
data(PortfolioData1)
dim(PortfolioData1)
head(PortfolioData1)
```

---

predict_coef	<i>Exact predictive parameters for multi-step MixAR prediction</i>
--------------	--

---

**Description**

Exact predictive parameters for multi-step MixAR prediction.

**Usage**

```
predict_coef(model, maxh)
```

**Arguments**

model            a MixAR model.  
maxh            maximal horizon.

**Details**

predict\_coef() implements the method of Boshnakov (2009) for the h-step prediction of MixAR processes. The h-step predictive distribution has a MixAR distribution and this function computes its parameters.

predict\_coef() is mostly a helper function, use [multiStep\\_dist](#) for prediction/forecasting.

**Value**

a list with components:

arcoef  
sigmas  
probs  
sStable

**Author(s)**

Georgi N. Boshnakov

**References**

Boshnakov GN (2009). “Analytic expressions for predictive distributions in mixture autoregressive models.” *Stat. Probab. Lett.* , **79**(15), 1704-1709. doi: [10.1016/j.spl.2009.04.009](https://doi.org/10.1016/j.spl.2009.04.009).

**See Also**

[multiStep\\_dist](#)

---

ragged

*Small utilities for ragged objects*

---

**Description**

Small utilities for ragged objects. Modify the elements of raggedCoef objects, extract them as a vector.

**Usage**

```
rag_modify(rag, v)  
ragged2vec(x)
```

**Arguments**

rag                the raggedCoef object to be modified.  
 v                 vector of values to replace the old ones.  
 x                 a raggedCoef object.

**Details**

An error will occur if the length of v is not equal to `sum(rag@p)`.  
`rag_modify` is, in a sense, the inverse of `ragged2vec`.

**Value**

for `rag_modify`, a `raggedCoef` object of the same order as `rag` but with coefficients replaced by the new values.  
 for `ragged2vec`, a numeric vector.

**Examples**

```
rag1 <- new("raggedCoef", list(1, 2:3, 4:6))
a1 <- (1:6)^2
rag1a <- rag_modify(rag1, a1)

rag2 <- new("raggedCoef", list(1, numeric(0), 4:6)) # a zero-length ccomponent
a2 <- (1:4)^2
rag2a <- rag_modify(rag2, a2)
```

---

raggedCoef-class            *Class "raggedCoef" — ragged list objects*

---

**Description**

Some models have several several vectors of parameters, possibly of different lengths, such that in some circumstances they are thought of as lists, in others as matrices after suitable padding with zeroes. Class "raggedCoef" represents such ragged lists. In package "MixAR" it is used to hold the autoregressive coefficients of MixAR models.

**Usage**

```
raggedCoef(p, value = NA_real_)
```

**Arguments**

p                 orders, vector of integers.  
 value            typically, a list, but see Details.



## Details

Class "raggedCoef" is for objects that can be considered as both, lists and matrices. The elements of the list are vectors, possibly of different lengths. When the object is viewed as a matrix, each element of the list (suitably padded with zeroes or NAs) represents a row of a matrix.

The recommended way to create objects from class "raggedCoef" is with the function `raggedCoef`.

If `value` is a "raggedCoef" object it is returned. If `value` is a list, it is converted to "raggedCoef" using `new()`. If argument `p` is missing, it is inferred from the lengths of the elements of the list. If argument `p` is not missing, a consistency check is made to ensure that the order of the object is as specified by `p`.

Otherwise, if `value` is of length one, it is replicated to form a ragged list with `i`-th element a vector of length `p[i]`. Although not checked, the intention here is that `value` is from some atomic class. The default for `value` is `NA_real_` to give a convenient way to create a ragged list.

Finally, if none of the above applies, `value` is effectively assumed to be a vector of length `sum(p)`, although other cases are admissible (but I don't remember if this was intended). In this case, `value` is reshaped into a ragged list to match `p`. This is convenient when, for example, the elements of a ragged array are obtained from an optimisation routine which expects plain vector.

## Objects from the Class

Below we describe the "initialize" method that underlies `new("raggedCoef", ...)`. The recommended way to create "raggedCoef" objects is with the function `raggedCoef`, see section Details.

Objects can also be created by calls of the form `new("raggedCoef", v)`, where `v` is a list whose elements are numeric vectors, or `new("raggedCoef", v1, v2, ...)`, where `v1, v2, ...` are numeric vectors. The two forms are equivalent if `v = list(v1, v2, ...)`.

The elements of the list `v` may be named. Similarly, named arguments can be used in the second form, say `new("raggedCoef", name1 = v1, name2 = v2, ...)`. In both cases the names are preserved in the internal representation, but not used.

If the arguments are not as specified above the result should be considered undefined. Currently, if there are other arguments after the list `v`, they are ignored with a warning. If the first argument is not a list then all arguments must be numeric and an error is raised if this is not the case. For completeness, we mention that exactly two arguments named `a`, and `p` are also accepted by `new()`, eg `new("raggedCoef", p = c(1, 2), a = list(3, 4:5))`, but these are assigned to the slots without any checking, so it is most flexible (and recommended) to use `raggedCoef()` instead.

## Slots

`a`: Object of class "list" containing the values.

`p`: Object of class "numeric" containing the lengths of the components of `a`.

## Methods

Indexing with `"["` treats a `raggedCoef` object as a matrix, while `"[["` treats the object as list (it works on slot `a`).

Note that there is a difference between  $x[2,]$  (or the equivalent  $x[2]$ ) and  $x[[2]]$ —the former gives a vector of length  $\max(p)$ , so potentially padded with zeroes, while the latter gives the component with its “natural” length.

The replacement variants of "[" and "[[" do not change the structure of the object and issue errors if the replacement value would result in that. In situations where the checks are deemed redundant, direct assignments to the corresponding slots may be used.

```
[ signature(x = "raggedCoef", i = "missing", j = "missing", drop = "ANY"):
[ signature(x = "raggedCoef", i = "missing", j = "numeric", drop = "ANY"):
[ signature(x = "raggedCoef", i = "numeric", j = "missing", drop = "ANY"):
[ signature(x = "raggedCoef", i = "numeric", j = "numeric", drop = "ANY"): Indexing with
  "[" treats a raggedCoef object as a matrix with one row for each component and number
  of columns equal to  $\max(p)$ . However,  $x[2]$  is equivalent to  $x[2,]$  which is different from
  the treatment of matrix objects in base R.
[[ signature(x = "raggedCoef", i = "ANY", j = "missing"):
[[ signature(x = "raggedCoef", i = "ANY", j = "ANY"): "[[" extracts the corresponding element
  of slot a.
[<- signature(x = "raggedCoef", i = "ANY", j = "ANY", value = "numeric"): Replace the j-th
  element of i-th row with value. All arguments must be scalars.
[<- signature(x = "raggedCoef", i = "ANY", j = "missing", value = "numeric"):
<- signature(x = "raggedCoef", i = "ANY", j = "missing", value = "numeric"): Replace the
  i-th row with value. Argument i must be a scalar while the length of value must be the same
  as that of  $x@a[[i]]$ . The methods for "[" and "[[" with this signature coincide.
<- signature(x = "raggedCoef", i = "ANY", j = "missing", value = "list"): The elements of
  value must have the same lengths as the elements they are replacing.
<- signature(x = "raggedCoef", i = "ANY", j = "missing", value = "matrix"): This is essen-
  tially the reverse of the corresponding non-replacement operator. value must have at least as
  many columns as the longest element of x that is replaced.
<- signature(x = "raggedCoef", i = "ANY", j = "ANY", value = "numeric"): ...
<- signature(x = "raggedCoef", i = "missing", j = "missing", value = "list"): ...
<- signature(x = "raggedCoef", i = "missing", j = "missing", value = "matrix"): ...
<- signature(x = "raggedCoef", i = "missing", j = "missing", value = "numeric"): ...
initialize signature(.Object = "raggedCoef"): Creates objects of class raggedCoef. This method
  is used internally by new(). Users should use new() for creation of objects from this class,
  see the examples.
show signature(object = "raggedCoef"): ...
mixFilter signature(x = "numeric", coef = "raggedCoef", index = "numeric"): Apply a mix-
  ture filter to a time series.
row_lengths signature(x = "raggedCoef"): Gives  $x@p$ , which is the same as lengths( $x@a$ ).
length signature(x = "raggedCoef"): Gives the total number of coefficients (sum( $x@p$ )).
anyNA signature(x = "raggedCoef"): Are there NA's in  $x@a$ ?
dim signature(x = "raggedCoef"): The dimension of the object, when viewed as a matrix. The
  presence of this method also ensures that nrow() and related functions give the expected
  result.
```

**Note**

Slot p is redundant but convenient.

**Author(s)**

Georgi N. Boshnakov

**See Also**

class "[MixARGaussian](#)"

**Examples**

```
ragged1 <- list(1, 2:3, 4:6)
ragged2 <- list(a = 1, b = 2:3, c = 4:6)

raggedCoef(1:3)          # only order given, fill with NA's
raggedCoef(1:3, 0)       # fill with a number (zero in this case)

## init with a list
raggedCoef(ragged1)
raggedCoef(value = ragged1)

## error, since the shape of ragged1 is not c(2, 2, 3):
## raggedCoef(c(2, 2, 3), value = ragged1)

## init with a flattened list
raggedCoef(p = 1:3, value = 1:6)

## specify each component separately
ragA <- new("raggedCoef", 1, 2:3, 4:6)
ragB <- new("raggedCoef", list(1, 2:3, 4:6)) # same
identical(ragA, ragB) #TRUE

## extract as a matrix
ragA[]

## extract the 2nd component
ragA[2]      # c(2, 3, 0) ("[" pads with 0's)
ragA[[2]]    # c(2, 3)   ("[" does not pad)

## get the 2nd and 3rd components as a matrix
ragA[2:3, ]  # "[" treats object (almost) as matrix
ragA[2:3]    # same (though not as for "matrix")

## names are kept in the list but currently not used
ragC <- new("raggedCoef", list(a = 1, b = 2:3, c = 4:6))
ragC1 <- new("raggedCoef", a = 1, b = 2:3, c = 4:6)
identical(ragC, ragC1) # TRUE
names(ragC@a) # [1] "a" "b" "c"

length(ragA)
```

```
dim(ragA)
c(nrow(ragA), ncol(ragA))
c(NROW(ragA), NCOL(ragA))
```

---

raggedCoefS-class      *Class "raggedCoefS" — ragged list*

---

### Description

Ragged list used to hold coefficients of MixAR models with seasonal AR parameters.

### Objects from the Class

Objects are created by calls of the form

```
new("raggedCoefS", a = list(v1, v2, ...), as = list(vs1, vs2, ...), s).
```

If orders *p* and *ps* are specified, a consistency check is made.

### Slots

- a** Object of class "list" containing AR values. Each element of the list must be "numeric"
- p** Object of class "numeric" containing the lengths of components in *a*. If missing, it is generated based on lengths of elements of *a*.
- as** Object of class "list" containing seasonal AR values. Each element of the list must be "numeric"
- ps** Object of class "numeric" containing the lengths of elements of *as*. If missing, it is generated based on lengths of elements of *as*.
- s** A single element "numeric" vector determining the seasonality in the model (monthly, quarterly, etc..).

### Methods

Indexing with "[" treats a raggedCoef object as a matrix (one row for each component), while "[[" treats the object as list (it works on slot *a*). Specifically, "[[1]]" picks the systematic AR parameters, "[[2]]" picks seasonal AR parameters.

The replacement variants of "[" and "[[" do not change the structure of the object.

Replacement methods only work for subsets  $x[[i]]$ ,  $x[[i]][[j]]$ ,  $x[[i]][[j]][k]$  for suitable *i*, *j* and *k*.

*i* must be equal to 1 for  $x@a$  and 2 for  $x@as$ .

[ signature( $x = \text{"raggedCoefS"}$ ,  $i = \text{"missing"}$ ,  $j = \text{"missing"}$ ): returns the complete matrix of coefficients, one row corresponding to one component, with '0's to match different orders

[ signature( $x = \text{"raggedCoefS"}$ ,  $i = \text{"missing"}$ ,  $j = \text{"missing"}$ ):

[ signature( $x = \text{"raggedCoefS"}$ ,  $i = \text{"numeric"}$ ,  $j = \text{"missing"}$ ):

- [ signature(x = "raggedCoefS", i = "numeric", j = "numeric"): Indexing with "[" treats a raggedCoef object as a matrix with one row for each component and number of columns equal to max(p) + max(ps) in increasing lag. However, x[2] is equivalent to x[2,] which is different from the treatment of matrix objects in base R.
- [[ signature(x = "raggedCoefS"), i = "numeric": if i=1 selects the list of systematic AR parameters; if i=2 selects the list of seasonal AR parameters.
- [[ signature(x = "raggedCoefS"), i = "numeric", j = "numeric":
- [[ signature(x = "raggedCoefS"), i = "numeric", j = "numeric", k = "numeric": j and k are used to select specific elements from the list of interest.

**Author(s)**

Davide Ravagli

**See Also**

class "[raggedCoef](#)"

**Examples**

```
showClass("raggedCoefS")

ragA <- new("raggedCoefS", a = list( c(0.5, -0.5), 1),
          as = list(0, c(0.3, -0.1) ), s = 12)
ragB <- new("raggedCoefS", a = list( c(0.5, -0.5), 1), p = c(2, 1),
          as = list(0, c(0.3, -0.1) ), ps = c(1, 2), s = 12) # same

## Elements selection examples

ragA[]           ## matrix of coefficients
ragA[1]; ragA[1, ] ## vector of coefficients from first component
ragA[[2]]        ## list of seasonal AR parameters
ragA[[2]][[1]]   ## vector of seasonal AR parameters from first component

## Replacement of values in 'raggedCoefS' objects

ragB[[2]] <- list(1, c(-0.5,0.5))
ragB[[2]][[2]] <- c(20, 22)
ragB[[1]][[1]][1] <- 0
```

---

raggedCoefV-class      *Class "raggedCoefV" — ragged list*

---

**Description**

Ragged list used to hold coefficients of MixVAR models.

## Objects from the Class

Objects are created by calls of the form `new("raggedCoefV", a = list(v1, v2, ...))`.

## Slots

- a:** Object of class "list" containing AR values. Each element of the list must be "array".
- p:** Object of class "numeric" containing the length of arrays in a (AR orders). If missing, it is generated based on lengths of elements of a.

## Methods

Indexing with "[" and "[[" works on slot a.

"[" and "[[" can be use alternatively. Specifically, "[" and "[[]" produce the same result, the complete list of AR coefficients. Similarly, [i, ], [i] and [[i]] all return the  $i^{\text{th}}$  element of the list, the array for  $i^{\text{th}}$  component. [, j] returns an array with  $j^{\text{th}}$  lag autoregressive parameters for each component.

```
[ signature(x = "raggedCoefV", i = "missing", j = "ANY", drop = "ANY"): ...
[ signature(x = "raggedCoefV", i = "missing", j = "numeric", drop = "ANY"): ...
[ signature(x = "raggedCoefV", i = "numeric", j = "missing", drop = "ANY"): ...
[ signature(x = "raggedCoefV", i = "numeric", j = "numeric", drop = "ANY"): ...
[[ signature(x = "raggedCoefV", i = "missing", j = "ANY"): ...
[[ signature(x = "raggedCoefV", i = "numeric", j = "ANY"): ...
initialize signature(.Object = "raggedCoefV"): ...
show signature(object = "raggedCoefV"): ...
```

## Author(s)

Davide Ravagli

## See Also

class "MixVAR"

## Examples

```
showClass("raggedCoefV")

AR <- list()
AR[[1]] <- array(c(0.0973, -0.0499, 0.2927, 0.4256, ## VAR(2;4)
                 -0.0429, 0.0229, -0.1515, -0.1795,
                 -0.0837, -0.1060, -0.1530, 0.1947,
                 -0.1690, -0.0903, 0.1959, 0.0955), dim=c(2,2,4))
AR[[2]] <- array(c(0.3243, 0.2648, 0.4956, 0.2870, ## VAR(2;3)
                 -0.1488, 0.0454, -0.0593, -0.3629,
                 0.1314, 0.0274, 0.0637, 0.0485), dim=c(2,2,3))

new("raggedCoefV", AR)
new("raggedCoefV", a=AR, p=c(4,3))
```

---

`raghat1`*Filter a time series with options to shift and scale*

---

**Description**

Filter a time series with options to shift and scale. This function is used by `mixFilter`.

**Usage**

```
raghat1(filter, x, index, shift = 0, residual = FALSE, scale = 1)
```

**Arguments**

<code>filter</code>	The coefficients of the filter, numeric, see Details.
<code>x</code>	time series, numeric.
<code>index</code>	indices for which to compute the filtered values, numeric.
<code>shift</code>	a constant to be added to each filtered element, a number.
<code>residual</code>	if TRUE calculate a 'residual', otherwise calculate a 'hat' value.
<code>scale</code>	if <code>scale != 1</code> calculate scaled residuals by dividing by this value. Probably meaningful only if <code>residual=TRUE</code> .

**Details**

This function is used by `mixFilter`. Applies an autoregressive filter to a time series for indices specified by `index`.

Note that 'filter' here is equivalent to calculating one-step predictions (or residuals if `residual=TRUE`) from autoregressions.

`index` should not specify indices smaller than `length(filter)+1` or larger than `length(x)+1`. The value `length(x)+1` can legitimately be used to calculate a prediction (but not a residual of course) for the first value after the end of the series.

**Value**

A numeric vector of length equal to `length(index)`.

**Note**

This should probably use `filter` but for the purposes of this package `filter` is usually short and the calculation is vectorised w.r.t. `index`, so should not be terribly slow.

---

randomArCoefficients *Random initial values for MixAR estimation*

---

### Description

Translations of functions from my Mathematica sources. Not used currently?

### Usage

```
randomArCoefficients(ts, ww, pk, pmax, partempl, sub_size = 10,
                    condthr = 10, nattempt = 10, startfrom = pmax + 1)
```

```
randomMarParametersKernel(ts, ww, pk, pmax, partempl, ...)
```

```
randomMarResiduals(ts, p, partempl)
```

```
tsDesignMatrixExtended(ts, p, ind, partempl)
```

### Arguments

ts	time series.
ww, ww	a vector of weights (?).
pk	the AR order of the requested component.
pmax	the maximal AR order in the model. Needed since it cannot be determined by functions working on a single component.
partempl	parameter template, a list containing one element for each mixture component, see Details.
sub_size	the size of the subsample to use, default is 10.
condthr	threshold for the condition number.
nattempt	if condthr is not reached after nattempt attempts, the function returns the results from the last subset tried.
startfrom	the starting index (in ts) to use for subsampling, default is pmax + 1.
...	arguments to pass on to randomArCoefficients().
p	a vector of non-negative integers, the MixAR order.
ind	a vector of positive integers specifying the indices of the observations to use for the “response” variable.

### Details

randomArCoefficients tries small subsamples (not necessarily contiguous) from the observations in search of a cluster hopefully belonging to one mixture component and estimates the corresponding shift and AR parameters.



randomMarResiduals selects random parameters for each mixture component and returns the corresponding residuals. randomMarParametersKernel is a helper function which does the computation for one component.

tsDesignMatrixExtended forms the extended design matrix corresponding to a subsample. This is used for least square estimation of the parameters.

### Author(s)

Georgi N. Boshnakov

### See Also

[tomarparambyComp](#)

---

row\_lengths-methods      *Methods for function row\_lengths in package **mixAR***

---

### Description

Determine the lengths of the ‘rows’ of a ragged object.

### Methods

Some objects in this package contain (effectively) lists of vectors. These vectors are considered ‘rows’ and this function returns their lengths (as a vector).

signature(x = "ANY") The default method. Applies length to the elements of the argument (2020-03-28: now using lengths(x)).

signature(x = "raggedCoef") Returns the lengths of the rows of the components, a numeric vector.

signature(x = "MixAR") Returns the AR orders of the model components, a numeric vector.

---

sampZpi      *Sampling functions for Bayesian analysis of mixture autoregressive models*

---

### Description

Sampling functions for Bayesian analysis of mixture autoregressive models. Draws observations from posterior distributions of the latent variables  $Z_{ts}$  and the parameters of mixture autoregressive models.

### Usage

```
sampZpi(y, pk, prob, mu, AR, sigma, nsim, d)
sampMuShift(y, pk, prec, nk, shift, z, AR, nsim)
sampSigmaTau(y, pk, prec, nk, AR, mu, z, a, c, nsim)
```

**Arguments**

<code>y</code>	a time series (currently a numeric vector).
<code>pk</code>	numeric vector of length <code>g</code> . The autoregressive order of each component.
<code>prob</code>	numeric vector of length <code>g</code> . Current mixing weights.
<code>mu</code>	numeric vector of length <code>g</code> . Current mean parameters.
<code>shift</code>	numeric vector of length <code>g</code> . Current shift parameters.
<code>AR</code>	list of <code>g</code> elements. Autoregressive coefficients for each component.
<code>sigma</code>	numeric vector of length <code>g</code> . Current scale parameters
<code>nsim</code>	desired sample size.
<code>d</code>	numeric vector of length <code>g</code> . Hyperparameters for Dirichlet prior. If missing, a vector of 1s is generated. If length is 1, creates a vector of length <code>g</code> with given number.
<code>prec</code>	numeric vector of length <code>g</code> . Current precision parameters.
<code>nk</code>	output from <code>sampZpi</code> . Component sum of latent variables $Z_t$ .
<code>z</code>	output <code>latentZ</code> from <code>sampZpi</code> . A matrix containing the simulated latent variables.
<code>a, c</code>	hyperparameters.

**Details**

`sampZpi` draws observations from posterior distributions of the latent variables  $Z_t$ s and mixing weights of a Mixture autoregressive model.

`sampSigmaTau` draws observations from posterior distributions of the precisions  $\tau_k$  of a Mixture autoregressive model, and obtains scales  $\sigma_k$  by transformation.

`sampMuShift` Draws observations from posterior distributions of the means  $\mu_k$  of a Mixture autoregressive model, and obtains shifts  $\phi_{k0}$  by transformation.

**Value**

for `sampZpi`, a list containing the following elements:

<code>mix_weights</code>	matrix with <code>nrow = nsim</code> and <code>ncol = g</code> : sampled mixing weights.
<code>latentZ</code>	matrix with <code>nrow = n - p</code> and <code>ncol = g</code> , <code>n</code> equal to <code>length(y)</code> and <code>p</code> equal to <code>max(pk)</code> : the simulated latent variables $Z_t$ at the last of <code>nsim</code> iterations (functional). Specifically, each row contains 1 for exactly one component, and is filled with $\emptyset$ .
<code>nk</code>	Vector of length <code>g</code> . Column sums of <code>latentZ</code> .

for `sampMuShift`, a list containing the following elements:

<code>shift</code>	matrix with <code>nrow = nsim</code> and <code>ncol = g</code> : simulated shift parameters, obtained by transformation of the means.
<code>mu</code>	matrix with <code>nrow = nsim</code> and <code>ncol = g</code> : simulated mean parameters.

for sampSigmaTau, a list containing the following elements:

scale	matrix with nrow = nsim and ncol = g: scale parameters, obtained by transformation of precisions.
precision	matrix with nrow = nsim and ncol = g: precision parameters.
lambda	numeric vector of length nsim simulated values of hyperparameter lambda, due to hierarchical setup.

### Author(s)

Davide Ravagli

### Examples

```

model <- new("MixARGaussian",
             prob = exampleModels$WL_At@prob,      # c(0.5, 0.5)
             scale = exampleModels$WL_At@scale,   # c(1, 2)
             arcoef = exampleModels$WL_At@arcoef@a ) # list(-0.5, 1.1)

prob <- model@prob
sigma <- model@scale
prec <- 1 / sigma ^ 2
g <- length(model@prob)
d <- rep(1, g)
pk <- model@arcoef@p
p <- max(pk)
shift <- mu <- model@shift

AR <- model@arcoef@a

model

set.seed(1234)
n <- 50 # 500
nsim <- 50

y <- mixAR_sim(model, n = n, init = 0)
x <- sampZpi(y, pk, prob, shift, AR, sigma, nsim = nsim, d)
x1 <- sampMuShift(y, pk, prec, nk = x$nk, shift, z = x$latentZ, AR, nsim = nsim)
x2 <- sampSigmaTau(y, pk, prec, nk = x$nk, AR, mu = x1$mu, z = x$latentZ,
                  a = 0.2, c = 2, nsim = nsim)

```

---

show\_diff

*Show differences between two models*

---

### Description

Show differences between two MixAR models in a way that enables quick comparison between them. This is a generic function, package **mixAR** defines methods for MixAR models.

**Usage**

```
show_diff(model1, model2)
```

**Arguments**

model1, model2 the MixAR models to be compared.

**Details**

show\_diff() is a generic function with dispatch on both arguments.

show\_diff() prints the differences between two models in convenient form for comparison. The methods for MixAR models allow to see differences between similar models at a glance.

**Value**

The function is called for the side effect of printing the differences between the two models and has no useful return value.

**Methods**

```
signature(model1 = "MixAR", model2 = "MixAR")
signature(model1 = "MixARGaussian", model2 = "MixARgen")
signature(model1 = "MixARgen", model2 = "MixARGaussian")
signature(model1 = "MixARgen", model2 = "MixARgen")
```

**Author(s)**

Georgi N. Boshnakov

**Examples**

```
## the examples reveal that the models below
## differ only in the noise distributions
show_diff(exampleModels$WL_Ct_3, exampleModels$WL_Bt_1)
show_diff(exampleModels$WL_Bt_1, exampleModels$WL_Ct_3)
show_diff(exampleModels$WL_Ct_2, exampleModels$WL_Bt_3)
```

---

simuExperiment

*Perform simulation experiments*

---

**Description**

Perform simulation experiments

**Usage**

```
simuExperiment(model, simu, est, N = 100, use_true = FALSE,
               raw = FALSE, init_name = "init", keep = identity,
               summary_fun = .fsummary, ...)
```

**Arguments**

<code>model</code>	the model, see 'Details'.
<code>simu</code>	arguments for the simulation function, a list, see 'Details'.
<code>est</code>	arguments for the estimation function, a list, see 'Details'.
<code>N</code>	number of simulations.
<code>use_true</code>	if TRUE, use also the "true" coefficients as initial values, see 'Details'.
<code>raw</code>	if TRUE, include the list of estimated models in the returned value.
<code>init_name</code>	name of the argument of the estimation function which specifies the initial values for estimation, not always used, see 'Details'.
<code>keep</code>	what values to keep from each simulation run, a function, see 'Details'.
<code>summary_fun</code>	A function to apply at the end of the experiment to obtain a summary, see 'Details'.
<code>...</code>	additional arguments to pass on to the summary function. NOTE: this may change.

**Details**

Argument `model` specifies the underlying model and is not always needed, see the examples. Argument `simu` specifies how to simulate the data. Argument `est` specifies the estimation procedure. Argument `N` specifies the number of simulation runs. The remaining arguments control details of the simulations, mostly what is returned.

Basically, `simuExperiment` does `N` simulation-estimation runs. The `keep` function is applied to the value obtained from each run. The results from `keep` are assembled in a list (these are the 'raw' results). Finally, the summary function (argument `summary_fun`) is applied to the raw list.

`simu` and `est` are lists with two elements: `fun` and `args`. `fun` is a function or the name of a function. `args` is a list of arguments to that function. The first argument of the estimation function, `est$fun`, is the simulated data. This argument is inserted by `simuExperiment` and should not be put in `est$args`.

The value returned by the summary function is the main part of the result. If `raw = TRUE`, then the raw list is returned, as well. Further fields may be made possible through additional arguments but 'Summary' and 'Raw' are guaranteed to be as described here.

`simuExperiment` uses `init_name` only if `use_true` is TRUE to arrange a call of the estimation function with initial value `model`. Obviously, `simuExperiment` does not know how (or if) the estimation function does with its arguments.

The function specified by argument `keep` is called with one argument when `use_true` is FALSE and two arguments otherwise.

**Value**

A list with one or more elements, depending on the arguments.

Summary	a summary of the experiment, by default sample means and standard deviations of the estimates.
Raw	A list of the estimated models.

**Author(s)**

Georgi N. Boshnakov

**Examples**

```
## explore dist. of the mean of a random sample of length 5.
## (only illustration, such simple cases hardly need simuExperiment)
sim1 <- list(fun="rnorm", args = list(n=5, mean=3, sd = 2))
est1 <- list(fun=mean, args = list())

# a basic report function
fsum1 <- function(x){ wrk <- do.call("c",x)
                     c(n = length(wrk), mean = mean(wrk), sd = sd(wrk))}

a1 <- simuExperiment(TRUE, simu = sim1, est = est1, N = 1000, summary_fun = fsum1)

# explore also the dist. of the sample s.d.
est2 <- est1
est2$fun <- function(x) c(xbar = mean(x), s = sd(x))

a2 <- simuExperiment(TRUE, simu = sim1, est = est2, N = 1000)

# keep the raw sample means and s.d.'s for further use
a2a <- simuExperiment(TRUE, simu = sim1, est = est2, N = 1000, raw = TRUE)
a2a$Summary

# replicate a2a$Summary
s5 <- sapply(a2a$Raw, identity)
apply(s5, 1, mean)
apply(s5, 1, sd)

hist(s5[1,], prob=TRUE)
lines(density(s5[1,]))
curve(dnorm(x, mean(s5[1,]), sd(s5[1,])), add = TRUE, col = "red")

mixAR:::fssummary(a2a$Raw)
mixAR:::fssummary(a2a$Raw, merge = TRUE)
```

---

stdnormmoment	<i>Compute moments and absolute moments of standardised-t and normal distributions</i>
---------------	--

---

## Description

Compute moments and absolute moments of standardised-t and normal distributions.

## Usage

```
stdnormmoment(k)
stdnormabsmoment(k)
stdtmoment(nu, k)
stdtabsmoment(nu, k)
tabsmoment(nu, k)
```

## Arguments

k	numeric vector, moments to compute.
nu	a number, degrees of freedom.

## Details

These functions compute moments of standardised-t and standard normal distributions. These distributions have mean zero and variance 1. Standardised-t is often preferred over Student-t for innovation distributions, since its variance doesn't depend on its parameter (degrees of freedom).

The names of the functions start with an abbreviated name of the distribution concerned: stdnorm (N(0,1)), stdt (standardised-t), t (Student-t).

The functions with names ending in absmoment() (stdnormabsmoment(), stdtabsmoment() and tabsmoment()) compute absolute moments, The rest (stdnormmoment() and stdtmoment()) compute ordinary moments.

The absolute moments are valid for (at least)  $k \geq 0$ , not necessarily integer. The ordinary moments are currently intended only for integer moments and return NaN's for fractional ones, with warnings.

Note that the Student-t and standardised-t with  $\nu$  degrees of freedom have finite (absolute) moments only for  $k < \nu$ . As a consequence, standardised-t is defined only for  $\nu > 2$  (otherwise the variance is infinite).

stdtabsmoment returns Inf for any  $k \geq \nu$ . stdtmoment returns Inf for even integer k's, such that  $k \geq \nu$ . However, for odd integers it returns zero and for non-integer moments it returns NaN. Here is an example, where the first two k's are smaller than nu, while the others are not:

```
stdtabsmoment(nu = 5, k = c(4, 4.5, 5, 5.5))
##: [1] 9.00000 29.31405      Inf      Inf
stdtmoment(nu = 5, k = c(4, 4.5, 5, 5.5))
##: [1] 9 NaN 0 NaN
```

These functions are designed to work with scalar nu but this is not enforced.

**Value**

numeric vector of the same length as `k`.

**Author(s)**

Georgi N. Boshnakov

**References**

Würtz D, Chalabi Y, Luksan L (2006). "Parameter Estimation of ARMA Models with GARCH / APARCH Errors An R and SPlus Software Implementation." <http://www-stat.wharton.upenn.edu/%7Esteele/Courses/956/RResources/GarchAndR/WurtzEtAlGarch.pdf>.

**Examples**

```
## some familiar positive integer moments
stdnormmoment(1:6)
## fractional moments of N(0,1) currently give NaN
stdnormmoment(seq(1, 6, by = 0.5))
## abs moments don't need to be integer
curve(stdnormabsmoment, from = 0, to = 6, type = "l", col = "blue")

## standardised-t
stdtmoment(5, 1:6)
stdtabsmoment(5, 1:6)
stdtabsmoment(5, 1:6)

## Student-t
tabsmoment(5, 1:6)
```

---

test\_unswitch

*A test for 'unswitch'*

---

**Description**

A test for 'unswitch'.

**Usage**

```
test_unswitch(models, true_model, allperm, ...)
```

**Arguments**

<code>models</code>	a list of MixAR models to process.
<code>true_model</code>	the MixAR model used in the experiment.
<code>allperm</code>	which permutations to try.
<code>...</code>	additional arguments to pass on to <code>unswitch</code> .



**Details**

This function permutes ('switches') randomly each model in `models` and calls `unswitch` to 'unswitch' the switched models. It calculates summary statistics for the three sets of models.

The summary statistics for the 'switched' models will often be meaningless. Those for the 'unswitched' ones should be good.

The quality of the statistics for argument `models` itself depend on how they are obtained and on the specifics of the model. They are good if, as is often done in mixture experiments, estimation is initialised with the true values of the parameters, since there is little scope for switching in that case. If initial values are chosen randomly, then there may still be little switching, largely dependent on the probabilities of the components.

**Value**

A list with the summaries for the 3 sets of models.

**Author(s)**

Georgi N. Boshnakov

**Examples**

```
## all examples run succesfully, commenting out some for CRAN
set.seed(1234)
aII10data <- mixARExperiment(exampleModels$WL_II, N = 5, raw = TRUE,
                             estargs = list(crit = 1e-4))
aII10 <- test_unswitch(aII10data$Raw, exampleModels$WL_II)
aII10

aII10adata <- mixARExperiment(exampleModels$WL_II, N = 5, raw = TRUE,
                              simargs = list(n = 100), estargs = list(crit = 1e-4))
aII10a <- test_unswitch(aII10adata$Raw, exampleModels$WL_II)
aII10a
```

---

tomarparambyComp

*Translations of my old MixAR Mathematica functions*

---

**Description**

Translations of some of my MixAR Mathematica functions. Not sure if these are still used.

**Usage**

```
tomarparambyComp(params)
tomarparambyType(params)
permuteArpar(params)
```

**Arguments**

`params` the parameters of the MixAR model, a list, see Details.

**Details**

`tomarparambyComp` is for completeness, my Mathematica programs do not have this currently.

The arrangement of the parameters of MixAR models in package "MixAR" is "by type": `slot prob` contains the mixture probabilities (weights), `shift` contains intercepts, and so on.

An alternative representation is "by component": a list whose k-th elements contains all parameters associated with the k-th mixture component. The functions described here use the following order for the parameter of the k-th component: `prob_k`, `shift_k`, `arcoeff_k`, `sigma2_k`.

`tomarparambyType` takes an argument, `params`, arranged "by component" and converts it to "by type". `tomarparambyComp` does the inverse operation, from "by type" to "by component".

`permuteArpar` creates all permutaions of the components of a MixAR model. It takes a "by component" argument. The autoregressive orders are not permuted, in that if the input model has AR orders `c(2, 1, 3)`, all permuted models are also `c(2, 1, 3)`. The AR coefficients of shorter or longer components are padded with zeroes or truncated, respectively, see the unexported `adjustLengths()`.

**Value**

For `tomarparambyComp`, a list containing the parameters of the model arranged "by component", see Details.

For `tomarparambyType`, a list containing the parameters of the model arranged "by type". It contains the following elements.

<code>prob</code>	mixture probabilities, a numeric vector,
<code>shift</code>	shifts, a numeric vector,
<code>arcoef</code>	autoregressive coefficients,
<code>s2</code>	noise variances, a numeric vector.

For `permuteArpar`, a list with one element (arranged "by type") for each possible permutation of the AR parameters.

**Author(s)**

Georgi N. Boshnakov

**See Also**

[randomArCoefficients](#)

**Examples**

```
bycomp <- list(list(0.1, 10, 0.11, 1),
              list(0.2, 20, c(0.11, 0.22), 2),
              list(0.3, 30, c(0.11, 0.22, 0.33), 3) )
bytype <- tomarparambyType(bycomp)
identical(bycomp, tomarparambyComp(bytype)) # TRUE
```

```
permuteArpar(bycomp)
```

---

unswitch

*Dealing with label switching in MixAR experiments*

---

### **Description**

Deal with label switching in MixAR experiments.

### **Usage**

```
unswitch(models, true_model, Nref = 100, simargs = NULL)
```

### **Arguments**

models	a list of MixAR models to process.
true_model	the MixAR model used in the experiment.
Nref	length of the reference series
simargs	arguments for simulation of the reference series, see 'Details'.

### **Value**

a list of the unswitched models.

### **Author(s)**

Georgi N. Boshnakov

### **References**

Boshnakov, Georgi N., (2012) Label switching in MixAR models (in preparation).

# Index

- \* **MixAR**
  - Choose\_pk, 8
  - cond\_loglik, 10
  - exampleModels, 15
  - fit\_mixAR-methods, 17
  - fit\_mixARreg-methods, 19
  - fnoise, 22
  - isStable, 26
  - lik\_params, 28
  - mix\_ek, 61
  - mix\_hatk, 63
  - mix\_moment, 63
  - mix\_pdf-methods, 66
  - mix\_se-methods, 67
  - MixAR-class, 32
  - mixAR-methods, 33
  - mixAR\_BIC, 43
  - mixAR\_diag, 45
  - mixAR\_switch, 49
  - mixARemFixedPoint, 34
  - mixARExperiment, 36
  - MixARGaussian-class, 38
  - mixFilter, 52
  - multiStep\_dist-methods, 69
  - noise\_dist, 72
  - parameters, 74
  - predict\_coef, 78
  - randomArCoefficients, 88
  - show\_diff, 91
  - test\_unswitch, 96
  - tomarparambyComp, 97
  - unswitch, 99
- \* **MixComp**
  - inner, 25
  - mix\_ncomp-methods, 66
  - MixComp-class, 50
  - percent\_of, 75
- \* **MixVAR**
  - MixVAR-class, 57
  - mixVAR\_sim, 60
  - MixVARGaussian-class, 59
- \* **array**
  - permn\_cols, 77
- \* **classes**
  - MixAR-class, 32
  - MixARGaussian-class, 38
  - MixARgen-class, 40
  - MixComp-class, 50
  - MixVAR-class, 57
  - MixVARGaussian-class, 59
  - raggedCoef-class, 80
  - raggedCoefS-class, 84
  - raggedCoefV-class, 85
- \* **datagen**
  - mixAR\_sim, 47
- \* **datasets**
  - PortfolioData1, 78
- \* **distribution**
  - dist\_norm, 11
  - stdnormmoment, 95
- \* **em**
  - em\_est\_dist, 12
  - em\_est\_sigma, 12
  - em\_rinit, 13
  - mixAR\_cond\_probs, 44
  - mixARemFixedPoint, 34
  - mixgenMstep, 53
  - mixMstep, 55
- \* **estimation**
  - fit\_mixAR-methods, 17
  - marg\_loglik, 30
- \* **math**
  - inner, 25
  - percent\_of, 75
- \* **methods**
  - fit\_mixAR-methods, 17
  - get\_edist-methods, 24
  - inner, 25

- lik\_params, 28
- make\_fcond\_lik-methods, 29
- mix\_ek, 61
- mix\_hatk, 63
- mix\_ncomp-methods, 66
- mix\_pdf-methods, 66
- mix\_se-methods, 67
- mixAR-methods, 33
- mixFilter, 52
- multiStep\_dist-methods, 69
- noise\_dist-methods, 73
- noise\_params-methods, 73
- noise\_rand-methods, 73
- parameters, 74
- percent\_of, 75
- row\_lengths-methods, 89
- show\_diff, 91
- \* **optimize**
  - mixARemFixedPoint, 34
- \* **package**
  - mixAR-package, 3
- \* **prediction**
  - mix\_moment, 63
  - mix\_pdf-methods, 66
  - multiStep\_dist-methods, 69
  - predict\_coef, 78
- \* **ragged**
  - ragged, 79
  - raggedCoef-class, 80
  - raggedCoefS-class, 84
  - raggedCoefV-class, 85
  - raghat1, 87
- \* **regression**
  - fit\_mixARreg-methods, 19
- \* **residuals**
  - fit\_mixARreg-methods, 19
- \* **selection**
  - marg\_loglik, 30
- \* **simulation**
  - mixARExperiment, 36
  - mixARnoise\_sim, 42
  - mixVAR\_sim, 60
  - simuExperiment, 92
  - test\_unswitch, 96
  - unswitch, 99
- \* **ts**
  - cond\_loglik, 10
  - mixAR-package, 3
  - mixAR\_sim, 47
  - mixFilter, 52
  - \*, MixComp, MixComp-method (MixComp-class), 50
  - \*, MixComp, numeric-method (MixComp-class), 50
  - \*, character, MixComp-method (MixComp-class), 50
  - \*, function, MixComp-method (MixComp-class), 50
  - \*, numeric, MixComp-method (MixComp-class), 50
  - +, MixComp, numeric-method (MixComp-class), 50
  - +, numeric, MixComp-method (MixComp-class), 50
  - , MixComp, missing-method (MixComp-class), 50
  - , MixComp, numeric-method (MixComp-class), 50
  - , numeric, MixComp-method (MixComp-class), 50
  - /, MixComp, numeric-method (MixComp-class), 50
  - /, numeric, MixComp-method (MixComp-class), 50
  - [, raggedCoef, missing, missing, ANY-method (raggedCoef-class), 80
  - [, raggedCoef, missing, numeric, ANY-method (raggedCoef-class), 80
  - [, raggedCoef, numeric, missing, ANY-method (raggedCoef-class), 80
  - [, raggedCoef, numeric, numeric, ANY-method (raggedCoef-class), 80
  - [, raggedCoefS, missing, missing, ANY-method (raggedCoefS-class), 84
  - [, raggedCoefS, missing, numeric, ANY-method (raggedCoefS-class), 84
  - [, raggedCoefS, numeric, missing, ANY-method (raggedCoefS-class), 84
  - [, raggedCoefS, numeric, numeric, ANY-method (raggedCoefS-class), 84
  - [, raggedCoefV, missing, ANY, ANY-method (raggedCoefV-class), 85
  - [, raggedCoefV, missing, numeric, ANY-method (raggedCoefV-class), 85
  - [, raggedCoefV, numeric, ANY, ANY-method (raggedCoefV-class), 85

- [, raggedCoefV, numeric, ANY-method  
(raggedCoefV-class), 85
- [, raggedCoefV, numeric, missing, ANY-method  
(raggedCoefV-class), 85
- [, raggedCoef, numeric, numeric, ANY-method  
(raggedCoefV-class), 85
- [-methods (raggedCoef-class), 80
- [<-, raggedCoef, ANY, ANY, numeric-method  
(raggedCoef-class), 80
- [<-, raggedCoef, ANY, missing, list-method  
(raggedCoef-class), 80
- [<-, raggedCoef, ANY, missing, matrix-method  
(raggedCoef-class), 80
- [<-, raggedCoef, ANY, missing, numeric-method  
(raggedCoef-class), 80
- [<-, raggedCoef, missing, missing, ANY-method  
(raggedCoef-class), 80
- [<-, raggedCoef, missing, missing, list-method  
(raggedCoef-class), 80
- [<-, raggedCoef, missing, missing, matrix-method  
(raggedCoef-class), 80
- [<-, raggedCoef, missing, missing, numeric-method  
(raggedCoef-class), 80
- [<-, raggedCoef, numeric, missing, ANY-method  
(raggedCoef-class), 80
- [<-, raggedCoef, numeric, numeric, ANY-method  
(raggedCoef-class), 80
- [[, raggedCoef, ANY, ANY-method  
(raggedCoef-class), 80
- [[, raggedCoef, ANY, missing-method  
(raggedCoef-class), 80
- [[, raggedCoefS, ANY, ANY-method  
(raggedCoefS-class), 84
- [[, raggedCoefS, ANY, missing-method  
(raggedCoefS-class), 84
- [[, raggedCoefV, missing, ANY-method  
(raggedCoefV-class), 85
- [[, raggedCoefV, numeric, ANY-method  
(raggedCoefV-class), 85
- [[[-methods (raggedCoef-class), 80
- [[<-, raggedCoef, ANY, ANY, numeric-method  
(raggedCoef-class), 80
- [[<-, raggedCoef, ANY, missing, numeric-method  
(raggedCoef-class), 80
- [[<-, raggedCoefS, ANY, ANY, numeric-method  
(raggedCoefS-class), 84
- [[<-, raggedCoefS, ANY, missing, list-method  
(raggedCoefS-class), 84
- [[<--methods (raggedCoef-class), 80
- %of% (percent\_of), 75
- %of%, ANY, ANY-method (percent\_of), 75
- %of%, character, MixComp-method  
(percent\_of), 75
- %of%, function, MixComp-method  
(percent\_of), 75
- %of%, list, MixComp-method (percent\_of),  
75
- %of%-methods (percent\_of), 75
- %of%, 51
- ^, MixComp, numeric-method  
(MixComp-class), 50
- anyNA, raggedCoef-method  
(raggedCoef-class), 80
- b\_show (fnoise), 22
- bayes\_mixAR, 7, 27
- BIC\_comp (mixAR\_BIC), 43
- bx\_dx, 9
- Choose\_pk, 8
- cond\_loglik, 10
- cond\_loglikS (cond\_loglik), 10
- dim, MixComp-method (MixComp-class), 50
- dim, raggedCoef-method  
(raggedCoef-class), 80
- dist\_norm, 11
- distlist (fnoise), 22
- ed\_nparam (fnoise), 22
- ed\_parse (fnoise), 22
- ed\_skeleton (fnoise), 22
- ed\_src (fnoise), 22
- ed\_stdnorm (fnoise), 22
- ed\_stdtd (fnoise), 22
- ed\_stdtd0 (fnoise), 22
- ed\_stdtd1 (fnoise), 22
- em\_est\_dist, 12
- em\_est\_sigma, 12
- em\_rinit, 13
- em\_tau, 14
- est\_tmpl, 14
- etk2tau (em\_rinit), 13
- exampleModels, 15
- fdist\_stdnorm, 11, 72
- fdist\_stdnorm (fnoise), 22

- fdist\_stdtd, 72
- fdist\_stdtd (fnoise), 22
- fit\_mixAR, 20, 36, 54
- fit\_mixAR (fit\_mixAR-methods), 17
- fit\_mixAR, ANY, ANY, ANY-method  
(fit\_mixAR-methods), 17
- fit\_mixAR, ANY, MixAR, list-method  
(fit\_mixAR-methods), 17
- fit\_mixAR, ANY, MixAR, missing-method  
(fit\_mixAR-methods), 17
- fit\_mixAR, ANY, MixAR, MixAR-method  
(fit\_mixAR-methods), 17
- fit\_mixAR, ANY, MixAR, numeric-method  
(fit\_mixAR-methods), 17
- fit\_mixAR, ANY, MixARGaussian, MixAR-method  
(fit\_mixAR-methods), 17
- fit\_mixAR, ANY, numeric, missing-method  
(fit\_mixAR-methods), 17
- fit\_mixAR, ANY, numeric, numeric-method  
(fit\_mixAR-methods), 17
- fit\_mixAR-methods, 17
- fit\_mixARreg (fit\_mixARreg-methods), 19
- fit\_mixARreg, ANY, ANY, missing, list-method  
(fit\_mixARreg-methods), 19
- fit\_mixARreg, ANY, ANY, MixAR, list-method  
(fit\_mixARreg-methods), 19
- fit\_mixARreg, ANY, data.frame, missing, list-method  
(fit\_mixARreg-methods), 19
- fit\_mixARreg, ANY, data.frame, MixAR, missing-method  
(fit\_mixARreg-methods), 19
- fit\_mixARreg, ANY, matrix, missing, list-method  
(fit\_mixARreg-methods), 19
- fit\_mixARreg, ANY, matrix, MixAR, missing-method  
(fit\_mixARreg-methods), 19
- fit\_mixARreg, ANY, numeric, missing, list-method  
(fit\_mixARreg-methods), 19
- fit\_mixARreg, ANY, numeric, MixAR, missing-method  
(fit\_mixARreg-methods), 19
- fit\_mixARreg-methods, 19
- fit\_mixVAR (fit\_mixVAR-methods), 21
- fit\_mixVAR, ANY, ANY-method  
(fit\_mixVAR-methods), 21
- fit\_mixVAR, ANY, MixVAR-method  
(fit\_mixVAR-methods), 21
- fit\_mixVAR-methods, 21
- fn\_stdtd, 72
- fn\_stdtd (fnoise), 22
- fnoise, 22
- ft\_stdtd (fnoise), 22
- get\_edist (noise\_dist), 72
- get\_edist, MixAR-method  
(get\_edist-methods), 24
- get\_edist, MixARGaussian-method  
(get\_edist-methods), 24
- get\_edist, MixARgen-method  
(get\_edist-methods), 24
- get\_edist-methods, 24
- inner, 25
- inner, ANY, ANY, ANY, ANY-method (inner), 25
- inner, MixComp, missing, missing, missing-method  
(inner), 25
- inner, MixComp, numeric, ANY, ANY-method  
(inner), 25
- inner, MixComp, numeric, ANY, missing-method  
(inner), 25
- inner, MixComp, numeric, missing, missing-method  
(inner), 25
- inner, numeric, MixComp, missing, missing-method  
(inner), 25
- inner-methods (inner), 25
- isStable, 26
- label\_switch, 27
- length, raggedCoef-method  
(raggedCoef-class), 80
- lik\_params, 28, 30
- lik\_params, MixAR-method (lik\_params), 28
- lik\_params, MixARgen-method  
(lik\_params), 28
- lik\_params-methods (lik\_params), 28
- make\_fcond\_lik  
(make\_fcond\_lik-methods), 29
- make\_fcond\_lik, MixAR, numeric-method  
(make\_fcond\_lik-methods), 29
- make\_fcond\_lik-methods, 29
- marg\_loglik, 30
- mix\_cdf, 30
- mix\_cdf (mix\_pdf-methods), 66
- mix\_cdf, MixARGaussian, missing, missing, numeric-method  
(mix\_pdf-methods), 66
- mix\_cdf, MixARGaussian, numeric, missing, numeric-method  
(mix\_pdf-methods), 66
- mix\_cdf, MixARGaussian, numeric, numeric, missing-method  
(mix\_pdf-methods), 66

- mix\_cdf, MixARgen, missing, missing, numeric-method (mix\_pdf-methods), 66
- mix\_cdf, MixARgen, numeric, missing, numeric-method (mix\_pdf-methods), 66
- mix\_cdf, MixARgen, numeric, numeric, missing-method (mix\_pdf-methods), 66
- mix\_cdf-methods (mix\_pdf-methods), 66
- mix\_central\_moment (mix\_moment), 63
- mix\_ek, 53, 61
- mix\_ek, MixAR, numeric, missing, numeric, logical-method (mix\_ek), 61
- mix\_ek, MixAR, numeric, missing, numeric, missing-method (mix\_ek), 61
- mix\_ek, MixAR, numeric, missing, logical-method (mix\_ek), 61
- mix\_ek, MixAR, numeric, missing, missing-method (mix\_ek), 61
- mix\_ek-methods (mix\_ek), 61
- mix\_ekurtosis (mix\_moment), 63
- mix\_hatk, 53, 62, 63
- mix\_hatk, MixAR, numeric, numeric, missing-method (mix\_hatk), 63
- mix\_hatk-methods (mix\_hatk), 63
- mix\_kurtosis (mix\_moment), 63
- mix\_location (mix\_moment), 63
- mix\_moment, 63, 67
- mix\_ncomp (mix\_ncomp-methods), 66
- mix\_ncomp, MixAR-method (mix\_ncomp-methods), 66
- mix\_ncomp, MixComp-method (mix\_ncomp-methods), 66
- mix\_ncomp-methods, 66
- mix\_pdf, 30, 64
- mix\_pdf (mix\_pdf-methods), 66
- mix\_pdf, MixARGaussian, missing, missing, numeric-method (mix\_pdf-methods), 66
- mix\_pdf, MixARGaussian, numeric, missing, numeric-method (mix\_pdf-methods), 66
- mix\_pdf, MixARGaussian, numeric, numeric, missing-method (mix\_pdf-methods), 66
- mix\_pdf, MixARgen, missing, missing, numeric-method (mix\_pdf-methods), 66
- mix\_pdf, MixARgen, numeric, missing, numeric-method (mix\_pdf-methods), 66
- mix\_pdf, MixARgen, numeric, numeric, missing-method (mix\_pdf-methods), 66
- mix\_pdf-methods, 66
- mix\_se (mix\_se-methods), 67
- mix\_se, ANY, list-method (mix\_se-methods), 67
- mix\_se, ANY, MixAR-method (mix\_se-methods), 67
- mix\_se, ANY, MixARGaussian-method (mix\_se-methods), 67
- mix\_se-methods, 67
- mix\_variance (mix\_moment), 63
- mixAny\_sim (mixAR\_sim), 47
- MixAR, 38–40, 59, 62, 63
- MixAR, 33
- MixAR (mixAR-methods), 33
- MixAR, ANY-method (mixAR-methods), 33
- MixAR, MixAR-method (mixAR-methods), 33
- MixAR-class, 32
- MixAR-methods, 33
- MixAR-package, 3
- mixAR\_BIC, 43, 47
- mixAR\_cond\_probs, 44
- mixAR\_diag, 45
- mixAR\_permute (mixAR\_switch), 49
- mixAR\_sim, 43, 47, 61
- mixAR\_switch, 49
- mixARemFixedPoint, 34
- mixARExperiment, 36
- MixARGaussian, 32–34, 36, 83
- MixARGaussian (MixARGaussian-class), 38
- MixARGaussian-class, 38
- MixARgen, 24, 33, 34, 36, 39
- mixARgen (MixARgen-class), 40
- MixARgen-class, 40
- mixARgenemFixedPoint, 54
- mixARgenemFixedPoint (mixARemFixedPoint), 34
- mixARreg, 25, 26, 50, 76
- mixARreg (fit\_mixARreg-methods), 19
- MixComp, 25, 26, 50, 76
- MixComp-class, 50
- mixFilter, 52, 62
- mixFilter, ANY, ANY, ANY-method (mixFilter), 52
- mixFilter, numeric, raggedCoef, numeric-method (mixFilter), 52
- mixFilter-methods (mixFilter), 52
- mixgenMstep, 53
- mixMstep, 55
- mixSARfit, 56
- MixVAR, 86



- MixVAR-class, 57
- mixVAR\_sim, 60
- mixVARfit, 21, 58
- MixVARGaussian, 57, 58
- MixVARGaussian (MixVARGaussian-class), 59
- MixVARGaussian-class, 59
- moT\_A (exampleModels), 15
- moT\_B (exampleModels), 15
- moT\_B2 (exampleModels), 15
- moT\_B3 (exampleModels), 15
- moT\_C1 (exampleModels), 15
- moT\_C2 (exampleModels), 15
- moT\_C3 (exampleModels), 15
- moWL (exampleModels), 15
- moWL\_A (exampleModels), 15
- moWL\_B (exampleModels), 15
- moWL\_I (exampleModels), 15
- moWL\_II (exampleModels), 15
- moWLar (exampleModels), 15
- moWLgen (exampleModels), 15
- moWLprob (exampleModels), 15
- moWLSigma (exampleModels), 15
- moWLt3v (exampleModels), 15
- moWLtf (exampleModels), 15
- multiStep\_dist, 79
- multiStep\_dist
  - (multiStep\_dist-methods), 69
- multiStep\_dist, MixAR, numeric, numeric, numeric-method
  - (multiStep\_dist-methods), 69
- multiStep\_dist, MixARGaussian, numeric, missing, ANY-method
  - (multiStep\_dist-methods), 69
- multiStep\_dist, MixARGaussian, numeric, missing, missing-method
  - (multiStep\_dist-methods), 69
- multiStep\_dist-methods, 69
- noise\_dist, 72, 73
- noise\_dist, MixAR-method
  - (noise\_dist-methods), 73
- noise\_dist, MixARGaussian-method
  - (noise\_dist-methods), 73
- noise\_dist, MixARgen-method
  - (noise\_dist-methods), 73
- noise\_dist-methods, 73
- noise\_params (noise\_dist), 72
- noise\_params, MixAR-method
  - (noise\_params-methods), 73
- noise\_params, MixARgen-method
  - (noise\_params-methods), 73
- noise\_params-methods, 73
- noise\_rand (noise\_dist), 72
- noise\_rand, MixAR-method
  - (noise\_rand-methods), 73
- noise\_rand, MixARGaussian-method
  - (noise\_rand-methods), 73
- noise\_rand, MixARgen-method
  - (noise\_rand-methods), 73
- noise\_rand-methods, 73
- parameters, 74
- parameters, ANY-method (parameters), 74
- parameters, MixAR-method (parameters), 74
- parameters-methods (parameters), 74
- parameters<- (parameters), 74
- parameters<- , ANY-method (parameters), 74
- parameters<- , MixAR-method (parameters), 74
- parameters<--methods (parameters), 74
- percent\_of, 75
- permn\_cols, 77
- permuteArpar (tomarparambyComp), 97
- PortfolioData1, 78
- predict\_coef, 71, 78
- rag\_modify (ragged), 79
- ragged, 79
- ragged2vec (ragged), 79
- raggedCoef, 38, 85
- raggedCoef (raggedCoef-class), 80
- raggedCoef-class, 80
- raggedCoefS (raggedCoefS-class), 84
- raggedCoefS-class, 84
- raggedCoefV, 59
- raggedCoefV (raggedCoefV-class), 85
- raggedCoefV-class, 85
- raghat1, 53, 87
- randomArCoefficients, 14, 88, 98
- randomMarParametersKernel
  - (randomArCoefficients), 88
- randomMarResiduals
  - (randomArCoefficients), 88
- row\_lengths (row\_lengths-methods), 89
- row\_lengths, ANY-method
  - (row\_lengths-methods), 89
- row\_lengths, MixAR-method
  - (row\_lengths-methods), 89
- row\_lengths, raggedCoef-method
  - (row\_lengths-methods), 89

row\_lengths-methods, 89

sampMuShift (sampZpi), 89

sampSigmaTau (sampZpi), 89

sampZpi, 89

set\_noise\_params (noise\_dist), 72

set\_parameters (parameters), 74

set\_parameters, ANY-method (parameters),  
74

set\_parameters, MixAR-method  
(parameters), 74

set\_parameters-methods (parameters), 74

show\_diff, 91

show\_diff, MixAR, MixAR-method  
(show\_diff), 91

show\_diff, MixARGaussian, MixARgen-method  
(show\_diff), 91

show\_diff, MixARgen, MixARGaussian-method  
(show\_diff), 91

show\_diff, MixARgen, MixARgen-method  
(show\_diff), 91

show\_diff-methods (show\_diff), 91

simuExperiment, 36, 37, 92

stdnormabsmoment (stdnormmoment), 95

stdnormmoment, 95

stdtabsmoment (stdnormmoment), 95

stdtmoment (stdnormmoment), 95

tabsmoment (stdnormmoment), 95

tau2arcoef (mixMstep), 55

tauCorrelate (mixMstep), 55

tauetk2sigmahat (em\_est\_sigma), 12

test\_unswitch, 96

tomarparambyComp, 89, 97

tomarparambyType (tomarparambyComp), 97

tsDesignMatrixExtended  
(randomArCoefficients), 88

tsdiag, 47

tsdiag (mixAR\_diag), 45

tsdiag\_MixARGaussian (mixAR\_diag), 45

unswitch, 96, 99