

Package ‘pammtools’

January 2, 2019

Title Piece-Wise Exponential Additive Mixed Modeling Tools

Version 0.1.8

Date 2018-12-23

Description The Piece-wise exponential (Additive Mixed) Model (PAMM; Bender and Scheipl (2018) <doi: 10.1177/1471082X17748083>) is a powerful model class for survival analysis, based on Generalized Additive (Mixed) Models (GA(M)Ms). It offers intuitive specification and robust estimation of complex survival models with stratified baseline hazards, random effects, time-varying effects, time-dependent covariates and cumulative effects (Bender et. al. (2018) <doi:10.1093/biostatistics/kxy003>). pammtools provides tidy workflow for survival analysis with PAMMs, including data transformation and other pre- and post-processing functions as well as visualization.

Depends R (>= 3.3.0)

Imports mgcv, survival (>= 2.39-5), checkmate, magrittr, rlang, tidyr (>= 0.7.0), ggplot2, dplyr (>= 0.7.0), purrr (>= 0.2.3), tibble, msm, lazyeval, Formula, mvtnorm

Suggests RColorBrewer, scam, coxme, testthat, timereg, knitr, rmarkdown, grid, gridExtra, covr, pkgdown

License MIT + file LICENSE

LazyData true

URL <https://github.com/adibender/pammtools>

BugReports <https://github.com/adibender/pammtools/issues>

RoxygenNote 6.1.1

Encoding UTF-8

NeedsCompilation no

Author Andreas Bender [aut, cre] (<<https://orcid.org/0000-0001-5628-8611>>), Fabian Scheipl [aut]

Maintainer Andreas Bender <andreas.bender@stat.uni-muenchen.de>

Repository CRAN

Date/Publication 2019-01-02 13:10:06 UTC

R topics documented:

add_hazard	2
add_surv_prob	4
add_tdc	5
add_term	6
as_ped	7
daily	8
extub_event	9
geom_hazard	9
geom_stepribbon	11
get_cumu_coef	12
get_cumu_eff	13
get_intervals	14
get_laglead	15
get_plotinfo	16
get_terms	16
gg_fixed	17
gg_laglead	18
gg_partial	19
gg_re	19
gg_slice	20
gg_smooth	21
gg_tensor	22
has_tdc	22
make_newdata	23
pammtools	24
patient	25
ped_info	25
seq_range	26
simdf_elra	27
sim_pexp	27
split_tdc	29
tidy_re	30
tidy_smooth	31
tidy_smooth2d	31
tumor	32
Index	33

 add_hazard

Add predicted (cumulative) hazard to data set

Description

Add (cumulative) hazard based on the provided data set and model. If `ci=TRUE` confidence intervals are also added. Their width can be controlled via the `se_mult` argument. This is a wrapper around [predict.gam](#).

Usage

```
add_hazard(newdata, object, type = c("response", "link"), ci = TRUE,
  se_mult = 2, ci_type = c("default", "delta", "sim"),
  overwrite = FALSE, time_var = NULL, ...)
```

```
add_cumuhazard(newdata, object, ci = TRUE, se_mult = 2,
  overwrite = FALSE, time_var = NULL, interval_length = "intlen",
  ...)
```

Arguments

newdata	A data frame or list containing the values of the model covariates at which predictions are required. If this is not provided then predictions corresponding to the original data are returned. If newdata is provided then it should contain all the variables needed for prediction: a warning is generated if not. See details for use with <code>link{linear.functional.terms}</code> .
object	a fitted gam object as produced by <code>gam()</code> .
type	When this has the value "link" (default) the linear predictor (possibly with associated standard errors) is returned. When <code>type="terms"</code> each component of the linear predictor is returned separately (possibly with standard errors): this includes parametric model components, followed by each smooth component, but excludes any offset and any intercept. <code>type="iterms"</code> is the same, except that any standard errors returned for smooth components will include the uncertainty about the intercept/overall mean. When <code>type="response"</code> predictions on the scale of the response are returned (possibly with approximate standard errors). When <code>type="lpmatrix"</code> then a matrix is returned which yields the values of the linear predictor (minus any offset) when postmultiplied by the parameter vector (in this case <code>se.fit</code> is ignored). The latter option is most useful for getting variance estimates for quantities derived from the model: for example integrated quantities, or derivatives of smooths. A linear predictor matrix can also be used to implement approximate prediction outside R (see example code, below).
ci	Logical indicating whether to include confidence intervals. Defaults to TRUE
se_mult	Factor by which standard errors are multiplied for calculating the confidence intervals.
ci_type	The method by which standard errors/confidence intervals will be calculated. Default transforms the linear predictor at respective intervals. "delta" calculates CIs based on the standard error calculated by the Delta method. "sim" draws the property of interest from its posterior based on the normal distribution of the estimated coefficients. CIs are given by respective quantiles.
overwrite	Should hazard columns be overwritten if already present in the data set? Defaults to FALSE. If TRUE, columns with names <code>c("hazard", "se", "lower", "upper")</code> will be overwritten.
time_var	Name of the variable used for the baseline hazard. If not given, defaults to "tend" for <code>gam</code> fits, else "interval". The latter is assumed to be a factor, the former numeric.

... Further arguments passed to `predict.gam` and `get_hazard`

`interval_length` The variable in `newdata` containing the interval lengths. Can be either bare unquoted variable name or character. Defaults to `"intlen"`.

See Also

[predict.gam](#), [add_surv_prob](#)

Examples

```
ped <- tumor[1:50,] %>% as_ped(Surv(days, status)~ age)
pam <- mgcv::gam(ped_status ~ s(tend)+age, data = ped, family=poisson(), offset=offset)
ped_info(ped) %>% add_hazard(pam, type="link")
ped_info(ped) %>% add_hazard(pam, type = "response")
ped_info(ped) %>% add_cumu_hazard(pam)
```

add_surv_prob	<i>Add survival probability estimates</i>
---------------	---

Description

Given suitable data (i.e. data with all columns used for estimation of the model), this functions adds a column `surv_prob` containing survival probabilities for the specified covariate and follow-up information (and CIs `surv_lower`, `surv_upper` if `ci=TRUE`).

Usage

```
add_surv_prob(newdata, object, ci = TRUE, se_mult = 2,
  overwrite = FALSE, time_var = NULL, interval_length = "intlen",
  ...)
```

Arguments

<code>newdata</code>	A data frame or list containing the values of the model covariates at which predictions are required. If this is not provided then predictions corresponding to the original data are returned. If <code>newdata</code> is provided then it should contain all the variables needed for prediction: a warning is generated if not. See details for use with <code>link{linear.functional.terms}</code> .
<code>object</code>	a fitted <code>gam</code> object as produced by <code>gam()</code> .
<code>ci</code>	Logical indicating whether to include confidence intervals. Defaults to <code>TRUE</code>
<code>se_mult</code>	Factor by which standard errors are multiplied for calculating the confidence intervals.
<code>overwrite</code>	Should hazard columns be overwritten if already present in the data set? Defaults to <code>FALSE</code> . If <code>TRUE</code> , columns with names <code>c("hazard", "se", "lower", "upper")</code> will be overwritten.

time_var	Name of the variable used for the baseline hazard. If not given, defaults to "tend" for <code>gam</code> fits, else "interval". The latter is assumed to be a factor, the former numeric.
interval_length	The variable in newdata containing the interval lengths. Can be either bare unquoted variable name or character. Defaults to "intlen".
...	Further arguments passed to <code>predict.gam</code> and <code>get_hazard</code>

See Also

[predict.gam](#), [add_surv_prob](#)

Examples

```
ped <- tumor[1:50,] %>% as_ped(Surv(days, status)~ age)
pam <- mgcv::gam(ped_status ~ s(tend)+age, data=ped, family=poisson(), offset=offset)
ped_info(ped) %>% add_surv_prob(pam, ci=TRUE)
```

 add_tdc

Add time-dependent covariate to a data set

Description

Given a data set in standard format (with one row per subject/observation), this function adds a column with the specified exposure time points and a column with respective exposures, created from `rng_fun`. This function should usually only be used to create data sets passed to [sim_pexp](#).

Usage

```
add_tdc(data, tz, rng_fun, ...)
```

Arguments

data	A data set with variables specified in formula.
tz	A numeric vector of exposure times (relative to the beginning of the follow-up time t)
rng_fun	A random number generating function that creates the time-dependent covariates at time points tz. First argument of the function should be n, the number of random numbers to generate. Within <code>add_tdc</code> , n will be set to <code>length(tz)</code> .
...	Currently not used.

add_term	<i>Add the contribution of a term to the linear predictor to data set</i>
----------	---

Description

Adds the contribution of a specific term to the linear predictor to the data specified by `newdata`. Essentially a wrapper to `predict.gam`, with `type="terms"`. Thus most arguments and their documentation below is from `predict.gam`.

Usage

```
add_term(newdata, object, term, se.fit = TRUE, type = "terms",
         se_mult = 2, relative = FALSE, ...)
```

Arguments

<code>newdata</code>	A data frame or list containing the values of the model covariates at which predictions are required. If this is not provided then predictions corresponding to the original data are returned. If <code>newdata</code> is provided then it should contain all the variables needed for prediction: a warning is generated if not. See details for use with <code>link{linear.functional.terms}</code> .
<code>object</code>	a fitted <code>gam</code> object as produced by <code>gam()</code> .
<code>term</code>	A character (vector) or regular expression indicating for which term(s) information should be extracted and added to data set.
<code>se.fit</code>	when this is TRUE (not default) standard error estimates are returned for each prediction.
<code>type</code>	When this has the value "link" (default) the linear predictor (possibly with associated standard errors) is returned. When <code>type="terms"</code> each component of the linear predictor is returned separately (possibly with standard errors): this includes parametric model components, followed by each smooth component, but excludes any offset and any intercept. <code>type="iterms"</code> is the same, except that any standard errors returned for smooth components will include the uncertainty about the intercept/overall mean. When <code>type="response"</code> predictions on the scale of the response are returned (possibly with approximate standard errors). When <code>type="lpmatrix"</code> then a matrix is returned which yields the values of the linear predictor (minus any offset) when postmultiplied by the parameter vector (in this case <code>se.fit</code> is ignored). The latter option is most useful for getting variance estimates for quantities derived from the model: for example integrated quantities, or derivatives of smooths. A linear predictor matrix can also be used to implement approximate prediction outside R (see example code, below).
<code>se_mult</code>	The factor by which standard errors are multiplied to form confidence intervals.
<code>relative</code>	If TRUE, calculates relative risk contribution, that is $(X - \bar{X})'\beta$ and respective confidence intervals if <code>se.fit = TRUE</code> . Defaults to FALSE.
<code>...</code>	Further arguments passed to <code>predict.gam</code>

Examples

```
ped <- tumor[1:50,] %>% as_ped(Surv(days, status)~ age)
pam <- mgcv::gam(ped_status ~ s(tend)+age, data = ped, family=poisson(), offset=offset)
ped_info(ped) %>% add_term(pam, term="tend")
```

as_ped

*Transform data to Piece-wise Exponential Data (PED)***Description**

This is the general data transformation function provided by the `pamtools` package. Two main applications must be distinguished:

1. Transformation of standard time-to-event data.
2. Transformation of time-to-event data with time-dependent covariates (TDC).

For the latter, the type of effect one wants to estimate is also important for the data transformation step. In any case, the data transformation is specified by a two sided formula. In case of TDCs, the right-hand-side of the formula can contain formula specials `concurrent` and `cumulative`. See the [data-transformation](#) vignette for details.

Usage

```
as_ped(data, formula, ...)

## S3 method for class 'data.frame'
as_ped(data, formula, cut = NULL, max_time = NULL,
  ...)

## S3 method for class 'nested_fdf'
as_ped(data, formula, ...)

## S3 method for class 'list'
as_ped(data, formula, ...)

is.ped(x)
```

Arguments

data	Either an object inheriting from data frame or in case of time-dependent covariates a list of data frames, where the first data frame contains the time-to-event information and static covariates while the second (and potentially further data frames) contain information on time-dependent covariates and the times at which they have been observed.
formula	A two sided formula with a <code>Surv</code> object on the left-hand-side and covariate specification on the right-hand-side (RHS). The RHS can be an extended formula, which specifies how TDCs should be transformed using specials <code>concurrent</code> and <code>cumulative</code> .

...	Further arguments passed to the <code>data.frame</code> method and eventually to <code>survSplit</code>
<code>cut</code>	Break points, used to partition the follow up into intervals. If unspecified, all unique event times will be used.
<code>max_time</code>	If <code>cut</code> is unspecified, this will be the last possible event time. All event times after <code>max_time</code> will be administratively censored at <code>max_time</code> .
<code>x</code>	any R object.

Value

A data frame class `ped` in piece-wise exponential data format.

Examples

```
tumor[1:3, ]
tumor[1:3, ] %>% as_ped(Surv(days, status)~ age + sex, cut = c(0, 500, 1000))
tumor[1:3, ] %>% as_ped(Surv(days, status)~ age + sex)
```

daily

Time-dependent covariates of the [patient](#) data set.

Description

This data set contains the time-dependent covariates (TDCs) for the [patient](#) data set. Note that nutrition was protocolled for at most 12 days after ICU admission. The data set includes:

CombinedID Unique patient identifier. Can be used to merge with [patient](#) data

Study_Day The calendar (!) day at which calories (or proteins) were administered

caloriesPercentage The percentage of target calories supplied to the patient by the ICU staff

proteinGproKG The amount of protein supplied to the patient by the ICU staff

Usage

```
daily
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 18797 rows and 4 columns.

extub_event	<i>Time until extubation</i>
-------------	------------------------------

Description

This is a preprocessed subset of the data discussed in Heyard, et. al 2018 (and provided in a slightly different format as VAP_data in the package TBFmultinomial). In this package, the data is split in two parts, extub_event contains time-to-event data and time-constant covariates and extub_tdc contains the information on the time-dependent covariate SOFA score. The data contains the following variables:

ID Unique patient ID

gender The patients' gender

type Type of admission, either Medical or Surgical

SAPSadmission SAPS score at admission

time Time (days) until extubation

extubation 0 = no extubation/censoring, 1 = extubation

day Exposure time, i.e., time at which the SOFA score was observed

SOFA The SOFA score at respective days

Usage

```
extub_event
```

```
extub_tdc
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 110 rows and 6 columns.

geom_hazard	<i>(Cumulative) (Step-) Hazard Plots.</i>
-------------	---

Description

geom_hazard is an extension of the geom_line, and is optimized for (cumulative) hazard plots. Essentially, it adds a (0,0) row to the data, if not already the case. Stolen from the RmcdPlugin.KMggplot2 (slightly modified).

Usage

```
geom_hazard(mapping = NULL, data = NULL, stat = "identity",
            position = "identity", na.rm = FALSE, show.legend = NA,
            inherit.aes = TRUE, ...)
```

```
geom_stephazard(mapping = NULL, data = NULL, stat = "identity",
               position = "identity", direction = "vh", na.rm = FALSE,
               show.legend = NA, inherit.aes = TRUE, ...)
```

```
geom_surv(mapping = NULL, data = NULL, stat = "identity",
          position = "identity", na.rm = FALSE, show.legend = NA,
          inherit.aes = TRUE, ...)
```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data.
stat	The statistical transformation to use on the data for this layer, as a string.
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
direction	direction of stairs: <code>'vh'</code> for vertical then horizontal, or <code>'hv'</code> for horizontal then vertical.

See Also

[geom_line](#), [geom_step](#).

Examples

```
library(ggplot2)
library(pamtools)
ped <- tumor[10:50,] %>% as_ped(Surv(days, status)~1)
pam <- mgcv::gam(ped_status ~ s(tend), data=ped, family = poisson(), offset = offset)
ndf <- make_newdata(ped, tend = unique(tend)) %>% add_hazard(pam)
# piece-wise constant hazards
ggplot(ndf, aes(x = tend, y = hazard)) +
  geom_vline(xintercept = c(0, ndf$tend[c(1, (nrow(ndf)-2):nrow(ndf))]), lty = 3) +
  geom_hline(yintercept = c(ndf$hazard[1:3], ndf$hazard[nrow(ndf)]), lty = 3) +
  geom_stephazard() +
  geom_step(col=2) +
  geom_step(col=2, lty = 2, direction="vh")

# cumulative hazard
ndf <- ndf %>% add_cumu_hazard(pam)
ggplot(ndf, aes(x = tend, y = cumu_hazard)) +
  geom_hazard() +
  geom_line(col=2) # doesn't start at (0, 0)

# survival probability
ndf <- ndf %>% add_surv_prob(pam)
ggplot(ndf, aes(x = tend, y = surv_prob)) +
  geom_surv() +
  geom_line(col=2) # doesn't start at c(0,1)
```

geom_stepribbon	<i>Step ribbon plots.</i>
-----------------	---------------------------

Description

geom_stepribbon is an extension of the geom_ribbon, and is optimized for Kaplan-Meier plots with pointwise confidence intervals or a confidence band.

Usage

```
geom_stepribbon(mapping = NULL, data = NULL, stat = "identity",
  position = "identity", na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE, ...)
```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> .

	A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created.
	A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data.
<code>stat</code>	The statistical transformation to use on the data for this layer, as a string.
<code>position</code>	Position adjustment, either as a string, or the result of a call to a position adjustment function.
<code>na.rm</code>	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
<code>show.legend</code>	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
<code>inherit.aes</code>	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
<code>...</code>	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired <code>geom/stat</code> .

See Also

`geom_ribbon` `geom_stepribbon` inherits from `geom_ribbon`.

Examples

```
library(ggplot2)
huron <- data.frame(year = 1875:1972, level = as.vector(LakeHuron))
h <- ggplot(huron, aes(year))
h + geom_stepribbon(aes(ymin = level - 1, ymax = level + 1), fill = "grey70") +
  geom_step(aes(y = level))
h + geom_ribbon(aes(ymin = level - 1, ymax = level + 1), fill = "grey70") +
  geom_line(aes(y = level))
```

get_cumu_coef

Extract cumulative coefficients (cumulative hazard differences)

Description

These functions are designed to extract (or mimic) the cumulative coefficients usually used in additive hazards models (Aalen model) to depict (time-varying) covariate effects. For PAMMs, these are the differences between the cumulative hazard rates where all covariates except one have the identical values. For a numeric covariate of interest, this calculates $\Lambda(t|x+1) - \Lambda(t|x)$. For non-numeric covariates the cumulative hazard of the reference level is subtracted from the cumulative hazards evaluated at all non reference levels. Standard errors are calculated using the delta method.

Usage

```

get_cumu_coef(model, data = NULL, terms, ...)

## S3 method for class 'gam'
get_cumu_coef(model, data, terms, ...)

## S3 method for class 'aalen'
get_cumu_coef(model, data = NULL, terms, ci = TRUE,
              ...)

## S3 method for class 'cox.aalen'
get_cumu_coef(model, data = NULL, terms, ci = TRUE,
              ...)

```

Arguments

model	Object from which to extract cumulative coefficients.
data	Additional data if necessary.
terms	A character vector of variables for which the cumulative coefficient should be calculated.
...	Further arguments passed to methods.
ci	Logical. Indicates if confidence intervals should be returned as well.

get_cumu_eff	<i>Calculate (or plot) cumulative effect for all time-points of the follow-up</i>
--------------	---

Description

Calculate (or plot) cumulative effect for all time-points of the follow-up

Usage

```

get_cumu_eff(data, model, term, z1, z2 = NULL, se_mult = 2)

gg_cumu_eff(data, model, term, z1, z2 = NULL, se_mult = 2, ci = TRUE)

```

Arguments

data	Data used to fit the model.
model	A suitable model object which will be used to estimate the partial effect of term.
term	A character string indicating the model term for which partial effects should be plotted.
z1	The exposure profile for which to calculate the cumulative effect. Can be either a single number or a vector of same length as unique observation time points.

z2	If provided, calculated cumulative effect is for the difference between the two exposure profiles ($g(z1,t)-g(z2,t)$).
se_mult	Multiplicative factor used to calculate confidence intervals (e.g., lower = fit - 2*se).
ci	Logical. Indicates if confidence intervals for the term of interest should be calculated/plotted. Defaults to TRUE.

get_intervals *Information on intervals in which times fall*

Description

Information on intervals in which times fall

Usage

```
get_intervals(x, times, ...)

## Default S3 method:
get_intervals(x, times, left.open = TRUE,
             rightmost.closed = TRUE, ...)
```

Arguments

x	An object from which interval information can be obtained, see int_info .
times	A vector of times for which corresponding interval information should be returned.
...	Further arguments passed to findInterval .
left.open	logical; if true all the intervals are open at left and closed at right; in the formulas below, \leq should be swapped with $<$ (and $>$ with \geq), and <code>rightmost.closed</code> means 'leftmost is closed'. This may be useful, e.g., in survival analysis computations.
rightmost.closed	logical; if true, the rightmost interval, <code>vec[N-1] .. vec[N]</code> is treated as <i>closed</i> , see below.

Value

A data.frame containing information on intervals in which values of times fall.

See Also

[findInterval](#) [int_info](#)

Examples

```

set.seed(111018)
brks <- c(0, 4.5, 5, 10, 30)
int_info(brks)
x <- runif(3, 0, 30)
x
get_intervals(brks, x)

```

get_laglead

Construct or extract data that represents a lag-lead window

Description

Constructs lag-lead window data set from raw inputs or from data objects with suitable information stored in attributes, e.g., objects created by [as_ped](#).

Usage

```

get_laglead(x, ...)

## Default S3 method:
get_laglead(x, tz, ll_fun, ...)

## S3 method for class 'data.frame'
get_laglead(x, ...)

```

Arguments

x	Either a numeric vector of follow-up cut points or a suitable object.
...	Further arguments passed to methods.
tz	A vector of exposure times
ll_fun	Function that specifies how the lag-lead matrix should be constructed. First argument is the follow up time second argument is the time of exposure.

Examples

```

get_laglead(0:10, tz=-5:5, ll_fun=function(t, tz) { t >= tz + 2 & t <= tz + 2 + 3})
gg_laglead(0:10, tz=-5:5, ll_fun=function(t, tz) { t >= tz + 2 & t <= tz + 2 + 3})

```

get_plotinfo	<i>Extract plot information for all special model terms</i>
--------------	---

Description

Given a mgcv `gamObject`, returns the information used for the default plots produced by `plot.gam`.

Usage

```
get_plotinfo(x, ...)
```

Arguments

x	a fitted gam object as produced by <code>gam()</code> .
...	Further arguments passed to <code>plot.gam</code>

get_terms	<i>Extract the partial effects of non-linear model terms</i>
-----------	--

Description

This function basically creates a new df from data for each term in terms, creating a range from minimum and maximum of the `predict(fit, newdata=df, type="terms")`. Terms are then stacked to a tidy data frame.

Usage

```
get_terms(data, fit, terms, ...)
```

Arguments

data	A data frame containing variables used to fit the model. Only first row will be used.
fit	A fitted object of class <code>gam</code> .
terms	A character vector (can be length one). Specifies the terms for which partial effects will be returned
...	Further arguments passed to <code>seq_range</code> .

Value

A tibble with 5 columns.

Examples

```
library(survival)
fit <- coxph(Surv(time, status) ~ pspline(karno) + pspline(age), data=veteran)
terms_df <- veteran %>% get_terms(fit, terms = c("karno", "age"))
head(terms_df)
tail(terms_df)
```

gg_fixed

Forrest plot of fixed coefficients

Description

Given a model object, returns a data frame with columns variable, coef (coefficient), ci_lower (lower 95% CI) and ci_upper (upper 95% CI).

Usage

```
gg_fixed(x, intercept = FALSE, ...)
```

Arguments

x	A model object.
intercept	Logical, indicating whether intercept term should be included. Defaults to FALSE.
...	Currently not used.

See Also

[tidy_fixed](#)

Examples

```
g <- mgcv::gam(Sepal.Length ~ Sepal.Width + Petal.Length + Petal.Width + Species,
  data=iris)
gg_fixed(g, intercept=TRUE)
gg_fixed(g)
```

gg_laglead

*Plot Lag-Lead windows***Description**

Given data defining a Lag-lead window, returns respective plot as a ggplot2 object.

Usage

```
gg_laglead(x, ...)

## Default S3 method:
gg_laglead(x, tz, ll_fun, ...)

## S3 method for class 'LL_df'
gg_laglead(x, high_col = "grey20",
  low_col = "whitesmoke", grid_col = "lightgrey", ...)

## S3 method for class 'nested_fdf'
gg_laglead(x, ...)
```

Arguments

x	Either a numeric vector of follow-up cut points or a suitable object.
...	Further arguments passed to methods.
tz	A vector of exposure times
ll_fun	Function that specifies how the lag-lead matrix should be constructed. First argument is the follow up time second argument is the time of exposure.
high_col	Color used to highlight exposure times within the lag-lead window.
low_col	Color of exposure times outside the lag-lead window.
grid_col	Color of grid lines.

See Also

get_laglead

Examples

```
## Example 1: supply t, tz, ll_fun directly
gg_laglead(1:10, tz=-5:5,
  ll_fun=function(t, tz) { t >= tz + 2 & t <= tz + 2 + 3})

## Example 2: extract information on t, tz, ll_from data with respective attributes
data("simdf_elra", package = "pamtools")
gg_laglead(simdf_elra)
```

gg_partial	<i>Visualize effect estimates for specific covariate combinations</i>
------------	---

Description

Depending on the plot function and input, creates either a 1-dimensional slices, bivariate surface or (1D) cumulative effect.

Usage

```
gg_partial(data, model, term, ..., reference = NULL, ci = TRUE)
```

```
gg_partial_ll(data, model, term, ..., reference = NULL, ci = FALSE,
  time_var = "tend")
```

```
get_partial_ll(data, model, term, ..., reference = NULL, ci = FALSE,
  time_var = "tend")
```

Arguments

data	Data used to fit the model.
model	A suitable model object which will be used to estimate the partial effect of term.
term	A character string indicating the model term for which partial effects should be plotted.
...	Covariate specifications (expressions) that will be evaluated by looking for variables in x (or data). Must be of the form $z = f(z)$ where z is a variable in the data set x and f a known function that can be usefully applied to z . See examples below.
reference	If specified, should be a list with covariate value pairs, e.g. <code>list(x1 = 1, x2=50)</code> . The calculated partial effect will be relative to an observation specified in reference.
ci	Logical. Indicates if confidence intervals for the term of interest should be calculated/plotted. Defaults to TRUE.
time_var	The name of the variable that was used in model to represent follow-up time.

gg_re	<i>Plot Normal QQ plots for random effects</i>
-------	--

Description

Plot Normal QQ plots for random effects

Usage

```
gg_re(x, ...)
```

Arguments

`x` a fitted gam object as produced by `gam()`.
`...` Further arguments passed to `plot.gam`

See Also

[tidy_re](#)

Examples

```
data("lung", package="survival")
lung$inst <- as.factor(lung$inst) # for mgcv
ped <- lung %>% as_ped(Surv(time, status)~ph.ecog + inst, id="id")
pam <- mgcv::gam(ped_status ~ s(tend) + ph.ecog + s(inst, bs="re"),
  data=ped, family=poisson(), offset=offset)
gg_re(pam)
```

gg_slice

Plot ID (smooth) effects

Description

Flexible, high-level plotting function for (non-linear) effects conditional on further covariate specifications and potentially relative to a comparison specification.

Usage

```
gg_slice(data, model, term, ..., reference = NULL, ci = TRUE)
```

Arguments

`data` Data used to fit the model.
`model` A suitable model object which will be used to estimate the partial effect of `term`.
`term` A character string indicating the model term for which partial effects should be plotted.
`...` Covariate specifications (expressions) that will be evaluated by looking for variables in `x` (or `data`). Must be of the form `z = f(z)` where `z` is a variable in the data set `x` and `f` a known function that can be usefully applied to `z`. See examples below.
`reference` If specified, should be a list with covariate value pairs, e.g. `list(x1 = 1, x2=50)`. The calculated partial effect will be relative to an observation specified in `reference`.
`ci` Logical. Indicates if confidence intervals for the term of interest should be calculated/plotted. Defaults to TRUE.

Examples

```
ped <- tumor[1:200, ] %>% as_ped(Surv(days, status) ~ . )
model <- mgcv::gam(ped_status~s(tend) + s(age, by = complications), data=ped,
  family = poisson(), offset=offset)
make_newdata(ped, age = seq_range(age, 20), complications = levels(complications))
gg_slice(ped, model, "age", age=seq_range(age, 20), complications=levels(complications))
gg_slice(ped, model, "age", age=seq_range(age, 20), complications=levels(complications),
  ci = FALSE)
gg_slice(ped, model, "age", age=seq_range(age, 20), complications=levels(complications),
  reference=list(age = 50))
```

gg_smooth

*Plot smooth 1d terms of gam objects***Description**

Given a gam model this convenience function returns a plot of all smooth terms contained in the model. If more than one smooth is present, the different smooth are faceted.

Usage

```
gg_smooth(x, ...)

## Default S3 method:
gg_smooth(x, fit, ...)
```

Arguments

x	A data frame or object of class pamm.
...	Further arguments passed to get_terms
fit	A model object.

Value

A [ggplot](#) object.

See Also

[get_terms](#)

Examples

```
g1 <- mgcv::gam(Sepal.Length ~ s(Sepal.Width) + s(Petal.Length), data=iris)
gg_smooth(iris, g1, terms=c("Sepal.Width", "Petal.Length"))
```

`gg_tensor`*Plot tensor product effects*

Description

Given a gam model this convenience function returns a ggplot2 object depicting 2d smooth terms specified in the model as heat/contour plots. If more than one 2d smooth term is present individual terms are faceted.

Usage

```
gg_tensor(x, ci = FALSE, ...)
```

Arguments

<code>x</code>	a fitted gam object as produced by <code>gam()</code> .
<code>ci</code>	A logical value indicating whether confidence intervals should be calculated and returned. Defaults to TRUE.
<code>...</code>	Further arguments passed to <code>plot.gam</code>

See Also

[tidy_smooth2d](#)

Examples

```
g <- mgcv::gam(Sepal.Length ~ te(Sepal.Width, Petal.Length), data=iris)
gg_tensor(g)
gg_tensor(g, ci=TRUE)
gg_tensor(update(g, .~. + te(Petal.Width, Petal.Length)))
```

`has_tdc`*Extract time-dependent covariates from data set*

Description

For all covariates in the data set, this functions checks if the values of the covariate changes per ID or other grouping variable. Returns the names of variables that change over time.

Usage

```
has_tdc(data, id_var)
```

Arguments

data	A data frame (potentially) containing time-dependent covariates.
id_var	A character indicating the grouping variable. For each covariate it will be checked if their values change within a group specified by id_var.

Value

A character vector containing names of variables that are not constant in each group (id_var).

make_newdata	<i>Construct a data frame suitable for prediction</i>
--------------	---

Description

Given a data set, returns a data set that can be used as newdata argument in a call to predict and similar functions. The function is particularly useful in combination with one of the add_* functions, e.g., [add_term](#), [add_hazard](#), etc.

Usage

```
make_newdata(x, ...)
```

```
## Default S3 method:
make_newdata(x, ...)
```

```
## S3 method for class 'ped'
make_newdata(x, ...)
```

```
## S3 method for class 'fped'
make_newdata(x, ...)
```

Arguments

x	A data frame (or object that inherits from data.frame).
...	Covariate specifications (expressions) that will be evaluated by looking for variables in x (or data). Must be of the form $z = f(z)$ where z is a variable in the data set x and f a known function that can be usefully applied to z. See examples below.

Details

Depending on the class of x, mean or modus values will be used for variables not specified in ellipsis. If x is an object that inherits from class ped, useful data set completion will be attempted depending on variables specified in ellipsis.

Examples

```
tumor %>% make_newdata()
tumor %>% make_newdata(age=c(50))
tumor %>% make_newdata(days=seq_range(days, 3), age=c(50, 55))
tumor %>% make_newdata(days=seq_range(days, 3), status=unique(status), age=c(50, 55))
# mean/modus values of unspecified variables are calculated over whole data
tumor %>% make_newdata(sex=unique(sex))
tumor %>% group_by(sex) %>% make_newdata()
# You can also pass a part of the data sets as data frame to make_newdata
purrr::cross_df(list(days = c(0, 500, 1000), sex = c("male", "female"))) %>%
  make_newdata(x=tumor)

# Examples for PED data
ped <- tumor %>% slice(1:3) %>% as_ped(Surv(days, status)~., cut = c(0, 500, 1000))
ped %>% make_newdata(age=c(50, 55))
# if time information is specified, other time variables will be specified
# accordingly and offset calculated correctly
ped %>% make_newdata(tend = c(1000), age = c(50, 55))
ped %>% make_newdata(tend = unique(tend))
ped %>% group_by(sex) %>% make_newdata(tend = unique(tend))
```

pammtools

pammtools: Piece-wise exponential Additive Mixed Modeling tools.

Description

pammtools provides functions and utilities that facilitate fitting Piece-wise Exponential Additive Mixed Models (PAMMs), including data transformation and other convenience functions for pre- and post-processing as well as plotting.

Details

The best way to get an overview of the functionality provided and how to fit PAMMs is to view the vignettes available at <https://adibender.github.io/pammtools/articles>. A summary of the vignettes' content is given below:

- **basics**: Introduction to PAMMs and basic modeling.
- **baseline**: Shows how to estimate and visualize baseline model (without covariates) and comparison to respective Cox-PH model.
- **convenience**: Convenience functions for post-processing and plotting PAMMs.
- **data-transformation**: Transforming data into a format suitable to fit PAMMs.
- **frailty**: Specifying "frailty" terms, i.e., random effects for PAMMs.
- **splines**: Specifying spline smooth terms for PAMMs.
- **strata**: Specifying stratified models in which each level of a grouping variable has a different baseline hazard.
- **tdcovar**: Dealing with time-dependent covariates.
- **tveffects**: Specifying time-varying effects.

 patient

Survival data of critically ill ICU patients

Description

A data set containing the survival time (or hospital release time) among other covariates. This is a subset of the data discussed in [Bender et. al., 2018](#). The full data is available [here](#). The following variables are provided:

Year The year of ICU Admission

CombinedicuID Intensive Care Unit (ICU) ID

CombinedID Patient identifier

Survdays Survival time of patients. Here it is assumed that patients survive until t=30 if released from hospital.

PatientDied Status indicator; 1=death, 0=censoring

survhosp Survival time in hospital. Here it is assumed that patients are censored at time of hospital release (potentially informative)

Gender Male or female

Age The patients age at Admission

AdmCatID Admission category: medical, surgical elective or surgical emergency

ApacheIIScore The patient's Apache II Score at Admission

BMI Patient's Body Mass Index

DiagID2 Diagnosis at admission in 9 categories

Usage

```
patient
```

Format

An object of class `data.frame` with 2000 rows and 12 columns.

 ped_info

Extract interval information and median/modus values for covariates

Description

Given an object of class `ped`, returns data frame with one row for each interval containing interval information, mean values for numerical variables and modus for non-numeric variables in the data set.

Usage

```
ped_info(ped)
```

Arguments

ped An object of class ped as returned by [as_ped](#).

Value

A data frame with one row for each unique interval in ped.

See Also

[int_info](#), [sample_info](#)

Examples

```
ped <- tumor[1:4,] %>% as_ped(Surv(days, status)~ sex + age)
ped_info(ped)
```

seq_range

Generate a sequence over the range of a vector

Description

Stolen from [here](#)

Usage

```
seq_range(x, n, by, trim = NULL, expand = NULL, pretty = FALSE)
```

Arguments

x A numeric vector

n, by Specify the output sequence either by supplying the length of the sequence with n, or the spacing between value with by. Specifying both is an error. I recommend that you name these arguments in order to make it clear to the reader.

trim Optionally, trim values off the tails. $\text{trim} / 2 * \text{length}(x)$ values are removed from each tail.

expand Optionally, expand the range by $\text{expand} * (1 + \text{range}(x))$ (computed after trimming).

pretty If TRUE, will generate a pretty sequence. If n is supplied, this will use [pretty\(\)](#) instead of [seq\(\)](#). If by is supplied, it will round the first value to a multiple of by.

Examples

```
x <- rcauchy(100)
seq_range(x, n = 10)
seq_range(x, n = 10, trim = 0.1)
seq_range(x, by = 1, trim = 0.1)

# Make pretty sequences
y <- runif (100)
seq_range(y, n = 10)
seq_range(y, n = 10, pretty = TRUE)
seq_range(y, n = 10, expand = 0.5, pretty = TRUE)

seq_range(y, by = 0.1)
seq_range(y, by = 0.1, pretty = TRUE)
```

simdf_elra

Simulated data with cumulative effects

Description

This is data simulated using the [sim_pexp](#) function. It contains two time-constant and two time-dependent covariates (observed on different exposure time grids). The code used for simulation is contained in the examples of `?sim_pexp`.

Usage

```
simdf_elra
```

Format

An object of class `nested_fdf` (inherits from `sim_sdf`, `ped`, `tbl_df`, `tbl`, `data.frame`) with 250 rows and 9 columns.

sim_pexp

Simulate survival times from the piece-wise exponential distribution

Description

Simulate survival times from the piece-wise exponential distribution

Usage

```
sim_pexp(formula, data, cut)
```

Arguments

formula	An extended formula that specifies the linear predictor. If you want to include a smooth baseline or time-varying effects, use <code>t</code> within your formula as if it was a covariate in the data, although it is not and should not be included in the data provided to <code>sim_pexp</code> . See examples below.
data	A data set with variables specified in <code>formula</code> .
cut	A sequence of time-points starting with 0.

Examples

```

library(survival)
library(dplyr)
library(pamtools)

# set number of observations/subjects
n <- 250
# create data set with variables which will affect the hazard rate.
df <- cbind.data.frame(x1 = runif (n, -3, 3), x2 = runif (n, 0, 6)) %>%
  as_tibble()
# the formula which specifies how covariates affect the hazard rate
f0 <- function(t) {
  dgamma(t, 8, 2) *6
}
form <- ~ -3.5 + f0(t) -0.5*x1 + sqrt(x2)
set.seed(24032018)
sim_df <- sim_pexp(form, df, 1:10)
head(sim_df)
plot(survfit(Surv(time, status)~1, data = sim_df ))

# for control, estimate with Cox PH
mod <- coxph(Surv(time, status) ~ x1 + pspline(x2), data=sim_df)
coef(mod)[1]
layout(matrix(1:2, nrow=1))
termpplot(mod, se = TRUE)

# and using PAMs
layout(1)
ped <- sim_df %>% as_ped(Surv(time, status)~., max_time=10)
library(mgcv)
pam <- gam(ped_status ~ s(tend) + x1 + s(x2), data=ped, family=poisson, offset=offset)
coef(pam)[2]
plot(pam, page=1)

## Not run:
# Example 2: Functional covariates/cumulative coefficients
# function to generate one exposure profile, tz is a vector of time points
# at which TDC z was observed
rng_z = function(nz) {
  as.numeric(arima.sim(n = nz, list(ar = c(.8, -.6))))
}
# two different exposure times for two different exposures

```

```

tz1 <- 1:10
tz2 <- -5:5
# generate exposures and add to data set
df <- df %>%
  add_tdc(tz1, rng_z) %>%
  add_tdc(tz2, rng_z)
df

# define tri-variate function of time, exposure time and exposure z
ft <- function(t, tmax) {
  -1*cos(t/tmax*pi)
}
fdnorm <- function(x) (dnorm(x,1.5,2)+1.5*dnorm(x,7.5,1))
wpeak2 <- function(lag) 15*dnorm(lag,8,10)
wdnorm <- function(lag) 5*(dnorm(lag,4,6)+dnorm(lag,25,4))
f_xyz1 <- function(t, tz, z) {
  ft(t, tmax=10) * 0.8*fdnorm(z)* wpeak2(t - tz)
}
f_xyz2 <- function(t, tz, z) {
  wdnorm(t-tz) * z
}

# define lag-lead window function
ll_fun <- function(t, tz) {t >= tz}
ll_fun2 <- function(t, tz) {t - 2 >= tz}
# simulate data with cumulative effect
sim_df <- sim_pexp(
  formula = ~ -3.5 + f0(t) -0.5*x1 + sqrt(x2)|
  fcumu(t, tz1, z.tz1, f_xyz=f_xyz1, ll_fun=ll_fun) +
  fcumu(t, tz2, z.tz2, f_xyz=f_xyz2, ll_fun=ll_fun2),
  data = df,
  cut = 0:10)

## End(Not run)

```

split_tdc

Create piece-wise exponential data in case of time-dependent covariates

Description

Given to data frames, one containing event time information (one row per subject) and one containing information on time-dependent covariates, creates piece-wise exponential data (with one split per event time and time at which a TDC changes its value).

Usage

```

split_tdc(formula, event_df, tdc_df, tz_var, id_var = "id",
  time_var = "time", status_var = "status", cens_value = 0,
  entry_time = 0, ...)

```

Arguments

formula	A two sided formula with a Surv object on the left-hand-side and covariate specification on the right-hand-side (RHS). The RHS can be an extended formula, which specifies how TDCs should be transformed using specials <code>concurrent</code> and <code>cumulative</code> .
event_df	Data frame (or similar) containing survival information.
tdc_df	Data frame (or similar) containing information on time-dependent covariates
tz_var	The time variable in <code>tdc_df</code> indicating time points at which time-dependent covariate (<code>tdc</code>) was observed. Needs to be the same name in both data sets.
id_var	The ID variable name, identifying subjects.
time_var	A character, specifies the column of the event or censoring time in <code>event_df</code> and the time of measurement for the time-dependent covariates in <code>tdc_df</code> .
status_var	As <code>time_var</code> , but specifies column containing the event indicator. Can be missing in the <code>tdc_df</code> .
cens_value	The value that indicates censoring in the <code>status_var</code> column.
entry_time	If scalar, the time-point at which the follow up for each observation unit begins. (Eventually, support for subject specific entry time could be supported through this argument).
...	Further arguments passed to the <code>data.frame</code> method and eventually to survSplit

tidy_re	<i>Extract random effects in tidy data format.</i>
---------	--

Description

Extract random effects in tidy data format.

Usage

```
tidy_re(x, keep = c("fit", "main", "xlab", "ylab"), ...)
```

Arguments

x	a fitted <code>gam</code> object as produced by <code>gam()</code> .
keep	A vector of variables to keep.
...	Further arguments passed to plot.gam

See Also

[qqline](#)

tidy_smooth	<i>Extract 1d smooth objects in tidy data format.</i>
-------------	---

Description

Extract 1d smooth objects in tidy data format.

Usage

```
tidy_smooth(x, keep = c("x", "fit", "se", "xlab", "ylab"), ci = TRUE,
  ...)
```

Arguments

x	a fitted gam object as produced by gam().
keep	A vector of variables to keep.
ci	A logical value indicating whether confidence intervals should be calculated and returned. Defaults to TRUE.
...	Further arguments passed to plot.gam

tidy_smooth2d	<i>Extract 2d smooth objects in tidy format.</i>
---------------	--

Description

Extract 2d smooth objects in tidy format.

Usage

```
tidy_smooth2d(x, keep = c("x", "y", "fit", "se", "xlab", "ylab", "main"),
  ci = FALSE, ...)
```

Arguments

x	a fitted gam object as produced by gam().
keep	A vector of variables to keep.
ci	A logical value indicating whether confidence intervals should be calculated and returned. Defaults to TRUE.
...	Further arguments passed to plot.gam

tumor

Stomach area tumor data

Description

Information on patients treated for a cancer disease located in the stomach area. The data set includes:

days Time from operation until death in days.

status Event indicator (0 = censored, 1 = death).

age The subject's age.

sex The subject's sex (male/female).

charlson_score Charlson comorbidity score, 1-6.

transfusion Has subject received transfusions (no/yes).

complications Did major complications occur during operation (no/yes).

metastases Did the tumor develop metastases? (no/yes).

resection Was the operation accompanied by a major resection (no/yes).

Usage

tumor

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 776 rows and 9 columns.

Index

*Topic **datasets**

- daily, 8
 - extub_event, 9
 - geom_hazard, 9
 - geom_stepribbon, 11
 - patient, 25
 - simdf_elra, 27
 - tumor, 32
- add_cumu_hazard (add_hazard), 2
- add_hazard, 2, 23
- add_surv_prob, 4, 4, 5
- add_tdc, 5
- add_term, 6, 23
- aes(), 10, 11
- aes_(), 10, 11
- as_ped, 7, 15, 26
- borders(), 10, 12
- daily, 8
- extub_event, 9
- extub_tdc (extub_event), 9
- findInterval, 14
- fortify(), 10, 12
- gam, 3, 5, 16
- gamObject, 16
- geom_hazard, 9
- geom_line, 10
- geom_ribbon, 12
- geom_step, 10
- geom_stephazard (geom_hazard), 9
- geom_stepribbon, 11
- geom_surv (geom_hazard), 9
- GeomHazard (geom_hazard), 9
- GeomStepHazard (geom_hazard), 9
- GeomStepribbon (geom_stepribbon), 11
- GeomSurv (geom_hazard), 9
- get_cumu_coef, 12
- get_cumu_eff, 13
- get_hazard, 4, 5
- get_intervals, 14
- get_laglead, 15
- get_partial_ll (gg_partial), 19
- get_plotinfo, 16
- get_terms, 16, 21
- gg_cumu_eff (get_cumu_eff), 13
- gg_fixed, 17
- gg_laglead, 18
- gg_partial, 19
- gg_partial_ll (gg_partial), 19
- gg_re, 19
- gg_slice, 20
- gg_smooth, 21
- gg_tensor, 22
- ggplot, 21
- ggplot(), 10, 11
- has_tdc, 22
- int_info, 14, 26
- is.ped (as_ped), 7
- layer(), 10, 12
- make_newdata, 23
- pammtools, 24
- pammtools-package (pammtools), 24
- patient, 8, 25
- ped_info, 25
- plot.gam, 16, 20, 22, 30, 31
- predict.gam, 2, 4–6
- pretty, 26
- qqline, 30
- sample_info, 26
- seq, 26

seq_range, [16](#), [26](#)
sim_pexp, [5](#), [27](#), [27](#)
simdf_elra, [27](#)
split_tdc, [29](#)
Surv, [7](#), [30](#)
survSplit, [8](#), [30](#)

tidy_fixed, [17](#)
tidy_re, [20](#), [30](#)
tidy_smooth, [31](#)
tidy_smooth2d, [22](#), [31](#)
tumor, [32](#)