

Package ‘qicharts’

October 13, 2022

Version 0.5.8

Title Quality Improvement Charts

Description Functions for making run charts

[Anhoej, Olesen (2014) <[doi:10.1371/journal.pone.0113825](https://doi.org/10.1371/journal.pone.0113825)>] and basic Shewhart control charts [Mohammed, Worthington, Woodall (2008) <[doi:10.1136/qshc.2004.012047](https://doi.org/10.1136/qshc.2004.012047)>] for measure and count data.

The main function, `qic()`, creates run and control charts and has a simple interface with a rich set of options to control data analysis and plotting, including options for automatic data aggregation by subgroups, easy analysis of before-and-after data, exclusion of one or more data points from analysis, and splitting charts into sequential time periods.

Missing values and empty subgroups are handled gracefully.

Depends R (>= 3.0.0)

Imports lattice, latticeExtra, graphics, grDevices, stats, scales, ggplot2 (>= 2.0.0),

Suggests knitr, rmarkdown

VignetteBuilder knitr

License GPL-3

Encoding UTF-8

RoxygenNote 7.1.1

NeedsCompilation no

Author Jacob Anhoej [aut, cre],
Timo Roeder [ctb]

Maintainer Jacob Anhoej <jacob@anhoej.net>

Repository CRAN

Date/Publication 2021-04-20 12:20:03 UTC

R topics documented:

paretochart 2

plot.qic	3
qic	3
summary.tcc	8
tcc	9
trc	13

Index 15

paretochart *Pareto chart*

Description

Creates a pareto chart from a categorical variable

Usage

```
paretochart(
  x,
  main,
  ylab = "Frequency",
  xlab = "",
  cumperc.by = 20,
  cex = 0.8,
  ...
)
```

Arguments

x	Categorical vector to be plotted
main	Plot title
ylab	Label on y axis
xlab	Label on x axis
cumperc.by	Grid interval
cex	Number indicating the amount by which text and symbols should be magnified.
...	Further arguments to plot function

Value

A table of frequencies and percentages from the pareto analysis

Author(s)

Jacob Anhoej

Examples

```
x <- rep(LETTERS[1:9], c(256, 128, 64, 32, 16, 8, 4, 2, 1))
paretochart(x)
```

plot.qic	<i>Plot qic object</i>
----------	------------------------

Description

Plot qic object

Usage

```
## S3 method for class 'qic'  
plot(x, y = NULL, ...)
```

Arguments

x	List object returned from the qic() function.
y	Ignored. Included for compatibility with generic plot function.
...	Further arguments to plot function.

Value

Creates a qic plot.

Examples

```
y <- rnorm(24)  
p <- qic(y, plot.chart = FALSE)  
plot(p)
```

qic	<i>Quality improvement charts</i>
-----	-----------------------------------

Description

Run and control charts for quality improvement and control

Usage

```
qic(  
  y,  
  n,  
  x,  
  data,  
  chart = c("run", "i", "mr", "xbar", "s", "t", "p", "c", "u", "g"),  
  notes = NULL,
```

```

cl = NULL,
agg.fun = c("mean", "sum"),
ylim = NULL,
target = NULL,
direction = NULL,
freeze = NULL,
breaks = NULL,
exclude = NULL,
negy = TRUE,
dots.only = FALSE,
multiply = 1,
prime = FALSE,
standardised = FALSE,
x.format = "%Y-%m-%d",
nint = 5,
cex = 0.8,
main,
xlab = "Subgroup",
ylab = "Indicator",
sub = NULL,
decimals = NULL,
pre.text = "Before data",
post.text = "After data",
llabs = c("LCL", "CL", "UCL", "TRG"),
runvals = FALSE,
linevals = TRUE,
plot.chart = TRUE,
print.out = FALSE,
...
)

```

Arguments

y	Numeric vector of counts or measures to plot. Mandatory.
n	Numeric vector of sample sizes. Mandatory for P and U charts.
x	Subgrouping vector used for aggregating data and making x-labels. Mandatory for Xbar and S charts.
data	Data frame containing variables.
chart	Type of control chart. Possible types are: <ul style="list-style-type: none"> • "run": run chart (default). • "i": individuals chart. • "mr": moving range chart. • "xbar": sample average chart. • "s": sample standard deviation chart. • "t": time between events chart. • "p": proportions chart.

	<ul style="list-style-type: none"> • "c": counts chart. • "u": rates chart. • "g": cases between events chart.
notes	Character vector of notes to be added to individual. data points.
cl	Value specifying the center line (if known). Must be of length one or same as number of subgroups (for variable center line).
agg.fun	String specifying the aggregate function if there is more than one value per subgroup. Possible values are 'mean' and 'sum'. Only relevant if you want to aggregate count data with run charts or I charts. If <code>agg.fun = 'sum'</code> , the <code>n</code> argument (if provided) will be ignored.
ylim	Range of y axis limits.
target	Value specifying a target line to plot.
direction	Value indication direction of improvement, 0 (down) or 1 (up).
freeze	Number identifying the last data point to include in calculations of center and limits (ignored if <code>breaks</code> argument is given).
breaks	Numeric vector of break points. Useful for splitting graph in two or more sections with separate center line and control limits.
exclude	Numeric vector of data points to exclude from calculations of center and control lines.
negy	Logical value, if TRUE, the y axis is allowed to be negative (only relevant for I and Xbar charts).
dots.only	Logical value. If TRUE, data points are not connected by lines and runs analysis is not performed. Useful for comparison and funnel plots.
multiply	Integer indicating a number to multiply y axis by, e.g. 100 for percents rather than proportions.
prime	Logical value, if TRUE, control limits incorporate between-subgroup variation as proposed by Laney (2002). This is recommended for data involving very large sample sizes. Only relevant for P and U charts.
standardised	Logical value, if TRUE, creates a standardised control chart, where points are plotted in standard deviation units along with a center line at zero and control limits at 3 and -3. Only relevant for P, U and Xbar charts.
x.format	Date format of x axis labels. See <code>?strftime</code> for date formats.
nint	Number indicating (approximately) the desired number of tick marks on the x axis.
cex	Number indicating the amount by which text and symbols should be magnified.
main	Character string specifying the title of the plot.
xlab	Character string specifying the x axis label.
ylab	Character string specifying the y axis label.
sub	Character string specifying a subtitle to be printed in the lower left corner of the plot.
decimals	Integer indicating the number of decimals shown for center and limits on the plot. Default behaviour is smart rounding to at least two significant digits.

pre.text	Character string labelling pre-freeze period
post.text	Character string labelling post-freeze period
llabs	Character vector with four elements specifying labels for lower control limit, centre line, upper control limit and target line respectively
runvals	Logical value, if TRUE, prints statistics from runs analysis on plot.
linevals	Logical value, if TRUE, prints values for center and control lines on plot.
plot.chart	Logical value, if TRUE, prints plot.
print.out	Logical value, if TRUE, prints return value
...	Further arguments to plot function.

Details

If chart is not specified, `qic()` plots a **run chart**. Non-random variation will be marked by a dashed, yellow center line (the median) if either the longest run of data points above or below the median is longer than predicted or if the graph crosses the median fewer times than predicted (see references for details).

Only the `y` argument giving the count or measure of interest is mandatory for a run chart. If a denominator argument, `n`, is given, y/n will be plotted. If a subgrouping argument, `x`, is given, $sum(y)/sum(n)$, within each subgroup will be plotted. This behaviour can be modified using the `agg.fun` argument.

With **controlcharts**, data aggregation by subgroups is handled according to chart type. For P, U, and I charts, data are aggregated as described for the run chart. For the C chart, the sum of counts, $sum(y)$, within each subgroups will be plotted.

For Xbar and S charts, the subgrouping argument, `x`, is mandatory. However, the sample size argument, `n`, is irrelevant and will be ignored.

The subgrouping argument, `x`, is irrelevant for T and G charts, and, if given, an error will occur if any subgroup has more than one element.

If more than one note is present within any subgroup, the first note (alphabetically) is chosen.

If both `prime` and `standardised` are TRUE, points are plotted in units corresponding to Laney's modified "standard deviation", which incorporates the variation between subgroups.

Value

A list of of class `qic` containing values and parameters of the `qic` plot.

References

Runs analysis:

- Jacob Anhoej, Anne Vingaard Olesen (2014). Run Charts Revisited: A Simulation Study of Run Chart Rules for Detection of Non-Random Variation in Health Care Processes. PLoS ONE 9(11): e113825. doi: 10.1371/journal.pone.0113825 .
- Jacob Anhoej (2015). Diagnostic Value of Run Chart Analysis: Using Likelihood Ratios to Compare Run Chart Rules on Simulated Data Series. PLoS ONE 10(3): e0121349. doi: 10.1371/journal.pone.0121349

- Mark F. Schilling (2012). The Surprising Predictability of Long Runs. *Math. Mag.* 85, 141-149.
- Zhenmin Chen (2010). A note on the runs test. *Model Assisted Statistics and Applications* 5, 73-77.

Calculation of control limits:

- Douglas C. Montgomery (2009). *Introduction to Statistical Process Control, Sixth Edition*, John Wiley & Sons.
- James C. Benneyan (2001). Number-Between g-Type Statistical Quality Control Charts for Monitoring Adverse Events. *Health Care Management Science* 4, 305-318.
- Lloyd P. Provost, Sandra K. Murray (2011). *The Health Care Data Guide: Learning from Data for Improvement*. San Francisco: John Wiley & Sons Inc.
- David B. Laney (2002). Improved control charts for attributes. *Quality Engineering*, 14(4), 531-537.

Examples

```
set.seed(1)
# Run chart of 24 samples of a random continuous variable
# with an approximate mean = 12 and standard deviation = 3.
y <- rnorm(24, 12, 3)
qic(y)

# Add subgroup vector (dates) and a target
x <- seq.Date(as.Date('2013-08-04'), by = 'week', length = 24)
qic(y, x = x, target = 16)

# Individuals control chart
qic(y, x = x, chart = 'i')

# Xbar control chart, sample size = 5
y <- rnorm(5 * 24)
x <- rep(x, 5)
qic(y, x = x, chart = 'xbar')

# Create data frame with counts and sample sizes by week
d <- data.frame(week = seq.Date(as.Date('2013-08-04'),
                               by = 'week',
                               length = 36),
                y = c(rbinom(24, 20, 0.5), rbinom(12, 20, 0.8)),
                n = round(rnorm(36, 20, 2)))

# Proportions control chart
qic(y, n, x = week, data = d[1:24,], chart = 'p')

# Introduce change in process performance
qic(y, n, x = week, data = d, chart = 'p')

# Freeze baseline to first 24 samples
qic(y, n, x = week, data = d, chart = 'p', freeze = 24)
```

```

# Break control chart before and after change
qic(y, n, x = week, data = d, chart = 'p', breaks = 24)

# Introduce extreme sample value and notes
d$a <- ''
d$a[30] <- 'Extreme value'
d$y[30] <- 1
qic(y, n, x = week, data = d, chart = 'p',
     breaks = 24,
     notes = a)

# Exclude value from calculations
d$a[30] <- 'Value excluded from calculations'
qic(y, n, x = week, data = d, chart = 'p',
     breaks = 24,
     notes = a,
     exclude = 30)

```

summary.tcc

Summarise Trellis Control Charts

Description

Summary function for tcc objects.

Usage

```
## S3 method for class 'tcc'
summary(object, ...)
```

Arguments

object	tcc object
...	Ignored. Included for compatibility with generic summary function.

Value

A data frame with summary statistics of the tcc object.

Examples

```

# Build data frame for example
d <- data.frame(x = rep(1:24, 4),
                mo = (rep(seq(as.Date('2014-1-1'),
                              length.out = 24,
                              by = 'month'),
                          4)),
                n = rbinom(4 * 24, 100, 0.5),

```

```
d = round(runif(4 * 24, 90, 110)),
g1 = rep(c('a', 'b'), each = 48),
g2 = rep(c('A', 'B'), each = 24))

# P chart
p <- tcc(n, d, mo, g1 = g1, g2 = g2, breaks = 12, data = d, chart = 'p')
plot(p)
summary(p)
```

tcc

Trellis Control Charts

Description

Run and control charts for multivariate data i trellis (grid) layout.

Usage

```
tcc(
  n,
  d,
  x,
  g1,
  g2,
  breaks,
  notes,
  data,
  chart = c("run", "i", "mr", "xbar", "s", "t", "p", "c", "u", "g"),
  multiply = 1,
  freeze = NULL,
  exclude,
  target = NA,
  n.sum = FALSE,
  y.neg = TRUE,
  y.percent = FALSE,
  y.expand = NULL,
  x.pad = 1,
  x.date.format = NULL,
  cl.lab = TRUE,
  cl.decimals = NULL,
  main,
  xlab = "Subgroup",
  ylab = "Value",
  subtitle = NULL,
  caption = NULL,
  cex = 1,
  pex = 1,
  prime = TRUE,
```

```

    flip = FALSE,
    dots.only = FALSE,
    print.summary = FALSE,
    ...
)

```

Arguments

n	Numerator, numeric vector of counts or measures to plot. Mandatory.
d	Denominator, numeric vector of subgroup sizes. Mandatory for P and U charts.
x	Subgrouping vector used for aggregating data by subgroup and making x-labels. Mandatory for Xbar and S charts.
g1	Grouping vector 1 used for trellis layout (facets).
g2	Grouping vector 2 used for trellis layout (facets).
breaks	Numeric vector of break points. Useful for splitting graph in two or more sections with separate center line and control limits.
notes	Character vector of notes to be added to individual. data points.
data	Data frame containing variables.
chart	Type of control chart. Possible types are: <ul style="list-style-type: none"> • "run": run chart (default). • "i": individuals chart. • "mr": moving range chart. • "xbar": sample average chart. • "s": sample standard deviation chart. • "t": time between events chart. • "p": proportions chart. • "c": counts chart. • "u": rates chart. • "g": cases between events chart.
multiply	Integer indicating a number to multiply y axis by, e.g. 100 for percents rather than proportions. See also y.percent argument.
freeze	Number identifying the last data point to include in calculations of center and limits (ignored if breaks argument is given).
exclude	Numeric vector of data points to exclude from runs analysis and calculations of center and control lines (same for each facet).
target	Numeric value indicating a target value to be plotted as a horizontal line (same for each facet).
n.sum	Logical value indicating whether the mean (default) or sum of numerator (n argument) per subgroup should be plotted. Only relevant for run, C, and I charts with multiple counts per subgroup.
y.neg	Logical value. If TRUE (default), the y axis is allowed to be negative (only relevant for I and Xbar charts).

<code>y.percent</code>	Logical. If TRUE, formats y axis labels as percent.
<code>y.expand</code>	Numeric value to include in y axis. Useful e.g. for beginning y axis at zero.
<code>x.pad</code>	Number indicating expansion of x axis to make room for center line labels.
<code>x.date.format</code>	Date format of x axis labels. See <code>?strftime()</code> for possible date formats.
<code>cl.lab</code>	Logical value. If TRUE (default), plots center line labels.
<code>cl.decimals</code>	Number of decimals on center line labels.
<code>main</code>	Character string specifying the title of the plot.
<code>xlab</code>	Character string specifying the x axis label.
<code>ylab</code>	Character string specifying the y axis label.
<code>subtitle</code>	Character string specifying the subtitle.
<code>caption</code>	Character string specifying the caption.
<code>cex</code>	Number indicating the amount by which text should be magnified.
<code>pex</code>	Number indicating the amount by which plotting symbols should be magnified.
<code>prime</code>	Logical value, If TRUE (default unless <code>dots.only = TRUE</code>), control limits incorporate between-subgroup variation as proposed by Laney (2002). Only relevant for P and U charts.
<code>flip</code>	Logical. If TRUE rotates the plot 90 degrees.
<code>dots.only</code>	Logical value. If TRUE, data points are not connected by lines, <code>prime</code> is forced to be FALSE, and runs analysis is not performed. Useful for comparison and funnel plots.
<code>print.summary</code>	Logical. If TRUE, prints summary of <code>tcc</code> object.
<code>...</code>	Further arguments to <code>ggplot</code> function.

Details

`tcc()` is a wrapper function for `ggplot2()` that makes multivariate run and control charts. It takes up to two grouping variables for multidimensional trellis plots.

Note that, in contrast to the `qic()` function, the `prime` argument defaults to TRUE, which means that control limits of P and U charts by default incorporate between-subgroup variation as proposed by Laney (2002).

Value

An object of class `ggplot`.

References

Runs analysis:

- Jacob Anhoej, Anne Vingaard Olesen (2014). Run Charts Revisited: A Simulation Study of Run Chart Rules for Detection of Non-Random Variation in Health Care Processes. PLoS ONE 9(11): e113825. doi: 10.1371/journal.pone.0113825 .

- Jacob Anhoj (2015). Diagnostic Value of Run Chart Analysis: Using Likelihood Ratios to Compare Run Chart Rules on Simulated Data Series. PLoS ONE 10(3): e0121349. doi: 10.1371/journal.pone.0121349
- Mark F. Schilling (2012). The Surprising Predictability of Long Runs. Math. Mag. 85, 141-149.
- Zhenmin Chen (2010). A note on the runs test. Model Assisted Statistics and Applications 5, 73-77.

Calculation of control limits:

- Douglas C. Montgomery (2009). Introduction to Statistical Process Control, Sixth Edition, John Wiley & Sons.
- James C. Benneyan (2001). Number-Between g-Type Statistical Quality Control Charts for Monitoring Adverse Events. Health Care Management Science 4, 305-318.
- Lloyd P. Provost, Sandra K. Murray (2011). The Health Care Data Guide: Learning from Data for Improvement. San Francisco: John Wiley & Sons Inc.
- David B. Laney (2002). Improved control charts for attributes. Quality Engineering, 14(4), 531-537.

Examples

```
# Run chart of 24 random normal variables
tcc(rnorm(24))

# Build data frame for examples
d <- data.frame(x = rep(1:24, 4),
               mo = (rep(seq(as.Date('2014-1-1'),
                             length.out = 24,
                             by = 'month'),
                             4)),
               n = rbinom(4 * 24, 100, 0.5),
               d = round(runif(4 * 24, 90, 110)),
               g1 = rep(c('a', 'b'), each = 48),
               g2 = rep(c('A', 'B'), each = 24))

# Run chart with two grouping variables
tcc(n, d, mo, g1 = g1, g2 = g2, data = d)

# P chart
tcc(n, d, mo, g1 = g1, g2 = g2, data = d, chart = 'p')

# P chart with baseline fixed to the first 12 data points
tcc(n, d, mo, g1 = g1, g2 = g2, data = d, chart = 'p', freeze = 12)

# P chart with two breaks and summary output
tcc(n, d, mo, g1 = g1, g2 = g2, data = d, chart = 'p',
    breaks = c(12, 18), print.summary = TRUE)
```

trc *Trellis run charts for multivariate data*

Description

Run charts for multivariate data in trellis (grid) layout.

Usage

```
trc(
  x,
  chart = c("run", "i"),
  xscale = "same",
  yscale = "same",
  dec = NULL,
  xpad = 0.1,
  pch = 20,
  cex = 0.7,
  gap = 0.5,
  target = NA,
  ...
)
```

Arguments

x	Formula object to plot. The formula is of the form $y \sim x \mid g1 + g2 + \dots$, indicating that plots of y (on the y-axis) versus x (on the x-axis) should be produced conditional on the variables g1, g2.
chart	Type of chart: 'run' or 'i'.
xscale	Scaling of x-axes: 'same' or 'free'.
yscale	Scaling of y-axes: 'same' or 'free'.
dec	Number of decimals of median value. The default behaviour (smart rounding to at least two significant digits) should be satisfactory in most cases.
xpad	Number specifying the fraction by which to extend the x-axis in order to make space for the median label.
pch	Plotting character.
cex	Number indicating the magnification of plotting character.
gap	Number indicating spacing between panels.
target	Value specifying a target line to plot.
...	Further arguments to <code>xyplot</code> .

Details

This function is a wrapper for `xyplot` from the `lattice` package. Some usefull arguments from `xyplot` are `main`, `ylab`, `xlab`, and `layout`.

Value

Returns an object of class "trellis".

See Also

[xyplot](#), [qic](#)

Examples

```
# Trellis run chart on 1 conditioning variable
d1 <- data.frame(y = rnorm(96, 12, 3),
                expand.grid(x = 1:24,
                          g = LETTERS[1:4]))
trc(y ~ x | g, data = d1, main = 'Trellis run chart')

# Add target line
trc(y ~ x | g, data = d1, main = 'Trellis run chart', target = 20)

# Trellis run chart on 2 conditioning variables
d2 <- data.frame(y = rnorm(144, 12, 3),
                expand.grid(x = seq.Date(as.Date('2014-1-1'),
                                       by = 'week',
                                       length.out = 24),
                          g1 = LETTERS[1:3],
                          g2 = letters[1:2]))
trc(y ~ x | g1 + g2, data = d2, main = 'Trellis run chart')

# Introduce a shift in process performance
d2$y[132:144] <- d2$y[132:144] * 3
trc(y ~ x | g1 + g2, data = d2, main = 'Trellis run chart')

# Make I chart
trc(y ~ x | g1 + g2, data = d2, main = 'Trellis run chart', chart = 'i')
```

Index

`lattice`, [13](#)

`paretochart`, [2](#)

`plot.qic`, [3](#)

`qic`, [3](#), [14](#)

`summary.tcc`, [8](#)

`tcc`, [9](#)

`trc`, [13](#)

`xyplot`, [13](#), [14](#)