

Package ‘refnr’

October 14, 2022

Type Package

Title Refining Data Table Using a Set of Formulas

Version 0.1.0

Author Kim Seonghyun [aut, cre]

Maintainer Kim Seonghyun <shyeon.kim@scipi.net>

Description A tool for refining data frame with formulas.

Suggests testthat

Depends R (>= 3.1.2)

License Apache License 2.0 | file LICENSE

URL <https://github.com/zedoul/refnr>

BugReports <https://github.com/zedoul/refnr/issues>

NeedsCompilation no

Repository CRAN

Date/Publication 2016-04-19 08:12:07

R topics documented:

| | |
|-----------------|----------|
| refnr | 1 |
| Index | 3 |

| | |
|-------|--|
| refnr | <i>Refining Data Table using a Set of Formulas</i> |
|-------|--|

Description

refnr() performs a data refinement through R script eval function using a formula table.

Usage

```
refnr(.data, formulas)
```

Arguments

.data A data table

formulas A data table that describes a set of formulas. It is supposed to have only two columns: Name and Formula respectively.

Author(s)

Kim Seonghyun

Examples

```
library(refnr)
formulas <- rbind(c(Name = "Length",
                    Formula = "Sepal.Length + Petal.Length"),
                 c(Name = "Width",
                    Formula = "Sepal.Width + Petal.Width"))
res <- refnr(iris, formulas)
```

Index

* **refinement**
refnr, 1

refnr, 1