

Package ‘rgoogleSlides’

September 3, 2018

Type Package

Title R Interface to Google Slides

Version 0.3.1

Author Hairizuan Bin Noorazman

Maintainer Hairizuan Noorazman <hairizuanbinnoorazman@gmail.com>

Description Previously, when one is working with in the Google Ecosystem (Using Google Drive etc), there is hardly any good workflow of getting the values calculated from R and getting that into Google Slides. The normal and easy way out would be to just copy your work over but when you have a number of analysis to present with a lot of changes between each environment, it just becomes quite cumbersome.

License MIT + file LICENSE

LazyData TRUE

Imports httr (>= 1.1.0), jsonlite, assertthat, R6

Suggests knitr, rmarkdown, testthat

RoxygenNote 6.1.0

NeedsCompilation no

Repository CRAN

Date/Publication 2018-09-03 08:10:03 UTC

R topics documented:

add_create_image_request	2
add_create_shape_request	3
add_create_slide_page_request	4
add_create_table_request	5
add_create_video_request	6
add_delete_object_request	7
add_delete_table_column_request	7
add_delete_table_row_request	8
add_delete_text_request	8
add_insert_table_columns_request	9

add_insert_table_rows_request	10
add_insert_text_request	10
add_replace_all_shapes_with_image_request	11
add_replace_all_text_request	12
add_update_slides_position_request	13
aligned_page_element_property	13
authorize	14
check_validity	15
commit_to_slides	15
create_data_table	16
create_slides	16
dataframe_convert	17
get_endpoint	17
get_google_drive_urls	18
get_slides_properties	18
get_slide_page_properties	18
is.google_slide_request	19
is.page_element_property	19
page_element_property	20
rgoogleSlides	21

Index 22

add_create_image_request

Add a create image request

Description

Add a create image request

Usage

```
add_create_image_request(google_slides_request = NULL,
  page_element_property, url, object_id = NULL)
```

Arguments

google_slides_request	(Optional) A Google Slides Request object which is used to manage requests to the API
page_element_property	A list that contains a page element property. The page element is to be generated by the page_element_property function in this package.
url	A character vector container an image url that is to be used to add image to the slides
object_id	(Optional) A character vector to name the object created instead of leaving it to Google

`add_create_shape_request`*Add a create shape request*

Description

This function builds up the request for creating shapes within Google Slides via the API.

Usage

```
add_create_shape_request(google_slides_request = NULL, shape_type,  
  page_element_property, object_id = NULL)
```

Arguments

<code>google_slides_request</code>	(Optional) A Google Slides Request object which is used to manage requests to the API
<code>shape_type</code>	A character vector that contains the shape type for the new shape that is to be created
<code>page_element_property</code>	A list that contains a page element property. The page element is to be generated by the <code>page_element_property</code> function in this package. IT IS COMPULSORY TO ADD WIDTH AND HEIGHT AS PART OF THE <code>page_element_property</code>
<code>object_id</code>	(Optional) A character vector to name the object created instead of leaving it to Google

Examples

```
## Not run:  
library(rgoogleslides)  
rgoogleslides::authorize()  
  
# Define the presentation slide id (Can be retrieved from the url of the slides)  
slides_id <- "<slide-id>"  
  
slide_page <- page_element_property("p", 200, 300)  
request <- add_create_shape_request(shape_type = "RECTANGLE", page_element_property = slide_page)  
commit_to_slides(slides_id, request)  
  
slide_page <- aligned_page_element_property("p", image_height = 200, image_width = 300)  
request2 <- add_create_shape_request(shape_type = "STAR_5", page_element_property = slide_page)  
commit_to_slides(slides_id, request2)  
  
## End(Not run)
```

 add_create_slide_page_request

Add a create slide request

Description

Add a create slide request

Usage

```
add_create_slide_page_request(google_slides_request = NULL,
  insertion_index = NULL, layout_id = NULL, predefined_layout = NULL,
  object_id = NULL)
```

Arguments

google_slides_request

(Optional) A Google Slides Request object which is used to manage requests to the API

insertion_index

(Optional) A numeric vector on where the slide is to be added. If this value is not provided, the new slide will be added at the end of the slides.

layout_id

(Optional) A character vector that provides guidance on which layout the new slide is to follow. Either layout id or predefined layout will be used to create the template for the new slide. If layout id was not provided, a blank predefined layout will be provided instead.

predefined_layout

(Optional) A character vector that provides guidance on which layout the new slide is to follow. Some of the values that would be available is as follows:

- BLANK
- CAPTION_ONLY
- TITLE
- TITLE_AND_BODY
- TITLE_AND_TWO_COLUMNS
- TITLE_ONLY
- SECTION_HEADER
- SECTION_TITLE_AND_DESCRIPTION
- ONE_COLUMN_TEXT
- MAIN_POINT
- BIG_NUMBER

The default value for this parameter is BLANK

object_id

(Optional) A character vector that is to be used to give names to new slides created via the slides API

Examples

```
## Not run:
library(rgoogleSlides)
rgoogleSlides::authorize()

# Define the presentation slide id (Can be retrieved from the url of the slides)
slides_id <- "<slide-id>"

requests <- add_create_slide_page_request()
commit_to_slides(slides_id, requests)

requests2 <- add_create_slide_page_request(predefined_layout = "TITLE")
commit_to_slides(slides_id, requests2)

## End(Not run)
```

```
add_create_table_request
```

Add a create table request

Description

Add a create table request

Usage

```
add_create_table_request(google_slides_request = NULL,
  page_element_property, rows, columns, object_id = NULL)
```

Arguments

google_slides_request	(Optional) A Google Slides Request object which is used to manage requests to the API
page_element_property	A list that contains a page element property. The page element is to be generated by the page_element_property function in this package.
rows	A numeric vector with the row index of the data to be filled in the table. Only for tables
columns	A numeric vector with the column index of the data to be filled in the table. Only for tables
object_id	(Optional) A character vector to name the object created instead of leaving it to Google

`add_create_video_request`*Add a create video request*

Description

Add a create video request

Usage

```
add_create_video_request(google_slides_request = NULL, id,
  page_element_property, object_id = NULL)
```

Arguments

<code>google_slides_request</code>	(Optional) A Google Slides Request object which is used to manage requests to the API
<code>id</code>	The video source's unique identifier for this video. e.g. For YouTube video https://www.youtube.com/watch?v=7U3axjORYZ0 , the ID is 7U3axjORYZ0.
<code>page_element_property</code>	A list that contains a page element property. The page element is to be generated by the <code>page_element_property</code> function in this package.
<code>object_id</code>	(Optional) A character vector to name the object created instead of leaving it to Google

Examples

```
## Not run:
library(rgoogleslides)
rgoogleslides::authorize()

# Define the presentation slide id (Can be retrieved from the url of the slides)
slides_id <- "<slide-id>"

# Define the youtube video id (Can be retrieved from the url of the youtube video)
youtube_id <- "<youtube-id>"

page_element <- aligned_page_element_property("p", align = "full")
request <- add_create_video_request(id = youtube_id, page_element_property = page_element)
commit_to_slides(slides_id, request)

## End(Not run)
```

add_delete_object_request
Add a delete object request

Description

Add a delete object request

Usage

```
add_delete_object_request(google_slides_request = NULL,  
                          object_id = NULL)
```

Arguments

`google_slides_request`
(Optional) A Google Slides Request object which is used to manage requests to the API

`object_id` A character vector of object ids that is to be deleted from the slides

add_delete_table_column_request
Add a delete table column request

Description

Deletes a column from a table.

Usage

```
add_delete_table_column_request(google_slides_request = NULL,  
                               table_object_id, row_index, column_index)
```

Arguments

`google_slides_request`
(Optional) A Google Slides Request object which is used to manage requests to the API

`table_object_id`
The table to insert rows into.

`row_index` The 0-based row index.

`column_index` The 0-based column index.

add_delete_table_row_request

Add a delete table row request

Description

Deletes a row from a table.

Usage

```
add_delete_table_row_request(google_slides_request = NULL,  
    table_object_id, row_index, column_index)
```

Arguments

google_slides_request	(Optional) A Google Slides Request object which is used to manage requests to the API
table_object_id	The table to delete a row from.
row_index	The 0-based row index.
column_index	The 0-based column index.

add_delete_text_request

Add a delete text request

Description

Add a delete text request

Usage

```
add_delete_text_request(google_slides_request = NULL, object_id,  
    row_index = NULL, column_index = NULL, start_index = NULL,  
    end_index = NULL, type = "ALL")
```

Arguments

google_slides_request	(Optional) A Google Slides Request object which is used to manage requests to the API
object_id	A string to remove text from. You can only remove text contained in tables and shapes

row_index	(Optional) A numeric vector of row to remove the text from. Only needed if you are deleting text from a table
column_index	(Optional) A numeric vector of column to remove the text from. Only needed if you are deleting text from a table
start_index	(Optional) The optional zero-based index of the beginning of the collection. Required for SPECIFIC_RANGE and FROM_START_INDEX ranges.
end_index	(Optional) The optional zero-based index of the end of the collection. Required for SPECIFIC_RANGE delete mode.
type	The type of range. Can be the following FIXED_RANGE, FROM_START_INDEX, ALL. The default value is ALL

add_insert_table_columns_request

Add an insert table column request

Description

Add an insert table column request

Usage

```
add_insert_table_columns_request(google_slides_request = NULL,
  table_object_id, row_index, column_index, insert_right = TRUE, number)
```

Arguments

google_slides_request	(Optional) A Google Slides Request object which is used to manage requests to the API
table_object_id	The table to insert rows into.
row_index	The 0-based row index.
column_index	The 0-based column index.
insert_right	Whether to insert new columns to the right of the reference cell location. If True, cells will be inserted to the right of the cell reference. If False, cells will be inserted to the left of the cell reference.
number	The number of rows to be inserted. Maximum 20 per request.

`add_insert_table_rows_request`*Add an insert table row request*

Description

Add an insert table row request

Usage

```
add_insert_table_rows_request(google_slides_request = NULL,  
    table_object_id, row_index, column_index, insert_below = TRUE, number)
```

Arguments

<code>google_slides_request</code>	(Optional) A Google Slides Request object which is used to manage requests to the API
<code>table_object_id</code>	The table to insert rows into.
<code>row_index</code>	The 0-based row index.
<code>column_index</code>	The 0-based column index.
<code>insert_below</code>	Whether to insert new rows below the reference cell location. If True, cells will be inserted below cell reference. If False, cells will be inserted above cell reference.
<code>number</code>	The number of rows to be inserted. Maximum 20 per request.

`add_insert_text_request`*Add an insert text request*

Description

Add an insert text request

Usage

```
add_insert_text_request(google_slides_request = NULL, object_id,  
    row_index = NULL, column_index = NULL, text,  
    insertion_index = NULL)
```

Arguments

google_slides_request	(Optional) A Google Slides Request object which is used to manage requests to the API
object_id	The ID of the object where the text is to be inserted into
row_index	(Optional) A numeric vector of row to insert the text into. This value is only optional for shapes
column_index	(Optional) A numeric vector of column to insert the text into. This value is only optional for shapes
text	A character vector of text which is to be inserted into the shape or table
insertion_index	(Optional) A numeric vector which indicate the starting point of how the text is to be inserted

add_replace_all_shapes_with_image_request

Add a replace all shapes with image request

Description

Add a replace all shapes with image request

Usage

```
add_replace_all_shapes_with_image_request(google_slides_request = NULL,
  image_url, replace_method = "CENTER_INSIDE", page_object_ids = NULL,
  text, match_case = TRUE)
```

Arguments

google_slides_request	(Optional) A Google Slides Request object which is used to manage requests to the API
image_url	The image URL. The image is fetched once at insertion time and a copy is stored for display inside the presentation. Image must be less than 50mb in size
replace_method	The replace method. Accepts 'CENTER_INSIDE' and 'CENTER_CROP'
page_object_ids	(Optional) A character vector that contains the list of slide pages that you wish to enact the change on. It can contain multiple values.
text	The text to search for in the shape or table.
match_case	Indicates whether the search should respect case

Examples

```
## Not run:
library(rgoogleslides)
rgoogleslides::authorize()

# Define the presentation slide id (Can be retrieved from the url of the slides)
slides_id <- "<slide-id>"

# Define the internal drive image file to be inserted into slides
file_id <- "<file_id>"

request <- add_replace_all_shapes_with_image_request(image_url = file_id, text = 'aaa')
commit_to_slides(slides_id, request)

## End(Not run)
```

```
add_replace_all_text_request
      Add a replace all text request
```

Description

Add a replace all text request

Usage

```
add_replace_all_text_request(google_slides_request = NULL,
  replace_text = NULL, text = NULL, match_case = TRUE)
```

Arguments

google_slides_request	(Optional) A Google Slides Request object which is used to manage requests to the API
replace_text	A character vector of text that would replace the ones in the text parameter. The order of the replaceText matters
text	A character vector of text that would be replaced by the ones in the replaceText parameter. The order of the text matters
match_case	(Optional) A boolean that takes in only TRUE or FALSE only. This would be applied across all requests

`add_update_slides_position_request`*Add an update slides position request*

Description

Add an update slides position request

Usage

```
add_update_slides_position_request(google_slides_request = NULL,  
    slide_object_ids = NULL, insertion_index = NULL)
```

Arguments

`google_slides_request`

(Optional) A Google Slides Request object which is used to manage requests to the API

`slide_object_ids`

A character vector of slide ids

`insertion_index`

Numeric Vector. This is where the slides selected in `slideobjectids` parameter is inserted into. The slides would be inserted based on before the arrangement before the move.

`aligned_page_element_property`*Convenience function to return a page element property that aligns said element*

Description

The Googleslides do not provide convenient ways to align the element. In order to do the necessary calculation, one has to be do take into account the slide size as well as image size.

Usage

```
aligned_page_element_property(slide_page_id, slide_page_height = 5143500,  
    slide_page_width = 9144000, image_height = NULL,  
    image_width = NULL, align = "center")
```

Arguments

<code>slide_page_id</code>	The id of the slide page that is to be altered
<code>slide_page_height</code>	The slide page height. It is set to default of 9144000
<code>slide_page_width</code>	The slide page width. It is set to default of 5143500
<code>image_height</code>	Image height in pt. Optional for align mode 'full'
<code>image_width</code>	Image width in pt. Optional for align mode 'full'
<code>align</code>	Alignment mode that is to be selected. 'center' or 'full' is accepted.

Details

The following pointers are thought of when doing the following calculations.

- The image is to be scaled without any distortions. No skews etc
- The translation coordinates of an image is defined by the top left corner of the image
- The following function will not query the Google Slides API to retrieve the page size automatically. The user would need to obtain that information and feed it into this function. This is to prevent this function from overutilizing the API unnecessarily when utilizing this function

authorize

Authorize R package to access Google Slides API

Description

This is a function to authorize the R package to access the Google Slides API. If no `client.id` and `client.secret` is provided, the package would provide predefined values.

Usage

```
authorize(client_id = getOption("slides.client.id"),
          client_secret = getOption("slides.client.secret"), token = NULL)
```

Arguments

<code>client_id</code>	OAuth client ID. This is obtained from Google API Credentials
<code>client_secret</code>	OAuth client secret. This is obtained from Google API Credentials
<code>token</code>	an output from <code>oauth2.0_token</code> to set as the authentication token.

check_validity	<i>Convenience function to return a value if the value is NA</i>
----------------	--

Description

A function that checks and ensure that the value only returns null or a number. This function can only check one value at a time.

Usage

```
check_validity(value)
```

Arguments

value Value to check if the value is valid. If value is NA, return as NULL instead.

commit_to_slides	<i>Commit changes to slides</i>
------------------	---------------------------------

Description

Commit changes to slides

Usage

```
commit_to_slides(id, google_slide_request)
```

Arguments

id The slide id of the googleslides to be updated
google_slide_request The google slide request to be applied to the slides

create_data_table *Create and upload data into a table in slides*

Description

This function takes in one single page element property and one dataset at each time for uploading to a single slide

Usage

```
create_data_table(id = NULL, page_element_property = NULL,
  data = NULL, headers = TRUE)
```

Arguments

id	ID of the presentation slide
page_element_property	A list that contains a page element property. The page element is to be generated by the page_element_property function in this package.
data	Dataframe of the dataset that is to be converted so that it can be used with the google slides API
headers	Boolean to indicate whether to convert taking in mind of the headers or not

Examples

```
## Not run:
library(googleSlides)
authorize()
slide_page <- page_element_property(['slide-id-2'])
create_data_table("presentation-slide-id", slide_page, iris[1:5,])

## End(Not run)
```

create_slides *Create a new googleslide*

Description

Create a new googleslide

Usage

```
create_slides(title = NULL, full_response = FALSE)
```


Arguments

title	Title of the presentation slide
full_response	Parameter to decide whether to return the full response or just the presentation ID

dataframe_convert	<i>Convert dataframe to dataframe with rows and columns</i>
-------------------	---

Description

Convert dataframe to dataframe with rows and columns

Usage

```
dataframe_convert(data = NULL, headers = TRUE)
```

Arguments

data	Dataframe of the dataset that is to be converted so that it can be used with the google slides API
headers	Boolean to indicate whether to convert taking in mind of the headers or not

get_endpoint	<i>Generate endpoint for the Google Slides API</i>
--------------	--

Description

Generate endpoint for the Google Slides API

Usage

```
get_endpoint(type_of_endpoint = "slides.endpoint.get", id = NULL,
             page_object_id = NULL)
```

Arguments

type_of_endpoint	Type of endpoint to convert to url
id	(Optional) ID of the google slides to manipulate. Optional for slides.endpoint.create
page_object_id	(Optional) ID of the page slide object to be affected

`get_google_drive_urls` *Get the list of google drive url*

Description

Get the list of google drive url

Usage

```
get_google_drive_urls(imageId)
```

Arguments

`imageId` ID of the image on Google Drive

`get_slides_properties` *Get Google Slides Properties*

Description

Get Google Slides Properties

Usage

```
get_slides_properties(id)
```

Arguments

`id` ID of the presentation slide

`get_slide_page_properties`
Get a single page of a Google Slides property

Description

Get a single page of a Google Slides property

Usage

```
get_slide_page_properties(id, page_object_id, response = "simple")
```

Arguments

id	ID of the presentation slide
page_object_id	The page ID of the presentation slide
response	Type of response. Values can be "simple" or "raw". A simple response provides a simplified object to query parts of the slide. A raw response provides the actual response via Google API.

is.google_slide_request

Check if the object is a google slide request object

Description

Check if the object is a google slide request object

Usage

is.google_slide_request(x)

Arguments

x	A google_slide_request object created from the rgoogleslides package
---	--

is.page_element_property

Check if the object is a google slide request object

Description

Check if the object is a google slide request object

Usage

is.page_element_property(x)

Arguments

x	A page_element_property object created from the rgoogleslides package
---	---

page_element_property *Common Property: Page Element Property*

Description

This property is repeated in various of the request. Hence, to reduce the number of times this would appear in the code base, a function is created to handle the creation of this list.

Usage

```
page_element_property(page_object_id = NULL, width_magnitude = NULL,
    height_magnitude = NULL, scale_x = NULL, scale_y = NULL,
    shear_x = NULL, shear_y = NULL, translate_x = NULL,
    translate_y = NULL, width_unit = "PT", height_unit = "PT",
    transform_unit = "PT")
```

Arguments

page_object_id	A character vector that contains the page id of the slide
width_magnitude	(Optional) A numeric vector that contains the width of the component
height_magnitude	(Optional) A numeric vector that contains the height of the component
scale_x	(Optional) A numeric vector that tells how the object is to be sized
scale_y	(Optional) A numeric vector that tells how the object is to be sized
shear_x	(Optional) A numeric vector that tells how the object is to be sheared
shear_y	(Optional) A numeric vector that tells how the object is to be sheared
translate_x	(Optional) A numeric vector that tells how the object is to be located
translate_y	(Optional) A numeric vector that tells how the object is to be located
width_unit	(Optional) A string vector that tells the measurement unit to use to locate the elements on the slide for the width element
height_unit	(Optional) A string vector that tells the measurement unit to use to locate the elements on the slide for the height element
transform_unit	(Optional) A string vector that tells the measurement unit to use to locate the elements on the slide for the transform element

Value

A PageElementProperty Object

Examples

```
## Not run:  
library(googleslides)  
  
# There is only one compulsory field which is pageObjectId is the  
# 'slide id' of the slide being referenced to  
pageElementProperty <- page_element_property("12345")  
  
## End(Not run)
```

rgoogleslides

rgoogleslides: From R to Slides

Description

Previously, when one is working with in the Google Ecosystem (Using Google Drive etc), there is hardly any good workflow of getting the values calculated from R and getting that into Google Slides. The normal and easy way out would be to just copy your work over but when you have a number of analysis to present with a lot of changes between each environment, it just becomes quite cumbersome.

Hence, this package is created to resolve such issues, providing a smoother workflow for such cases.

Index

`add_create_image_request`, [2](#)
`add_create_shape_request`, [3](#)
`add_create_slide_page_request`, [4](#)
`add_create_table_request`, [5](#)
`add_create_video_request`, [6](#)
`add_delete_object_request`, [7](#)
`add_delete_table_column_request`, [7](#)
`add_delete_table_row_request`, [8](#)
`add_delete_text_request`, [8](#)
`add_insert_table_columns_request`, [9](#)
`add_insert_table_rows_request`, [10](#)
`add_insert_text_request`, [10](#)
`add_replace_all_shapes_with_image_request`,
[11](#)
`add_replace_all_text_request`, [12](#)
`add_update_slides_position_request`, [13](#)
`aligned_page_element_property`, [13](#)
`authorize`, [14](#)

`check_validity`, [15](#)
`commit_to_slides`, [15](#)
`create_data_table`, [16](#)
`create_slides`, [16](#)

`dataframe_convert`, [17](#)

`get_endpoint`, [17](#)
`get_google_drive_urls`, [18](#)
`get_slide_page_properties`, [18](#)
`get_slides_properties`, [18](#)

`is.google_slide_request`, [19](#)
`is.page_element_property`, [19](#)

`oauth2.0_token`, [14](#)

`page_element_property`, [20](#)

`rgoogleSlides`, [21](#)
`rgoogleSlides-package (rgoogleSlides)`,
[21](#)