

Package ‘shinybrms’

April 26, 2022

Title Graphical User Interface ('shiny' App) for 'brms'

Version 1.7.0

Date 2022-04-26

Description A graphical user interface (GUI) for fitting Bayesian regression models using the package 'brms' which in turn relies on 'Stan' (<<https://mc-stan.org/>>). The 'shinybrms' GUI is a 'shiny' app.

License GPL-3 | file LICENSE

URL <https://fweber144.github.io/shinybrms/>

BugReports <https://github.com/fweber144/shinybrms/issues>

Depends R (>= 3.6.0)

Imports shiny (>= 1.4.0), brms (>= 2.16.0), rstan (>= 2.19.3), rlang

Suggests cmdstanr, ggplot2, shinystan (>= 2.4.0), callr (>= 3.4.0), rstanarm, MASS, lme4, testthat, shinytest

Additional_repositories <https://mc-stan.org/r-packages/>

Encoding UTF-8

RoxygenNote 7.1.2

NeedsCompilation no

Author Frank Weber [aut, cre] (<<https://orcid.org/0000-0002-4842-7922>>),
Katja Ickstadt [ctb] (<<https://orcid.org/0000-0001-5157-2496>>),
Änne Glass [ctb] (<<https://orcid.org/0000-0002-7715-9058>>),
Thomas Park [ctb, cph] ('Bootswatch' theme ``United"),
Twitter, Inc. [ctb, cph] ('Bootstrap' (basis for the 'Bootswatch' theme
``United")),
Google, LLC [ctb, cph] ('`Open Sans" font)

Maintainer Frank Weber <fweber144@protonmail.com>

Repository CRAN

Date/Publication 2022-04-26 15:10:02 UTC

R topics documented:

launch_shinybrms 2

Index 4

launch_shinybrms *Launch the shinybrms app*

Description

This function launches the **shinybrms** app.

Usage

```
launch_shinybrms(...)
```

Arguments

... Arguments passed to `shiny::runApp()`. For example, in order to force the **shinybrms** app to launch in the system's default web browser (even if using RStudio), set argument `launch.browser` to `TRUE`.

Value

`TRUE` (invisible).

Note

The following global options are introduced by **shinybrms**:

- `shinybrms.allow_upd`: Mainly for internal testing purposes. A single logical value indicating whether updating a previous model fit using `brms:::update.brmsfit()` is allowed. Defaults to `TRUE`.
- `shinybrms.prog_browser`: The value for the global option browser to be used for opening the **Stan** progress file (an HTML file). Defaults to option `browser` (see `base::options()`). Note that RStudio's default for option `browser` cannot be used for the Stan progress file. Therefore, **shinybrms** automatically redefines RStudio's default for option `browser` to fix this issue.
- `shinybrms.shinystan_browser`: The value for the global option browser to be used for opening the **shinystan** app. Defaults to option `browser` (see `base::options()`). Note that RStudio's default for option `browser` cannot be used for opening the **shinystan** app from within **shinybrms**. Therefore, **shinybrms** automatically redefines RStudio's default for option `browser` to fix this issue.

External global options used by **shinybrms** are:

- `shiny.maxRequestSize` (see `shiny::shinyOptions()`): If not specified by the user, then **shinybrms** uses a value of $50 * 1024^2$ (corresponding to 50 MB).

- warn (see [base::options\(\)](#)): Set and reset internally (necessary for catching some warning messages).
- browser (see [base::options\(\)](#)): Set and reset internally (see above).
- mc.cores (see [base::options\(\)](#)): If option mc.cores is set, then the advanced option "Cores" (in the **shinybrms** app) defaults to the value of this option. If option mc.cores is not set, then the advanced option "Cores" defaults to the value returned by [parallel::detectCores\(\)](#).
- brms.backend (see [brms::brm\(\)](#)): If option brms.backend is set, then the advanced option "Backend" (in the **shinybrms** app) defaults to the value of this option. If option brms.backend is not set, then the advanced option "Backend" defaults to "rstan".

Note that **shinystan**'s global option shinystan.rstudio (see [shinystan::launch_shinystan\(\)](#)) may not be used here as **shinystan** is called from an external R process where RStudio's browsers are not available.

Examples

```
if (interactive()) {  
  launch_shinybrms(launch.browser = TRUE)  
}
```

Index

`base::options()`, 2, 3

`brms::brm()`, 3

`launch_shinybrms`, 2

`parallel::detectCores()`, 3

`shiny::runApp()`, 2

`shiny::shinyOptions()`, 2

`shinytan::launch_shinytan()`, 3