

Package ‘simmer’

March 14, 2019

Type Package

Title Discrete-Event Simulation for R

Version 4.2.2

Description A process-oriented and trajectory-based Discrete-Event Simulation (DES) package for R. It is designed as a generic yet powerful framework. The architecture encloses a robust and fast simulation core written in 'C++' with automatic monitoring capabilities. It provides a rich and flexible R API that revolves around the concept of trajectory, a common path in the simulation model for entities of the same type. Documentation about 'simmer' is provided by several vignettes included in this package, via the paper by Ucar, Smeets & Azcorra (2018, <arXiv:1705.09746>), and the paper by Ucar, Hernández, Serrano & Azcorra (2018, <doi:10.1109/MCOM.2018.1700960>); see 'citation("`simmer")' for details.

License GPL (>= 2)

Encoding UTF-8

URL <http://r-simmer.org>, <https://github.com/r-simmer/simmer>

BugReports <https://github.com/r-simmer/simmer/issues>

Depends R (>= 3.1.2)

Imports Rcpp, R6, magrittr, codetools, utils

Suggests simmer.plot, parallel, testthat, knitr, rmarkdown, rticles

LinkingTo Rcpp (>= 0.12.9), BH (>= 1.62.0-1)

RoxygenNote 6.1.1

VignetteBuilder knitr

NeedsCompilation yes

Author Iñaki Ucar [aut, cph, cre] (<<https://orcid.org/0000-0001-6403-5550>>),
Bart Smeets [aut, cph]

Maintainer Iñaki Ucar <iucar@fedoraproject.org>

Repository CRAN

Date/Publication 2019-03-14 13:50:03 UTC

R topics documented:

simmer-package	3
activate	4
add_dataframe	4
add_generator	6
add_global	7
add_resource	7
batch	8
branch	9
clone	10
Extract.trajectory	10
generators	12
get_capacity	13
get_mon	15
get_n_generated	15
get_sources	16
handle_unfinished	17
join	17
leave	18
length.trajectory	19
log_	20
monitor	20
now	22
peek	22
renege_in	23
reset	24
rollback	24
run	25
schedule	25
seize	26
select	27
send	28
set_attribute	29
set_capacity	30
set_prioritization	30
set_trajectory	31
simmer	32
timeout	33
trajectory	34
wrap	35

simmer-package

simmer: *Discrete-Event Simulation for R*

Description

A process-oriented and trajectory-based Discrete-Event Simulation (DES) package for R. Designed to be a generic framework like **SimPy** or **SimJulia**, it leverages the power of **Rcpp** to boost the performance and turning DES in R feasible. As a noteworthy characteristic, **simmer** exploits the concept of trajectory: a common path in the simulation model for entities of the same type. It is pretty flexible and simple to use, and leverages the chaining/piping workflow introduced by the **magrittr** package.

Author(s)

Iñaki Ucar and Bart Smeets

References

Iñaki Ucar, Bart Smeets and Arturo Azcorra (2018). **simmer**: Discrete-Event Simulation for R. *Journal of Statistical Software*, accepted for publication.

See Also

simmer's homepage <http://r-simmer.org> and GitHub repository <https://github.com/r-simmer/simmer>.

Examples

```
## Not run:
# introduction to simmer
vignette("simmer-01-introduction")

# JSS paper available as vignette
vignette("simmer-02-jss")

# more vignettes
vignette(package = "simmer")

## End(Not run)
```

activate	<i>Activate/Deactivate Sources</i>
----------	------------------------------------

Description

Activities for activating or deactivating the generation of arrivals by name.

Usage

```
activate(.trj, source)
```

```
deactivate(.trj, source)
```

Arguments

.trj the trajectory object.

source the name of the source or a function returning a name.

Value

Returns the trajectory object.

See Also

[set_trajectory](#), [set_source](#).

add_dataframe	<i>Add a Data Frame</i>
---------------	-------------------------

Description

Attach a new source of arrivals to a trajectory from a data frame.

Usage

```
add_dataframe(.env, name_prefix, trajectory, data, mon = 1, batch = 50,  
  col_time = "time", time = c("interarrival", "absolute"),  
  col_attributes = NULL, col_priority = "priority",  
  col_preemptible = col_priority, col_restart = "restart")
```

Arguments

.env	the simulation environment.
name_prefix	the name prefix of the generated arrivals.
trajectory	the trajectory that the generated arrivals will follow (see trajectory).
data	a data frame with, at least, a column of (inter)arrival times (see details).
mon	whether the simulator must monitor the generated arrivals or not (0 = no monitoring, 1 = simple arrival monitoring, 2 = level 1 + arrival attribute monitoring)
batch	number of arrivals generated at a time. Arrivals are read from the data frame and attached to the trajectory in batches depending on this value. In general, it should not be changed.
col_time	name of the time column in the data frame.
time	type of time column: <i>interarrival</i> , if the time column contains interarrival times, or <i>absolute</i> , if the time column contains absolute arrival times.
col_attributes	vector of names of the attributes columns (see details).
col_priority	name of the priority column.
col_preemptible	name of the preemptible column.
col_restart	name of the restart column.

Details

The data frame provided must have, at least, a column of (inter)arrival times. This method will look for it under the name "time" by default, although this can be changed with the `col_time` parameter.

If there is any column named `col_priority="priority"`, `col_preemptible=priority` or `col_restart="restart"`, they will be used to set the prioritization values for each arrival (see [add_generator](#)).

If there are additional columns (with `col_attributes=NULL`, by default), they will be assigned to arrival attributes named after each column name. All these columns must be numeric (or logical). Otherwise, if a vector of column names is specified, only these will be assigned as attributes and the rest of the columns will be ignored.

A value of `batch=Inf` means that the whole data frame will be attached at the beginning of the simulation. This is not desirable in general, because the performance of the event queue is degraded when it is populated with too many events. On the other hand, a low value results in an increased overhead due to many function calls. The default value has been tested to provide a good trade-off.

Value

Returns the simulation environment.

See Also

Other sources: [add_generator](#).

add_generator *Add a Generator*

Description

Attach a new source of arrivals to a trajectory from a generator function.

Usage

```
add_generator(.env, name_prefix, trajectory, distribution, mon = 1,  
             priority = 0, preemptible = priority, restart = FALSE)
```

Arguments

.env	the simulation environment.
name_prefix	the name prefix of the generated arrivals.
trajectory	the trajectory that the generated arrivals will follow (see trajectory).
distribution	a function modelling the interarrival times (returning a negative value stops the generator).
mon	whether the simulator must monitor the generated arrivals or not (0 = no monitoring, 1 = simple arrival monitoring, 2 = level 1 + arrival attribute monitoring)
priority	the priority of each arrival (a higher integer equals higher priority; defaults to the minimum priority, which is 0).
preemptible	if a seize occurs in a preemptive resource, this parameter establishes the minimum incoming priority that can preempt these arrivals (an arrival with a priority greater than preemptible gains the resource). In any case, preemptible must be equal or greater than priority, and thus only higher priority arrivals can trigger preemption.
restart	whether the activity must be restarted after being preempted.

Value

Returns the simulation environment.

See Also

Convenience functions: [at](#), [from](#), [to](#), [from_to](#).

Other sources: [add_dataframe](#).

add_global	<i>Add a Global Attribute</i>
------------	-------------------------------

Description

Attach a global variable to the simulation.

Usage

```
add_global(.env, key, value)
```

Arguments

.env	the simulation environment.
key	the attribute name.
value	the value to set, either a numeric or a schedule , so that the global may change during the simulation.

Value

Returns the simulation environment.

See Also

Convenience functions: [schedule](#).

add_resource	<i>Add a Resource</i>
--------------	-----------------------

Description

Define a new resource in a simulation environment.

Usage

```
add_resource(.env, name, capacity = 1, queue_size = Inf, mon = TRUE,  
             preemptive = FALSE, preempt_order = c("fifo", "lifo"),  
             queue_size_strict = FALSE)
```

Arguments

<code>.env</code>	the simulation environment.
<code>name</code>	the name of the resource.
<code>capacity</code>	the capacity of the server, either a numeric or a schedule , so that the value may change during the simulation.
<code>queue_size</code>	the size of the queue, either a numeric or a schedule , so that the value may change during the simulation.
<code>mon</code>	whether the simulator must monitor this resource or not.
<code>preemptive</code>	whether arrivals in the server can be preempted or not based on seize priorities.
<code>preempt_order</code>	if the resource is preemptive and preemption occurs with more than one arrival in the server, this parameter defines which arrival should be preempted first. It must be <code>fifo</code> (First In First Out: older preemptible tasks are preempted first) or <code>lifo</code> (Last In First Out: newer preemptible tasks are preempted first).
<code>queue_size_strict</code>	if the resource is preemptive and preemption occurs, this parameter controls whether the <code>queue_size</code> is a hard limit. By default, preempted arrivals go to a dedicated queue, so that <code>queue_size</code> may be exceeded. If this option is <code>TRUE</code> , preempted arrivals go to the standard queue, and the maximum <code>queue_size</code> is guaranteed (rejection may occur). Whenever an arrival is rejected (due to a server drop or a queue drop), it will set the <code>finished</code> flag to <code>FALSE</code> in the output of get_mon_arrivals . Unfinished arrivals can be handled with a drop-out trajectory that can be set using the handle_unfinished activity.

Value

Returns the simulation environment.

See Also

Convenience functions: [schedule](#).

batch	<i>Batch/Separate Arrivals</i>
-------	--------------------------------

Description

Activities for collecting a number of arrivals before they can continue processing and splitting a previously established batch.

Usage

```
batch(.trj, n, timeout = 0, permanent = FALSE, name = "",
      rule = NULL)
```

```
separate(.trj)
```


Arguments

.trj	the trajectory object.
n	batch size, accepts a numeric.
timeout	set an optional timer which triggers batches every timeout time units even if the batch size has not been fulfilled, accepts a numeric or a callable object (a function) which must return a numeric (0 = disabled).
permanent	if TRUE, batches cannot be split.
name	optional string. Unnamed batches from different batch activities are independent. However, if you want to feed arrivals from different trajectories into a same batch, you need to specify a common name across all your batch activities.
rule	an optional callable object (a function) which will be applied to every arrival to determine whether it should be included into the batch, thus

Value

Returns the trajectory object.

branch	<i>Fork the Trajectory Path</i>
--------	---------------------------------

Description

Activity for defining a fork with N alternative sub-trajectories.

Usage

```
branch(.trj, option, continue, ...)
```

Arguments

.trj	the trajectory object.
option	a callable object (a function) which must return an integer between 0 and N. A return value equal to 0 skips the branch and continues to the next activity. A returning value between 1 to N makes the arrival to follow the corresponding sub-trajectory.
continue	a vector of N booleans that indicate whether the arrival must continue to the main trajectory after each sub-trajectory or not (if only one value is provided, it will be recycled to match the number of sub-trajectories).
...	N trajectory objects (or a list of N trajectory objects) describing each sub-trajectory.

Value

Returns the trajectory object.

clone	<i>Clone/Synchronize Arrivals</i>
-------	-----------------------------------

Description

Activities for defining a parallel fork and removing the copies. clone replicates an arrival n times (the original one + n-1 copies). synchronize removes all but one clone for each set of clones.

Usage

```
clone(.trj, n, ...)
```

```
synchronize(.trj, wait = TRUE, mon_all = FALSE)
```

Arguments

.trj	the trajectory object.
n	number of clones, accepts either a numeric or a callable object (a function) which must return a numeric.
...	a number of optional parallel sub-trajectories (or a list of sub-trajectories). Each clone will follow a different sub-trajectory if available.
wait	if FALSE, all clones but the first to arrive are removed. if TRUE (default), all clones but the last to arrive are removed.
mon_all	if TRUE, get_mon_arrivals will show one line per clone.

Value

Returns the trajectory object.

Extract.trajectory	<i>Extract or Replace Parts of a Trajectory</i>
--------------------	---

Description

Operators acting on trajectories to extract or replace parts.

Usage

```
## S3 method for class 'trajectory'
x[i]
```

```
## S3 method for class 'trajectory'
x[[i]]
```

```
## S3 replacement method for class 'trajectory'
x[i] <- value
```

```
## S3 replacement method for class 'trajectory'
x[[i]] <- value
```

Arguments

x	the trajectory object.
i	indices specifying elements to extract. Indices are numeric or character or logical vectors or empty (missing) or NULL. Numeric values are coerced to integer as by as.integer (and hence truncated towards zero). Negative integers indicate elements/slices to leave out the selection. Character vectors will be matched to the names of the activities in the trajectory as by %in% . Logical vectors indicate elements/slices to select. Such vectors are recycled if necessary to match the corresponding extent. An empty index will return the whole trajectory. An index value of NULL is treated as if it were <code>integer(0)</code> .
value	another trajectory object.

Value

Returns a new trajectory object.

See Also

[length.trajectory](#), [get_n_activities](#), [join](#).

Examples

```
x <- join(lapply(1:12, function(i)
  trajectory() %>% timeout(i)
))
x

x[10]           # the tenth element of x
x[-1]          # delete the 1st element of x
x[c(TRUE, FALSE)] # logical indexing
x[c(1, 5, 2, 12, 4)] # numeric indexing
x[c(FALSE, TRUE)] <- x[c(TRUE, FALSE)] # replacing
x
```

Description

These convenience functions facilitate the definition of generators of arrivals for some common cases.

Usage

```
at(...)
```

```
from(start_time, dist, arrive = TRUE)
```

```
to(stop_time, dist)
```

```
from_to(start_time, stop_time, dist, arrive = TRUE, every = NULL)
```

```
when_activated(n = 1)
```

Arguments

...	a vector or multiple parameters of times at which to initiate an arrival.
start_time	the time at which to launch the initial arrival.
dist	a function modelling the interarrival times.
arrive	if set to TRUE (default) the first arrival will be generated at start_time and will follow dist from then on. If set to FALSE, will initiate dist at start_time (and the first arrival will most likely start at a time later than start_time).
stop_time	the time at which to stop the generator.
every	repeat with this time cycle.
n	number of arrivals to generate when activated.

Details

[at](#) generates arrivals at specific absolute times.

[from](#) generates inter-arrivals following a given distribution with a specified start time. union of the last two.

[to](#) generates inter-arrivals following a given distribution with a specified stop time.

[from_to](#) is the union of [from](#) and [to](#).

[when_activated](#) sets up an initially inactive generator which generates n arrivals each time it is activated from any trajectory using the activity [activate](#).

Value

Returns a generator function (a closure).

See Also

[add_generator](#).

Examples

```
## common to all examples below
# some trajectory
t0 <- trajectory() %>%
  timeout(0)
# some distribution
distr <- function() runif(1, 1, 2)

# arrivals at 0, 1, 10, 30, 40 and 43
simmer() %>%
  add_generator("dummy", t0, at(0, c(1,10,30), 40, 43)) %>%
  run(100) %>%
  get_mon_arrivals()

# apply distribution starting at 5 (and no end)
simmer() %>%
  add_generator("dummy", t0, from(5, distr)) %>%
  run(10) %>%
  get_mon_arrivals()

# apply distribution until 5 (starting at 0)
simmer() %>%
  add_generator("dummy", t0, to(5, distr)) %>%
  run(10) %>%
  get_mon_arrivals()

# apply distribution from 8 to 16 h every 24 h:
simmer() %>%
  add_generator("dummy", t0, from_to(8, 16, distr, every=24)) %>%
  run(48) %>%
  get_mon_arrivals()

# triggering arrivals on demand from a trajectory
t1 <- trajectory() %>%
  activate("dummy")

simmer() %>%
  add_generator("dummy", t0, when_activated()) %>%
  add_generator("trigger", t1, at(2)) %>%
  run() %>%
  get_mon_arrivals()
```

Description

Getters for resources: server capacity/count and queue size/count, seized amount and selected resources.

Usage

```
get_capacity(.env, resources)
get_capacity_selected(.env, id = 0)
get_queue_size(.env, resources)
get_queue_size_selected(.env, id = 0)
get_server_count(.env, resources)
get_server_count_selected(.env, id = 0)
get_queue_count(.env, resources)
get_queue_count_selected(.env, id = 0)
get_seized(.env, resources)
get_seized_selected(.env, id = 0)
get_selected(.env, id = 0)
```

Arguments

<code>.env</code>	the simulation environment.
<code>resources</code>	one or more resource names.
<code>id</code>	selection identifier for nested usage.

Value

Return a vector (character for `get_selected`, numeric for the rest of them).

See Also

[get_resources](#), [set_capacity](#), [set_queue_size](#).

get_mon	<i>Monitoring Statistics</i>
---------	------------------------------

Description

Getters for obtaining monitored data (if any) about arrivals, attributes and resources.

Usage

```
get_mon_arrivals(.envs, per_resource = FALSE, ongoing = FALSE)
```

```
get_mon_attributes(.envs)
```

```
get_mon_resources(.envs)
```

Arguments

.envs	the simulation environment (or a list of environments).
per_resource	if TRUE, statistics will be reported on a per-resource basis.
ongoing	if TRUE, ongoing arrivals will be reported. The columns end_time and finished of these arrivals are reported as NAs.

Value

Returns a data frame.

get_n_generated	<i>Get Process Parameters</i>
-----------------	-------------------------------

Description

Getters for processes (sources and arrivals) number of arrivals generated by a source, the name of the active arrival, an attribute from the active arrival or a global one, and prioritization values.

Usage

```
get_n_generated(.env, sources)
```

```
get_trajectory(.env, sources)
```

```
get_name(.env)
```

```
get_attribute(.env, keys)
```

```
get_global(.env, keys)
```

```
get_prioritization(.env)
```

Arguments

.env	the simulation environment.
sources	one or more resource names.
keys	the attribute name(s).

Details

get_n_generated returns the number of arrivals generated by the given sources. get_trajectory returns the trajectory to which they are attached (as a list).

get_name returns the number of the running arrival. get_attribute returns a running arrival's attributes. If a provided key was not previously set, it returns a missing value. get_global returns a global attribute. get_prioritization returns a running arrival's prioritization values. get_name, get_attribute and get_prioritization are meant to be used inside a trajectory; otherwise, there will be no arrival running and these functions will throw an error.

See Also

[get_sources](#), [set_trajectory](#), [set_attribute](#), [set_global](#), [set_prioritization](#).

get_sources

Get Sources and Resources Defined

Description

Get a list of names of sources or resources defined in a simulation environment.

Usage

```
get_sources(.env)
```

```
get_resources(.env)
```

Arguments

.env	the simulation environment.
------	-----------------------------

Value

A character vector.

handle_unfinished	<i>Handle Unfinished Arrivals</i>
-------------------	-----------------------------------

Description

Activity for setting a drop-out trajectory for unfinished arrivals, i.e., those dropped from a resource (due to preemption, resource shrinkage or a rejected [seize](#)) or those that [leave](#) a trajectory.

Usage

```
handle_unfinished(.trj, handler)
```

Arguments

.trj	the trajectory object.
handler	trajectory object to handle unfinished arrivals. A NULL value will unset the drop-out trajectory.

Value

Returns the trajectory object.

See Also

[leave](#), [set_capacity](#)

join	<i>Join Trajectories</i>
------	--------------------------

Description

Concatenate any number of trajectories in the specified order.

Usage

```
join(...)
```

Arguments

...	trajectory objects.
-----	---------------------

Value

Returns a new trajectory object.

See Also

[Extract.trajectory](#), [length.trajectory](#), [get_n_activities](#).

Examples

```
t1 <- trajectory() %>% seize("dummy", 1)
t2 <- trajectory() %>% timeout(1)
t3 <- trajectory() %>% release("dummy", 1)

## join can be used alone
join(t1, t2, t3)

## or can be chained in a trajectory definition
trajectory() %>%
  join(t1) %>%
  timeout(1) %>%
  join(t3)
```

 leave

Leave the Trajectory

Description

Activity for leaving the trajectory with some probability.

Usage

```
leave(.trj, prob)
```

Arguments

`.trj` the trajectory object.
`prob` a probability or a function returning a probability.

Details

Arrivals that leave the trajectory will set the finished flag to FALSE in the output of [get_mon_arrivals](#). Unfinished arrivals can be handled with a drop-out trajectory that can be set using the [handle_unfinished](#) activity.

Value

Returns the trajectory object.

See Also

[handle_unfinished](#), [renege_in](#)

length.trajectory	<i>Number of Activities in a Trajectory</i>
-------------------	---

Description

Get the number of activities in a trajectory. `length` returns the number of first-level activities (sub-trajectories not included). `get_n_activities` returns the total number of activities (sub-trajectories included).

Usage

```
## S3 method for class 'trajectory'  
length(x)  
  
get_n_activities(x)
```

Arguments

`x` the trajectory object.

Value

Returns a non-negative integer of length 1.

See Also

[Extract.trajectory](#), [join](#).

Examples

```
x <- trajectory() %>%  
  timeout(1)  
  
x <- x %>%  
  clone(2, x, x)  
x  
  
## length does not account for subtrajectories  
length(x)  
get_n_activities(x)
```

log_	<i>Debugging</i>
------	------------------

Description

Activities for displaying messages preceded by the simulation time and the name of the arrival, and for setting conditional breakpoints.

Usage

```
log_(.trj, message, level = 0)
```

```
stop_if(.trj, condition)
```

Arguments

.trj	the trajectory object.
message	the message to display, accepts either a string or a callable object (a function) which must return a string.
level	debugging level. The message will be printed if, and only if, the level provided is less or equal to the log_level defined in the simulation environment (see simmer).
condition	a boolean or a function returning a boolean.

Value

Returns the trajectory object.

monitor	<i>Create a Monitor</i>
---------	-------------------------

Description

Methods for creating monitor objects for simulation environments.

Usage

```
monitor(name, xptr, get_arrivals, get_attributes, get_resources,
  handlers = NULL, finalize = function() { })
```

```
monitor_mem()
```

```
monitor_delim(path = tempdir(), keep = FALSE, sep = " ",
  ext = ".txt", reader = read.delim, args = list(stringsAsFactors =
  FALSE))
```

```
monitor_csv(path = tempdir(), keep = FALSE, reader = read.csv,
            args = list(stringsAsFactors = FALSE))
```

Arguments

name	an identifier to show when printed.
xptr	an external pointer pointing to a C++ object derived from the abstract class <code>simmer::Monitor</code> . See C++ API for further details and, in particular, the <code>simmer/monitor.h</code> header.
get_arrivals	a function to retrieve the arrivals tables. It must accept the <code>xptr</code> as a first argument, even if it is not needed, and a boolean <code>per_resource</code> as a second argument (see <code>get_mon_arrivals</code>).
get_attributes	a function to retrieve the attributes table. It must accept the <code>xptr</code> as a first argument, even if it is not needed.
get_resources	a function to retrieve the resources table. It must accept the <code>xptr</code> as a first argument, even if it is not needed.
handlers	an optional list of handlers that will be stored in a slot of the same name. For example, <code>monitor_mem</code> does not use this slot, but <code>monitor_delim</code> and <code>monitor_csv</code> store the path to the created files.
finalize	an optional function to be called when the object is destroyed. For example, <code>monitor_mem</code> does not require any finalizer, but <code>monitor_delim</code> and <code>monitor_csv</code> use this to remove the created files when the monitor is destroyed.
path	directory where files will be created (must exist).
keep	whether to keep files on exit. By default, files are removed.
sep	separator character.
ext	file extension to use.
reader	function that will be used to read the files.
args	a list of further arguments for reader.

Details

The `monitor` method is a generic function to instantiate a `monitor` object. It should not be used in general unless you want to extend `simmer` with a custom monitor.

The in-memory monitor is enabled by default (`memory_mem`), and it should be the fastest.

For large simulations, or if the RAM footprint is an issue, you may consider monitoring to disk. To that end, `monitor_delim` stores the values in flat delimited files. The usual `get_mon_*` methods retrieve data frames from such files using the reader provided. By default, `read.delim` is used, but you may consider using faster alternatives from other packages. It is also possible to keep the files in a custom directory to read and post-process them in a separate workflow.

`monitor_csv` is a special case of `monitor_delim` with `sep=","` and `ext=".csv"`.

Value

A `monitor` object.

Examples

```
mon <- monitor_csv()
mon

env <- simmer(mon=mon) %>%
  add_generator("dummy", trajectory() %>% timeout(1), function() 1) %>%
  run(10)
env

read.csv(mon$handlers$arrivals) # direct access
get_mon_arrivals(env)          # adds the "replication" column
```

now	<i>Simulation Time</i>
-----	------------------------

Description

Get the current simulation time.

Usage

```
now(.env)
```

Arguments

`.env` the simulation environment.

Value

Returns a numeric value.

See Also

[peek](#).

peek	<i>Peek Next Events</i>
------	-------------------------

Description

Look for future events in the event queue and (optionally) obtain info about them.

Usage

```
peek(.env, steps = 1, verbose = FALSE)
```

Arguments

.env	the simulation environment.
steps	number of steps to peek.
verbose	show additional information (i.e., the name of the process) about future events.

Value

Returns numeric values if verbose=F and a data frame otherwise.

See Also

[now](#).

renege_in	<i>Renege on some Condition</i>
-----------	---------------------------------

Description

Activities for setting or unsetting a timer or a signal after which the arrival will abandon.

Usage

```
renege_in(.trj, t, out = NULL)
renege_if(.trj, signal, out = NULL)
renege_abort(.trj)
```

Arguments

.trj	the trajectory object.
t	timeout to trigger renegeing, accepts either a numeric or a callable object (a function) which must return a numeric.
out	optional sub-trajectory in case of renegeing.
signal	signal to trigger renegeing, accepts either a string or a callable object (a function) which must return a string.

Value

Returns the trajectory object.

See Also

[send](#), [leave](#)

reset *Reset a Simulator*

Description

Reset the following components of a simulation environment: time, event queue, resources, sources and statistics.

Usage

```
reset(.env)
```

Arguments

.env the simulation environment.

Value

Returns the simulation environment.

See Also

[stepn](#), [run](#).

rollback *Rollback a Number of Activities*

Description

Activity for going backwards to a previous point in the trajectory. Useful to implement loops.

Usage

```
rollback(.trj, amount, times = Inf, check = NULL)
```

Arguments

.trj the trajectory object.
amount the amount of activities (of the same or parent trajectories) to roll back.
times the number of repetitions until an arrival may continue.
check a callable object (a function) which must return a boolean. If present, the times parameter is ignored, and the activity uses this function to check whether the rollback must be done or not.

Value

Returns the trajectory object.

run	<i>Run a Simulation</i>
-----	-------------------------

Description

Execute steps until a given criterion.

Usage

```
run(.env, until = Inf, progress = NULL, steps = 10)
```

```
stepn(.env, n = 1)
```

Arguments

.env	the simulation environment.
until	stop time.
progress	optional callback to show the progress of the simulation. The completed ratio is periodically passed as argument to the callback.
steps	number of steps to show as progress (it takes effect only if progress is provided).
n	number of events to simulate.

Value

Returns the simulation environment.

See Also

[reset.](#)

schedule	<i>Generate a Scheduling Object</i>
----------	-------------------------------------

Description

Resource convenience function to generate a scheduling object from a timetable specification.

Usage

```
schedule(timetable, values, period = Inf)
```

Arguments

timetable absolute points in time in which the desired value changes.
 values one value for each point in time.
 period period of repetition.

Value

Returns a schedule object.

See Also

[add_resource](#).

Examples

```
# Schedule 3 units from 8 to 16 h
#           2 units from 16 to 24 h
#           1 units from 24 to 8 h
capacity_schedule <- schedule(c(8, 16, 24), c(3, 2, 1), period=24)

env <- simmer() %>%
  add_resource("dummy", capacity_schedule)
```

 seize

Seize/Release Resources

Description

Activities for seizing/releasing a resource, by name or a previously selected one.

Usage

```
seize(.trj, resource, amount = 1, continue = NULL, post.seize = NULL,
      reject = NULL)

seize_selected(.trj, amount = 1, id = 0, continue = NULL,
               post.seize = NULL, reject = NULL)

release(.trj, resource, amount = 1)

release_selected(.trj, amount = 1, id = 0)

release_all(.trj, resource)

release_selected_all(.trj, id = 0)
```

Arguments

<code>.trj</code>	the trajectory object.
<code>resource</code>	the name of the resource.
<code>amount</code>	the amount to <i>seize</i> / <i>release</i> , accepts either a numeric or a callable object (a function) which must return a numeric.
<code>continue</code>	a boolean (if <code>post.seize</code> OR <code>reject</code> is defined) or a pair of booleans (if <code>post.seize</code> AND <code>reject</code> are defined; if only one value is provided, it will be recycled) to indicate whether these subtrajectories should continue to the next activity in the main trajectory.
<code>post.seize</code>	an optional trajectory object which will be followed after a successful <i>seize</i> .
<code>reject</code>	an optional trajectory object which will be followed if the arrival is rejected. Note that if the arrival is accepted (either in the queue or in the server) and then it is dropped afterwards due to preemption or resource shrinkage, then this trajectory won't be executed. Instead, see handle_unfinished for another, more general, method for handling all kinds of unfinished arrivals.
<code>id</code>	selection identifier for nested usage.

Value

Returns the trajectory object.

See Also

[select](#), [set_capacity](#), [set_queue_size](#), [set_capacity_selected](#), [set_queue_size_selected](#).

select	<i>Select Resources</i>
--------	-------------------------

Description

Activity for selecting a resource for a subsequent *seize*/*release* or setting its parameters (capacity or queue size).

Usage

```
select(.trj, resources, policy = c("shortest-queue",
    "shortest-queue-available", "round-robin", "round-robin-available",
    "first-available", "random", "random-available"), id = 0)
```

Arguments

<code>.trj</code>	the trajectory object.
<code>resources</code>	one or more resource names, or a callable object (a function) which must return one or more resource names.
<code>policy</code>	if <code>resources</code> is a character vector, this parameter determines the criteria for selecting a resource among the set of policies available (see details).
<code>id</code>	selection identifier for nested usage.

Details

The 'shortest-queue' policy selects the least busy resource; 'round-robin' selects resources in cyclical order; 'first-available' selects the first resource available, and 'random' selects a resource randomly.

All the 'available'-ending policies ('first-available', but also 'shortest-queue-available', 'round-robin-available' and 'random-available') check for resource availability (i.e., whether the capacity is non-zero), and exclude from the selection procedure those resources with capacity set to zero. This means that, for these policies, an error will be raised if all resources are unavailable.

Value

Returns the trajectory object.

See Also

[seize_selected](#), [release_selected](#), [set_capacity_selected](#), [set_queue_size_selected](#).

send *Inter-arrival Communication*

Description

These activities enable asynchronous programming. `send()` broadcasts a signal or a list of signals. Arrivals can subscribe to signals and (optionally) assign a handler with `trap()`. Note that, while inside a batch, all the signals subscribed before entering the batch are ignored. Upon a signal reception, the arrival stops the current activity and executes the handler (if provided). Then, the execution returns to the activity following the point of the interruption. `untrap()` can be used to unsubscribe from signals. `wait()` blocks until a signal is received.

Usage

```
send(.trj, signals, delay = 0)
```

```
trap(.trj, signals, handler = NULL, interruptible = TRUE)
```

```
untrap(.trj, signals)
```

```
wait(.trj)
```

Arguments

<code>.trj</code>	the trajectory object.
<code>signals</code>	signal or list of signals, accepts either a string, a list of strings or a callable object (a function) which must return a string or a list of strings.
<code>delay</code>	optional timeout to trigger the signals, accepts either a numeric or a callable object (a function) which must return a numeric.
<code>handler</code>	optional trajectory object to handle a signal received.
<code>interruptible</code>	whether the handler can be interrupted by signals.

Value

Returns the trajectory object.

See Also

[renege_if](#)

set_attribute	<i>Set Attributes</i>
---------------	-----------------------

Description

Activity for modifying an arrival's attributes.

Usage

```
set_attribute(.trj, keys, values, mod = c(NA, "+", "*"), init = 0)
```

```
set_global(.trj, keys, values, mod = c(NA, "+", "*"), init = 0)
```

Arguments

.trj	the trajectory object.
keys	the attribute name(s), or a callable object (a function) which must return attribute name(s).
values	numeric value(s) to set, or a callable object (a function) which must return numeric value(s).
mod	if set, values modify the attributes rather than substituting them.
init	initial value, applied if mod is set and the attribute was not previously initialised. Useful for counters or indexes.

Value

Returns the trajectory object.

See Also

[get_attribute](#), [get_global](#), [timeout_from_attribute](#), [timeout_from_global](#).

set_capacity	<i>Set Resource Parameters</i>
--------------	--------------------------------

Description

Activities for modifying a resource's server capacity or queue size, by name or a previously selected one.

Usage

```
set_capacity(.trj, resource, value, mod = c(NA, "+", "*"))
```

```
set_capacity_selected(.trj, value, id = 0, mod = c(NA, "+", "*"))
```

```
set_queue_size(.trj, resource, value, mod = c(NA, "+", "*"))
```

```
set_queue_size_selected(.trj, value, id = 0, mod = c(NA, "+", "*"))
```

Arguments

.trj	the trajectory object.
resource	the name of the resource.
value	new value to set.
mod	if set, values modify the attributes rather than substituting them.
id	selection identifier for nested usage.

Value

Returns the trajectory object.

See Also

[select](#), [seize](#), [release](#), [seize_selected](#), [release_selected](#), [get_capacity](#), [get_queue_size](#).

set_prioritization	<i>Set Prioritization Values</i>
--------------------	----------------------------------

Description

Activity for modifying an arrival's prioritization values.

Usage

```
set_prioritization(.trj, values, mod = c(NA, "+", "*"))
```

Arguments

.trj	the trajectory object.
values	expects either a vector/list or a callable object (a function) returning a vector/list of three values c(priority, preemptible, restart). A negative value leaves the corresponding parameter unchanged. See add_generator for more information about these parameters.
mod	if set, values modify the attributes rather than substituting them.

Value

Returns the trajectory object.

See Also

[get_prioritization](#).

set_trajectory	<i>Set Source Parameters</i>
----------------	------------------------------

Description

Activities for modifying a source's trajectory or source object by name.

Usage

```
set_trajectory(.trj, source, trajectory)
```

```
set_source(.trj, source, object)
```

Arguments

.trj	the trajectory object.
source	the name of the source or a function returning a name.
trajectory	the trajectory that the generated arrivals will follow.
object	a function modelling the interarrival times (if the source type is a generator; returning a negative value stops the generator) or a data frame (if the source type is a data source).

Value

Returns the trajectory object.

See Also

[activate](#), [deactivate](#).

simmer	<i>Create a Simulator</i>
--------	---------------------------

Description

This method initialises a simulation environment.

Usage

```
simmer(name = "anonymous", verbose = FALSE, mon = monitor_mem(),
        log_level = 0)
```

Arguments

name	the name of the simulator.
verbose	enable showing activity information.
mon	monitor (in memory by default); see monitor for other options.
log_level	debugging level (see log_).

Value

Returns a simulation environment.

See Also

Available methods by category:

- Simulation control: [stepn](#), [run](#), [now](#), [peek](#), [reset](#)
- Resources: [add_resource](#), [get_resources](#), [get_capacity](#), [get_queue_size](#), [get_server_count](#), [get_queue_count](#), [get_capacity_selected](#), [get_queue_size_selected](#), [get_server_count_selected](#), [get_queue_count_selected](#), [get_seized](#), [get_seized_selected](#), [get_selected](#)
- Sources: [add_generator](#), [add_dataframe](#), [get_sources](#), [get_n_generated](#), [get_trajectory](#)
- Globals: [add_global](#), [get_global](#)
- Data retrieval: [get_mon_arrivals](#), [get_mon_attributes](#), [get_mon_resources](#)

Examples

```
## a simple trajectory that prints a message
t0 <- trajectory("my trajectory") %>%
  log_("arrival generated")

## create an empty simulation environment
env <- simmer("SuperDuperSim")
env

## add a generator and attach it to the trajectory above
env %>% add_generator("dummy", t0, function() 1)
```



```
## run for some time
env %>% run(until=4.5)
env %>% now()          # current simulation time
env %>% peek()         # time for the next event
env %>% stepn()        # execute next event
```

timeout	<i>Delay</i>
---------	--------------

Description

Activity for inserting delays and execute user-defined tasks.

Usage

```
timeout(.trj, task)

timeout_from_attribute(.trj, key)

timeout_from_global(.trj, key)
```

Arguments

.trj	the trajectory object.
task	the timeout duration supplied by either passing a numeric or a callable object (a function) which must return a numeric (negative values are automatically coerced to positive).
key	the attribute name, or a callable object (a function) which must return the attribute name.

Value

Returns the trajectory object.

See Also

[set_attribute](#), [set_global](#).

 trajectory

Create a Trajectory

Description

This method initialises a trajectory object, which comprises a chain of activities that can be attached to a generator. See below for a complete list of available activities by category.

Usage

```
trajectory(name = "anonymous", verbose = FALSE)
```

Arguments

name	the name of the trajectory.
verbose	enable showing additional information.

Value

Returns an environment that represents the trajectory.

See Also

Available activities by category:

- Debugging: [log_](#), [stop_if](#)
- Delays: [timeout](#), [timeout_from_attribute](#), [timeout_from_global](#)
- Arrival properties: [set_attribute](#), [set_global](#), [set_prioritization](#)
- Interaction with resources: [select](#), [seize](#), [release](#), [release_all](#), [seize_selected](#), [release_selected](#), [release_selected_all](#), [set_capacity](#), [set_queue_size](#), [set_capacity_selected](#), [set_queue_size_selected](#)
- Interaction with generators: [activate](#), [deactivate](#), [set_trajectory](#), [set_source](#)
- Branching: [branch](#), [clone](#), [synchronize](#)
- Loops: [rollback](#)
- Batching: [batch](#), [separate](#)
- Asynchronous programming: [send](#), [trap](#), [untrap](#), [wait](#)
- Reneging: [leave](#), [handle_unfinished](#), [renege_in](#), [renege_if](#), [renege_abort](#)

Manage trajectories:

- Extract or Replace Parts of a Trajectory: [Extract.trajectory](#)
- Join Trajectories: [join](#)
- Number of Activities in a Trajectory: [length.trajectory](#), [get_n_activities](#)

Examples

```
## create an empty trajectory
x <- trajectory("my trajectory")
x

## add some activities by chaining them
x <- x %>%
  log_("here I am!") %>%
  timeout(5) %>%
  log_("leaving!")
x

## join trajectories
x <- join(x, x)

## extract and replace
x[c(3, 4)] <- x[2]
x
```

wrap

Wrap a Simulation Environment

Description

This function extracts the monitored data from a simulation environment making it accessible through the same methods. Only useful if you want to parallelize heavy replicas (see the example below), because the C++ simulation backend is destroyed when the threads exit.

Usage

```
wrap(.env)
```

Arguments

`.env` the simulation environment.

Value

Returns a simulation wrapper.

See Also

Methods for dealing with a simulation wrapper: [get_mon_arrivals](#), [get_mon_attributes](#), [get_mon_resources](#), [get_n_generated](#), [get_capacity](#), [get_queue_size](#), [get_server_count](#), [get_queue_count](#).

Examples

```
## Not run:
library(parallel)

mm1 <- trajectory() %>%
  seize("server", 1) %>%
  timeout(function() rexp(1, 2)) %>%
  release("server", 1)

envs <- mclapply(1:4, function(i) {
  simmer("M/M/1 example") %>%
    add_resource("server", 1) %>%
    add_generator("customer", mm1, function() rexp(1, 1)) %>%
    run(100) %>%
    wrap()
})

## End(Not run)
```

Index

[.trajectory (Extract.trajectory), 10
[<-.trajectory (Extract.trajectory), 10
[[.trajectory (Extract.trajectory), 10
[[<-.trajectory (Extract.trajectory), 10
%in%, 11

activate, 4, 12, 31, 34
add_dataframe, 4, 6, 32
add_generator, 5, 6, 13, 31, 32
add_global, 7, 32
add_resource, 7, 26, 32
as.integer, 11
at, 6, 12
at (generators), 12

batch, 8, 34
branch, 9, 34

clone, 10, 34

deactivate, 31, 34
deactivate (activate), 4

Extract.trajectory, 10, 18, 19, 34

from, 6, 12
from (generators), 12
from_to, 6, 12
from_to (generators), 12

generators, 12
get_attribute, 29
get_attribute (get_n_generated), 15
get_capacity, 13, 30, 32, 35
get_capacity_selected, 32
get_capacity_selected (get_capacity), 13
get_global, 29, 32
get_global (get_n_generated), 15
get_mon, 15, 21
get_mon_arrivals, 8, 18, 21, 32, 35
get_mon_arrivals (get_mon), 15
get_mon_attributes, 32, 35
get_mon_attributes (get_mon), 15
get_mon_resources, 32, 35
get_mon_resources (get_mon), 15
get_n_activities, 11, 18, 34
get_n_activities (length.trajectory), 19
get_n_generated, 15, 32, 35
get_name (get_n_generated), 15
get_prioritization, 31
get_prioritization (get_n_generated), 15
get_queue_count, 32, 35
get_queue_count (get_capacity), 13
get_queue_count_selected, 32
get_queue_count_selected
 (get_capacity), 13
get_queue_size, 30, 32, 35
get_queue_size (get_capacity), 13
get_queue_size_selected, 32
get_queue_size_selected (get_capacity),
 13
get_resources, 14, 32
get_resources (get_sources), 16
get_seized, 32
get_seized (get_capacity), 13
get_seized_selected, 32
get_seized_selected (get_capacity), 13
get_selected, 32
get_selected (get_capacity), 13
get_server_count, 32, 35
get_server_count (get_capacity), 13
get_server_count_selected, 32
get_server_count_selected
 (get_capacity), 13
get_sources, 16, 16, 32
get_trajectory, 32
get_trajectory (get_n_generated), 15

handle_unfinished, 8, 17, 18, 27, 34

join, 11, 17, 19, 34

- leave, [17](#), [18](#), [23](#), [34](#)
- length.trajectory, [11](#), [18](#), [19](#), [34](#)
- log_, [20](#), [32](#), [34](#)
- monitor, [20](#), [32](#)
- monitor_csv (monitor), [20](#)
- monitor_delim (monitor), [20](#)
- monitor_mem (monitor), [20](#)
- now, [22](#), [23](#), [32](#)
- peek, [22](#), [22](#), [32](#)
- read.delim, [21](#)
- release, [30](#), [34](#)
- release (seize), [26](#)
- release_all, [34](#)
- release_all (seize), [26](#)
- release_selected, [28](#), [30](#), [34](#)
- release_selected (seize), [26](#)
- release_selected_all, [34](#)
- release_selected_all (seize), [26](#)
- renege_abort, [34](#)
- renege_abort (renege_in), [23](#)
- renege_if, [29](#), [34](#)
- renege_if (renege_in), [23](#)
- renege_in, [18](#), [23](#), [34](#)
- reset, [24](#), [25](#), [32](#)
- rollback, [24](#), [34](#)
- run, [24](#), [25](#), [32](#)
- schedule, [7](#), [8](#), [25](#)
- seize, [17](#), [26](#), [30](#), [34](#)
- seize_selected, [28](#), [30](#), [34](#)
- seize_selected (seize), [26](#)
- select, [27](#), [27](#), [30](#), [34](#)
- send, [23](#), [28](#), [34](#)
- separate, [34](#)
- separate (batch), [8](#)
- set_attribute, [16](#), [29](#), [33](#), [34](#)
- set_capacity, [14](#), [17](#), [27](#), [30](#), [34](#)
- set_capacity_selected, [27](#), [28](#), [34](#)
- set_capacity_selected (set_capacity), [30](#)
- set_global, [16](#), [33](#), [34](#)
- set_global (set_attribute), [29](#)
- set_prioritization, [16](#), [30](#), [34](#)
- set_queue_size, [14](#), [27](#), [34](#)
- set_queue_size (set_capacity), [30](#)
- set_queue_size_selected, [27](#), [28](#), [34](#)
- set_queue_size_selected (set_capacity), [30](#)
- set_source, [4](#), [34](#)
- set_source (set_trajectory), [31](#)
- set_trajectory, [4](#), [16](#), [31](#), [34](#)
- simmer, [20](#), [32](#)
- simmer-package, [3](#)
- stepn, [24](#), [32](#)
- stepn (run), [25](#)
- stop_if, [34](#)
- stop_if (log_), [20](#)
- synchronize, [34](#)
- synchronize (clone), [10](#)
- timeout, [33](#), [34](#)
- timeout_from_attribute, [29](#), [34](#)
- timeout_from_attribute (timeout), [33](#)
- timeout_from_global, [29](#), [34](#)
- timeout_from_global (timeout), [33](#)
- to, [6](#), [12](#)
- to (generators), [12](#)
- trajectory, [5](#), [6](#), [34](#)
- trap, [34](#)
- trap (send), [28](#)
- untrap, [34](#)
- untrap (send), [28](#)
- wait, [34](#)
- wait (send), [28](#)
- when_activated, [12](#)
- when_activated (generators), [12](#)
- wrap, [35](#)