

Package ‘weightQuant’

December 30, 2018

Type Package

Title Weights for Incomplete Longitudinal Data and Quantile Regression

Version 1.0

Date 2018-12-18

Author Viviane Philipps

Maintainer Viviane Philipps <Viviane.Philipps@u-bordeaux.fr>

Description Estimation of observation-specific weights for incomplete longitudinal data and bootstrap procedure for weighted quantile regressions.

License GPL (>= 2.0)

Depends quantreg, foreach, doParallel

LazyLoad yes

LazyData true

NeedsCompilation no

Repository CRAN

Date/Publication 2018-12-30 17:30:03 UTC

R topics documented:

weightQuant-package	2
bootwrq	2
simdata	4
summary.bootwrq	5
test.bootwrq	6
weightsIMD	7
weightsMMD	8

Index	11
--------------	-----------

weightQuant-package *Weights for incomplete longitudinal data and quantile regression*

Description

Functions for the estimation of observation-specific weights for incomplete longitudinal data. A bootstrap method is also provided to obtain standard errors of weighted quantile regressions.

Details

Package: weightQuant
 Type: Package
 Version: 1.0
 Date: 2018-12-18
 License: GPL (>= 2.0)

Index:

bootwrq	Bootstrap procedure for weighted quantile regressions
simdata	Simulated dataset
summary.bootwrq	Summary of a quantile regression model
test.bootwrq	Test of covariate effects between different quantiles
weightQuant-package	Weights for incomplete longitudinal data and quantile regression
weightsIMD	Estimation of observation-specific weights with intermittent missing data
weightsMMD	Estimation of observation-specific weights with monotone missing data

Author(s)

Viviane Philipps

bootwrq *Bootstrap procedure for weighted quantile regressions*

Description

A subject-level bootstrap method for weighted quantile regressions is implemented in this function. Quantile regressions are estimated in a generalized estimating equation framework with independent working covariance matrix. Weights are estimated using `weightsIMD` or `weightsMMD` functions.

Usage

```
bootwrq(B, form, tau, data, Y, X1 = NULL, X2 = NULL, subject,
death, time, interval.death = NULL, impute = NULL, weight = NULL,
wcompute = 2, seed = NULL, intermittent, file = NULL,
nproc = 1, MPI = FALSE)
```

Arguments

B	integer, number of bootstrap samples
form	formula indicating the quantile regression model to be estimated
tau	numeric vector indicating the quantiles to be estimated
data	data frame containing the data
Y	character indicating the name of the response outcome
X1	optional character vector passed to the weight functions
X2	optional character vector passed to the weight functions
subject	character indicating the name of the subject identifier
death	optional character passed to the weight functions
time	optional character passed to the weight functions
interval.death	optional numeric vector passed to the weight function weightsMMD
impute	optional numeric vector passed to the weight function weightsIMD
weight	character indicating the name of the weight variable in data
wcompute	integer indicating if weights should be estimated in each bootstrap sample. If wcompute=0, weights are supposed to be known. If wcompute=1, weights are re-estimated in each bootstrap sample. If wcompute=2, both results are returned.
seed	optional integer vector of length B indicating the seeds.
intermittent	logical indicating if data contains intermittent missing data. If intermittent=TRUE, the weights are estimated using weightsIMD function, if intermittent=FALSE, the weights are estimated using weightsMMD function.
file	optional character indicating the name of the results file. If file=NULL, no results file is created.
nproc	number of processors to be used for parallel computing. Default to 1, sequential computation.
MPI	logical indicating if MPI parallelization should be used. Default to FALSE.

Value

a matrix with B columns containing the results on each bootstrap sample.

Author(s)

Viviane Philipps, Robert Darlin Mba

See Also

[summary.bootwrq](#), [test.bootwrq](#)

Examples

```
## Not run:
## computation of the weights with intermittent missing data
w_simdata <- weightsIMD(data=simdata,Y="Y",X1="X",X2=NULL,subject="id",
  death="death",time="time",impute=20,name="w_imd")$data

## estimation of the weighted quantile regressions
## for the first quartile and the median
m_simdata <- rq(Y~time*X,data=w_simdata,weights=w_imd,tau=c(0.25,0.5))

## estimation of the standard errors using the bootstrap procedure
boot_simdata <- bootwrq(B=1000, form=Y~time*X, tau=c(0.25,0.5),
  data=w_simdata, Y="Y",X1="X",X2=NULL,subject="id",
  death="death",time="time",impute=20,wcompute=0,intermittent=TRUE)

## the summary of the results
summary(boot_simdata,m_simdata)

## comparison of the covariate effects
## between the first quartile and the median
test.bootwrq(boot_simdata,m_simdata)

## End(Not run)
```

simdata

Simulated dataset

Description

The data were simulated from a linear mixed model. Repeated data of the longitudinal outcome were simulated for 500 subjects. Death time was simulated depending on the (observed and unobserved) longitudinal outcome and on the binary covariate. Missing data before death were simulated using a logistic regression model including the binary covariate, the outcome at the previous visit and the observation status at the previous visit.

Usage

```
simdata
```

Format

A data frame with 2123 observations over 500 different subjects and 7 variables.

id subject identification number

X binary covariate

death death time (missing for subjects alive)
 time measurement time
 age age at measurement time
 Y longitudinal outcome
 Ytrunc longitudinal outcome truncated at the first missing value

 summary.bootwrq

Summary of a quantile regression model

Description

The function provides a summary of quantile regression estimation. Standard errors and p values are obtained from a bootstrap procedure.

Usage

```
## S3 method for class 'bootwrq'
summary(object, ...)
```

Arguments

object results from bootstrap estimations obtained with bootwrq function
 ... additional arguments. If a quantile regression model estimated with rq function from quantreg package is specified, the function uses these estimated coefficients as results. Otherwise, the coefficients are obtained as the mean over the B estimated coefficients from the bootstrap results.

Value

A list containing :

results0 a matrix with 3 columns containing the results (coefficients, standard errors and p-values) without computing the weights in each bootstrap sample. Or NULL if the bootstrap results are obtained with wcompute=1.
 results1 a matrix with 3 columns containing the results (coefficients, standard errors and p-values) with re-estimated weights on each bootstrap sample. Or NULL if the bootstrap results are obtained with wcompute=0.

Author(s)

Viviane Philipps

test.bootwrq

Test of covariate effects between different quantiles

Description

This function provides a test for the covariate effects estimated for different quantiles.

Usage

```
test.bootwrq(x, m)
```

Arguments

x	results from bootstrap estimations obtained with bootwrq function
m	a quantile regression model estimated with rq function from quantreg package. At least 2 quantiles should be specified in rq function.

Details

For 2 quantiles tau1 and tau2, the test of the null hypothesis $H_0 : b_{\tau_1} = b_{\tau_2}$ is obtained with the following procedure : 1. estimate the difference $\text{diff} = b_{\tau_1} - b_{\tau_2}$ on the initial sample (ie from model m) 2. estimate the difference $\text{diff}_b = b_{\tau_1}^b - b_{\tau_2}^b$ on each of the B bootstrap samples 3. compute se_diff , the empirical standard error of these B differences 4. the associated p-value is obtained with the Gaussian assumption ($p\text{-value} = 2 * P(N(0,1) > \text{abs}(\text{diff}/\text{se_diff}))$)

Value

A list containing :

results0	a matrix with 3 columns containing the results (difference of the coefficients, standard errors of the difference and associated p-values) without computing the weights in each bootstrap sample. Or NULL if the bootstrap results are obtained with wcompute=1.
results1	a matrix with 3 columns containing the results (difference of the coefficients, standard errors of the difference and associated p-values) with re-estimated weights on each bootstrap sample. Or NULL if the bootstrap results are obtained with wcompute=0.

Author(s)

Viviane Philipps

weightsIMD	<i>Estimation of observation-specific weights with intermittent missing data</i>
------------	--

Description

This function provides stabilized weights for incomplete longitudinal data selected by death. The procedure allows intermittent missing data and assumes a missing at random (MAR) mechanism. Weights are defined as the inverse of the probability of being observed. These are obtained by pooled logistic regressions.

Usage

```
weightsIMD(data, Y, X1, X2, subject, death, time, impute = 0, name = "weight")
```

Arguments

data	data frame containing the observations and all variables named in Y, X1, X2, subject, death and time arguments.
Y	character indicating the name of the response outcome
X1	character vector indicating the name of the covariates with interaction with the outcome Y in the logistic regressions
X2	character vector indicating the name of the covariates without interaction with the outcome Y in the logistic regressions
subject	character indicating the name of the subject identifier
death	character indicating the time of death variable
time	character indicating the measurement time variable. Time should be 1 for the first (theoretical) visit, 2 for the second (theoretical) visit, etc.
impute	numeric indicating the value to impute if the outcome Y is missing
name	character indicating the name of the weight variable that will be added to the data

Details

Denoting T_i the death time, R_{ij} the observation indicator for subject i and occasion j , t the time, Y the outcome and $X1$ and $X2$ the covariates, we propose weights for intermittent missing data defined as :

$$w_{ij} = P(R_{ij} = 1 \mid T_i > t_{ij}, X1_{ij}, X2_{ij}) / P(R_{ij} = 1 \mid T_i > t_{ij}, X1_{ij}, X2_{ij}, Y_{ij-1})$$

The numerator corresponds to the conditional probability of being observed in the population currently alive under the MCAR assumption.

The denominator is computed by recurrence :

$$P(R_{ij} = 1 \mid T_i > t_{ij}, X1_{ij}, X2_{ij}, Y_{ij-1}) =$$

$$P(R_{ij} = 1 | T_i > t_{ij-1}, X1_{ij}, X2_{ij}, Y_{ij-1}, R_{ij-1} = 0) * P(R_{ij-1} = 0 | T_i > t_{ij}, X1_{ij}, X2_{ij}, Y_{ij-1}) + P(R_{ij} = 1 | T_i > t_{ij-1}, X1_{ij}, X2_{ij}, Y_{ij-1}, R_{ij-1} = 1) * P(R_{ij-1} = 1 | T_i > t_{ij}, X1_{ij}, X2_{ij}, Y_{ij-1})$$

Under the MAR assumption, the conditional probabilities $\lambda_{ij} = P(R_{ij} = 1 | T_i > t_{ij}, X1_{ij}, X2_{ij}, Y_{ij-1}, R_{ij-1})$ are obtained from the logistic regression :

$$\text{logit}(\lambda_{ij}) = b_0 + b_1 X1_{ij} + b_2 X2_{ij} + b_3 Y_{i(j-1)} + b_4 X1_{ij} Y_{i(j-1)} + b_5 (1 - R_{ij-1})$$

Value

A list containing :

data	the data frame with initial data and estimated weights as last column
coef	a list containing the estimates of the logistic regressions. The first element of coef contains the estimates under the MCAR assumption, the second contains the estimates under the MAR assumption.
se	a list containing the standard errors of the estimates contained in coef, in the same order.

Author(s)

Viviane Philipps, Marion Medeville, Anais Rouanet, Helene Jacqmin-Gadda

See Also

[weightsMMD](#)

Examples

```
w_simdata <- weightsIMD(data=simdata,Y="Y",X1="X",X2=NULL,subject="id",
death="death",time="time",impute=20,name="w_imd")$data
```

weightsMMD	<i>Estimation of observation-specific weights with monotone missing data</i>
------------	--

Description

This function provides stabilized weights for incomplete longitudinal data selected by death. The procedure assumes monotone missing data and a MAR-S mechanism, that is the probability of being observed depends also on further death. Weights are defined as the inverse of the probability of being observed. These are obtained by pooled logistic regressions.

Usage

```
weightsMMD(data, Y, X1, X2, subject, death, time, interval.death = 0, name = "weight")
```


Arguments

data	data frame containing the observations and all variables named in Y, X1, X2, subject, death and time arguments.
Y	character indicating the name of the response outcome
X1	character vector indicating the name of the covariates with interaction with the outcome Y in the logistic regressions
X2	character vector indicating the name of the covariates without interaction with the outcome Y in the logistic regressions
subject	character indicating the name of the subject identifier
death	character indicating the time of death variable
time	character indicating the measurement time variable. Time should be 1 for the first visit, 2 for the second visit, etc.
interval.death	integer vector, intervals (j-k) to consider for the MAR-S hypothesis (see details). By default, interval.death=0, estimation under the MAR assumption.
name	character indicating the name of the weight variable that will be added to the data

Details

In longitudinal studies, follow-up can be truncated by death. Different missingness mechanism can be assumed. Missing data can be : 1. MCAR (completely at random) if the missingness probability is independent from the outcome and the death time 2. MAR (missing at random) if the probability is independent from the unobserved values of the outcome and from the death time 3. MAR-S if the probability is independent from the unobserved values but is different according to the death time 4. MNAR (missing not at random) if the probability may depend on unobserved values.

Denoting T_i the death time, R_{ij} the observation indicator for subject i and occasion j , t the time, Y the outcome and $X1$ and $X2$ the covariates, we propose weights for monotone missing data defined as :

$$w_{ij} = P(R_{ij} = 1 \mid T_i > t_{ij}, X1_{ij}, X2_{ij}) / P(R_{ij} = 1 \mid T_i > t_{ij}, X1_{ij}, X2_{ij}, Y_{ij-1})$$

The numerator corresponds to the conditional probability of being observed in the population currently alive under the MCAR assumption.

The denominator is computed as a telescoping product :

$$P(R_{ij} = 1 \mid T_i > t_{ij}, X1_{ij}, X2_{ij}, Y_{ij-1}) = \prod_{k=2}^j P(R_{ik} = 1 \mid R_{ik-1} = 1, T_i > t_{ij}, X1_{ij}, X2_{ij}, Y_{ij-1}) = \prod_{k=2}^j \lambda_{ijk}$$

The probability λ_{ijk} are obtained by logistic regressions.

Under the MAR-S assumption, the regression model is :

$$\text{logit}(\lambda_{ijk}) = b_{0k(j-k)} + b_{1(j-k)} X1_{ik} + b_{2(j-k)} Y_{i(k-1)} + b_{3(j-k)} X1_{ik} Y_{i(k-1)} + b_{4(j-k)} X2_{ik}$$

For each interval (j-k), one logistic regression is performed.

Under the MAR assumption, one logistic regression is performed :

$$\text{logit}(\lambda_{ikk}) = b_{0k} + b_{1} X1_{ik} + b_{2} X2_{ik} + b_{3} Y_{i(k-1)} + b_{4} X1_{ik} Y_{i(k-1)}$$

Value

A list containing :

data	the data frame with initial data and estimated weights as last column
coef	a list containing the estimates of the logistic regressions. The first element of coef contains the estimates under the MCAR assumption, the further contain the estimates under the MAR or MAR-S assumption.
se	a list containing the standard erros of the estimates contained in coef, in the same order.

Author(s)

Viviane Philipps, Marion Medeville, Anais Rouanet, Helene Jacqmin-Gadda

See Also

[weightsIMD](#)

Examples

```
w_simdata <- weightsMMD(data=simdata,Y="Ytrunc",X1="X", X2=NULL,  
subject="id", death="death", time="time", interval.death = 0)$data
```

Index

*Topic **datasets**

simdata, [4](#)

*Topic **package**

weightQuant-package, [2](#)

bootwrq, [2](#)

simdata, [4](#)

summary.bootwrq, [4](#), [5](#)

test.bootwrq, [4](#), [6](#)

weightQuant (weightQuant-package), [2](#)

weightQuant-package, [2](#)

weightsIMD, [7](#), [10](#)

weightsMMD, [8](#), [8](#)